


Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Shinyanga	District	Meatu
Ward	Mwanhazu	Village	Mwagwila
Site No.	GS-76	Operator	Mr. Chibile
Date	27-Jul-06	Equipment	SYSCAL-Jr.
Longitude	34.22295	Latitude	3.43878
Altitude	1177	Orientation	N-S


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	4.5800	28.8
2	2	0.5	11.7810	2.1300	25.1
3	2.5	0.5	18.8496	1.2500	23.6
4	3	0.5	27.4889	0.8900	24.5
5	4	0.5	49.4801	0.5800	28.7
6	5	0.5	77.7544	0.4200	32.7
7	6	0.5	112.3119	0.3100	34.8
8	8	0.5	200.2765	0.1950	39.1
9	10	0.5	313.3739	0.1400	43.9
10	10	2.5	58.9049	0.6000	35.3
11	12	2.5	86.5509	0.4100	35.5
12	15	2.5	137.4447	0.2700	37.1
13	20	2.5	247.4004	0.1300	32.2
14	25	2.5	388.7721	0.0800	31.1
15	30	2.5	561.5597	0.0550	30.9
16	30	5	274.8894	0.1100	30.2
17	40	5	494.8008	0.0700	34.6
18	50	5	777.5442	0.0500	38.9
19	50	10	376.9911	0.0997	37.6
20	60	10	549.7787	0.0800	44.0
21	75	10	867.8650	0.0600	52.1
22	100	10	1555.0884	0.0410	63.8
23	100	25	589.0486	0.0980	57.7
24	125	25	942.4778	0.0770	72.6
25	150	25	1374.4468	0.0620	85.2
26	180	25	1996.4821	0.0520	103.8
27	200	25	2474.0042	0.0460	113.8



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Shinyanga	District	Shingida Rural
Ward	Didia	Village	Bukumbi
Site No.	GS-77	Operator	Mr. Mighanga
Date	24-Jul-06	Equipment	SYSCAL-Jr.
Longitude	33.03036	Latitude	3.81605
Altitude	1187	Orientation	N-S


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	8.2100	51.6
2	2	0.5	11.7810	3.2100	37.8
3	2.5	0.5	18.8496	2.0200	38.1
4	3	0.5	27.4889	0.9600	26.4
5	4	0.5	49.4801	0.6400	31.7
6	5	0.5	77.7544	0.4100	31.9
7	6	0.5	112.3119	0.2300	25.8
8	8	0.5	200.2765	0.1300	26.0
9	10	0.5	313.3739	0.0800	25.1
10	10	2.5	58.9049	0.6400	37.7
11	12	2.5	86.5509	0.4300	37.2
12	15	2.5	137.4447	0.2300	31.6
13	20	2.5	247.4004	0.1700	42.1
14	25	2.5	388.7721	0.1200	46.7
15	30	2.5	561.5597	0.0990	55.6
16	30	5	274.8894	0.1800	49.5
17	40	5	494.8008	0.1100	54.4
18	50	5	777.5442	0.0800	62.2
19	50	10	376.9911	0.1800	67.9
20	60	10	549.7787	0.1600	88.0
21	75	10	867.8650	0.1000	86.8
22	100	10	1555.0884	0.0700	108.9
23	100	25	589.0486	0.1800	94.2
24	125	25	942.4778	0.1300	113.1
25	150	25	1374.4468	0.0900	123.7
26	180	25	1996.4821	0.0700	139.8
27	200	25	2474.0042	0.0500	123.7



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Shinyanga	District	Kishapu
Ward	Mwamashelle	Village	Busongo
Site No.	GS-78	Operator	Mr. Mghanga
Date	26-Jul-06	Equipment	SYSCAL-Jr.
Longitude	35.85691	Latitude	3.75146
Altitude	1093	Orientation	N45E


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	7.7800	48.9
2	2	0.5	11.7810	5.3800	63.4
3	2.5	0.5	18.8496	3.1700	59.8
4	3	0.5	27.4889	2.6100	71.7
5	4	0.5	49.4801	2.1400	105.9
6	5	0.5	77.7544	1.4550	113.1
7	6	0.5	112.3119	1.0200	114.6
8	8	0.5	200.2765	0.4700	94.1
9	10	0.5	313.3739	0.2300	72.1
10	10	2.5	58.9049	1.1200	66.0
11	12	2.5	86.5509	0.5800	50.2
12	15	2.5	137.4447	0.2600	35.7
13	20	2.5	247.4004	0.0870	21.5
14	25	2.5	388.7721	0.0320	12.4
15	30	2.5	561.5597	0.0150	8.4
16	30	5	274.8894	0.0340	9.3
17	40	5	494.8008	0.0120	5.9
18	50	5	777.5442	0.0060	4.7
19	50	10	376.9911	0.0150	5.7
20	60	10	549.7787	0.0080	4.4
21	75	10	867.8650	0.0055	4.8
22	100	10	1555.0884	0.0020	3.1
23	100	25	589.0486	0.0070	4.1
24	125	25	942.4778	0.0047	4.4
25	150	25	1374.4468	0.0040	5.5
26	180	25	1996.4821	0.0030	6.0
27	200	25	2474.0042	0.0020	4.9



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Shinyanga	Division	Samuye
Ward	Samuye	Village	Masengwa
Site No.	GS-79	Operator	Mr. Gimabishi
Date	24-Jul-06	Equipment	SYSCAL-Jr.
Longitude	33.37565	Latitude	3.82588
Altitude	1122	Orientation	E-W


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	9.2900	58.4
2	2	0.5	11.7810	3.5500	41.8
3	2.5	0.5	18.8496	2.1300	40.1
4	3	0.5	27.4889	1.4300	39.3
5	4	0.5	49.4801	0.7700	38.1
6	5	0.5	77.7544	0.5000	38.9
7	6	0.5	112.3119	0.3400	38.2
8	8	0.5	200.2765	0.1800	36.0
9	10	0.5	313.3739	0.1100	34.5
10	10	2.5	58.9049	0.6000	35.3
11	12	2.5	86.5509	0.3900	33.8
12	15	2.5	137.4447	0.2300	31.6
13	20	2.5	247.4004	0.1700	42.1
14	25	2.5	388.7721	0.1400	54.4
15	30	2.5	561.5597	0.1150	64.6
16	30	5	274.8894	0.2800	77.0
17	40	5	494.8008	0.0500	24.7
18	50	5	777.5442	0.0400	31.1
19	50	10	376.9911	0.0600	22.6
20	60	10	549.7787	0.0500	27.5
21	75	10	867.8650	0.0200	17.4
22	100	10	1555.0884	0.0100	15.6
23	100	25	589.0486	0.0300	17.7
24	125	25	942.4778	0.0200	18.8
25	150	25	1374.4468	0.0190	26.1
26	180	25	1996.4821	0.0120	24.0
27	200	25	2474.0042	0.0090	22.3



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Shinyanga	Division	Shinyanga Urban
Ward	Kolandoto	Village	Kolandoto
Site No.	GS-80	Operator	Mr. Gimbishi
Date	24-Jul-06	Equipment	SYSCAL-Jr.
Longitude	33.53829	Latitude	3.59108
Altitude	1178	Orientation	N-S


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	1.8200	11.4
2	2	0.5	11.7810	1.0600	12.5
3	2.5	0.5	18.8496	0.9800	18.5
4	3	0.5	27.4889	0.7500	20.6
5	4	0.5	49.4801	0.3500	17.3
6	5	0.5	77.7544	0.2800	20.2
7	6	0.5	112.3119	0.1900	21.3
8	8	0.5	200.2765	0.1200	24.0
9	10	0.5	313.3739	0.0900	28.2
10	10	2.5	58.9049	0.4300	25.3
11	12	2.5	86.5509	0.3200	27.7
12	15	2.5	137.4447	0.2400	33.0
13	20	2.5	247.4004	0.1500	37.1
14	25	2.5	388.7721	0.1200	46.7
15	30	2.5	561.5597	0.0900	50.5
16	30	5	274.8894	0.1700	46.7
17	40	5	494.8008	0.1300	64.3
18	50	5	777.5442	0.0900	70.0
19	50	10	376.9911	0.1800	67.9
20	60	10	549.7787	0.1600	88.0
21	75	10	867.8650	0.1300	112.8
22	100	10	1555.0884	0.1000	155.5
23	100	25	589.0486	0.2600	153.2
24	125	25	942.4778	0.2100	197.9
25	150	25	1374.4468	0.1800	247.4
26	180	25	1996.4821	0.1500	299.5
27	200	25	2474.0042	0.1300	321.6



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Shinyanga	Division	Shinyanga
Ward	Mwawaza	Village	Mwawaza
Site No.	GS-81	Operator	Mr. Gimbishi
Date	24-Jul-06	Equipment	SYSCAL-Jr.
Longitude	33.34814	Latitude	3.67274
Altitude	1152	Orientation	E-W


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	14.5200	91.2
2	2	0.5	11.7810	6.6600	78.5
3	2.5	0.5	18.8496	3.6500	68.8
4	3	0.5	27.4889	2.2100	60.8
5	4	0.5	49.4801	1.0100	50.0
6	5	0.5	77.7544	0.6000	46.7
7	6	0.5	112.3119	0.3700	41.6
8	8	0.5	200.2765	0.1800	36.0
9	10	0.5	313.3739	0.1000	31.3
10	10	2.5	58.9049	0.4700	27.7
11	12	2.5	86.5509	0.3000	26.0
12	15	2.5	137.4447	0.1800	24.7
13	20	2.5	247.4004	0.0900	22.3
14	25	2.5	388.7721	0.0600	23.3
15	30	2.5	561.5597	0.0400	22.5
16	30	5	274.8894	0.0800	22.0
17	40	5	494.8008	0.0400	19.8
18	50	5	777.5442	0.0300	23.3
19	50	10	376.9911	0.0600	22.6
20	60	10	549.7787	0.0400	22.0
21	75	10	867.8650	0.0300	26.0
22	100	10	1555.0884	0.0200	31.1
23	100	25	589.0486	0.0500	29.5
24	125	25	942.4778	0.0400	37.7
25	150	25	1374.4468	0.0300	41.2
26	180	25	1996.4821	0.0200	39.9
27	200	25	2474.0042	0.0200	49.5



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Singida	Division	Iramba
Ward	Gumanga	Village	Gumanga
Site No.	GS-82	Operator	Mr. Bwanguzo
Date	18-Jul-06	Equipment	ABEM SAS 300C
Longitude	34.62262	Latitude	4.24412
Altitude	1482	Orientation	E-W


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	1.2790	8.0
2	2	0.5	11.7810	0.7580	8.9
3	2.5	0.5	18.8496	0.4450	8.4
4	3	0.5	27.4889	0.3140	8.6
5	4	0.5	49.4801	0.1850	9.2
6	5	0.5	77.7544	0.1200	9.3
7	6	0.5	112.3119	0.0890	10.0
8	8	0.5	200.2765	0.0540	10.8
9	10	0.5	313.3739	0.0386	12.1
10	10	2.5	58.9049	0.2060	12.1
11	12	2.5	86.5509	0.1620	14.0
12	15	2.5	137.4447	0.1210	16.6
13	20	2.5	247.4004	0.0853	21.1
14	25	2.5	388.7721	0.0672	26.1
15	30	2.5	561.5597	0.0582	32.7
16	30	5	274.8894	0.1110	30.5
17	40	5	494.8008	0.0810	40.1
18	50	5	777.5442	0.0620	48.2
19	50	10	376.9911	0.1230	46.4
20	60	10	549.7787	0.1010	55.5
21	75	10	867.8650	0.0770	66.8
22	100	10	1555.0884	0.0590	91.8
23	100	25	589.0486	0.1450	85.4
24	125	25	942.4778	0.1220	115.0
25	150	25	1374.4468	0.0990	136.1
26	180	25	1996.4821	0.0820	163.7
27	200	25	2474.0042	0.0720	178.1



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Singida	Division	Iramba
Ward	Ibunda	Village	Kinampundu
Site No.	GS-83	Operator	Mr. Bwanguzo
Date	18-Jul-06	Equipment	ABEM SAS 300C
Longitude	34.80495	Latitude	4.44672
Altitude	1534	Orientation	E-W


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	46.0000	289.0
2	2	0.5	11.7810	15.7800	185.9
3	2.5	0.5	18.8496	6.2700	118.2
4	3	0.5	27.4889	2.8600	78.6
5	4	0.5	49.4801	1.1980	59.3
6	5	0.5	77.7544	0.6280	48.8
7	6	0.5	112.3119	0.4240	47.6
8	8	0.5	200.2765	0.2420	48.5
9	10	0.5	313.3739	0.1540	48.3
10	10	2.5	58.9049	0.8880	52.3
11	12	2.5	86.5509	0.5950	51.5
12	15	2.5	137.4447	0.3720	51.1
13	20	2.5	247.4004	0.2090	51.7
14	25	2.5	388.7721	0.1390	54.0
15	30	2.5	561.5597	0.1020	57.3
16	30	5	274.8894	0.2140	58.8
17	40	5	494.8008	0.1300	64.3
18	50	5	777.5442	0.0910	70.8
19	50	10	376.9911	0.1930	72.8
20	60	10	549.7787	0.1560	85.8
21	75	10	867.8650	0.1160	100.7
22	100	10	1555.0884	0.0740	115.1
23	100	25	589.0486	0.2070	121.9
24	125	25	942.4778	0.1540	145.1
25	150	25	1374.4468	0.1210	166.3
26	180	25	1996.4821	0.0890	177.7
27	200	25	2474.0042	0.0757	187.3



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Singida	District	Iramba
Ward	Kiomboi	Village	Kinambeu
Site No.	GS-85	Operator	Mr. Mghanga
Date	29-Jul-06	Equipment	SYSCAL-Jr.
Longitude	34.36132	Latitude	4.29409
Altitude	1503	Orientation	N-S


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	23.2600	146.1
2	2	0.5	11.7810	11.3900	134.2
3	2.5	0.5	18.8496	5.9470	112.1
4	3	0.5	27.4889	3.6400	100.1
5	4	0.5	49.4801	1.4000	69.3
6	5	0.5	77.7544	0.6300	49.0
7	6	0.5	112.3119	0.2900	32.6
8	8	0.5	200.2765	0.1110	22.2
9	10	0.5	313.3739	0.0730	22.9
10	10	2.5	58.9049	0.4000	23.6
11	12	2.5	86.5509	0.2900	25.1
12	15	2.5	137.4447	0.2000	27.5
13	20	2.5	247.4004	0.1450	35.9
14	25	2.5	388.7721	0.1140	44.3
15	30	2.5	561.5597	0.0950	53.3
16	30	5	274.8894	0.1860	51.1
17	40	5	494.8008	0.1400	69.3
18	50	5	777.5442	0.1190	92.5
19	50	10	376.9911	0.2400	90.5
20	60	10	549.7787	0.2080	114.4
21	75	10	867.8650	0.1600	138.9
22	100	10	1555.0884	0.1130	175.7
23	100	25	589.0486	0.2800	164.9
24	125	25	942.4778	0.2140	201.7
25	150	25	1374.4468	0.1690	232.3
26	180	25	1996.4821	0.1140	227.6
27	200	25	2474.0042	0.1050	259.8



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Singida	District	Iramba
Ward	Mpambala	Village	Nyahaa
Site No.	GS-86	Operator	Mr. Mghanga
Date	28-Jul-06	Equipment	SYSCAL-Jr.
Longitude	34.55305	Latitude	3.97271
Altitude	1061	Orientation	E-W


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	0.6300	4.0
2	2	0.5	11.7810	0.2900	3.4
3	2.5	0.5	18.8496	0.1800	3.4
4	3	0.5	27.4889	0.1260	3.5
5	4	0.5	49.4801	0.0720	3.6
6	5	0.5	77.7544	0.0490	3.8
7	6	0.5	112.3119	0.0350	3.9
8	8	0.5	200.2765	0.0240	4.8
9	10	0.5	313.3739	0.0160	5.0
10	10	2.5	58.9049	0.0950	5.6
11	12	2.5	86.5509	0.0630	5.5
12	15	2.5	137.4447	0.0320	4.4
13	20	2.5	247.4004	0.0120	3.0
14	25	2.5	388.7721	0.0076	3.0
15	30	2.5	561.5597	0.0057	3.2
16	30	5	274.8894	0.0120	3.3
17	40	5	494.8008	0.0068	3.4
18	50	5	777.5442	0.0054	4.2
19	50	10	376.9911	0.0120	4.5
20	60	10	549.7787	0.0090	4.9
21	75	10	867.8650	0.0070	6.1
22	100	10	1555.0884	0.0050	7.8
23	100	25	589.0486	0.0140	8.2
24	125	25	942.4778	0.0110	10.4
25	150	25	1374.4468	0.0090	12.4
26	180	25	1996.4821	0.0060	12.0
27	200	25	2474.0042	0.0050	12.4



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Singida	Division	Iramba
Ward	Mwanga	Village	Malaja
Site No.	GS-87	Operator	Mr. Bwanguzo
Date	18-Jul-06	Equipment	ABEM SAS 300C
Longitude	34.81272	Latitude	4.22766
Altitude	1529	Orientation	E-W


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	14.8400	93.2
2	2	0.5	11.7810	6.4600	76.1
3	2.5	0.5	18.8496	3.0300	57.1
4	3	0.5	27.4889	1.8650	51.3
5	4	0.5	49.4801	0.7160	35.4
6	5	0.5	77.7544	0.3730	29.0
7	6	0.5	112.3119	0.2100	23.6
8	8	0.5	200.2765	0.0970	19.4
9	10	0.5	313.3739	0.0500	15.7
10	10	2.5	58.9049	0.2700	15.9
11	12	2.5	86.5509	0.1490	12.9
12	15	2.5	137.4447	0.0730	10.0
13	20	2.5	247.4004	0.0320	7.9
14	25	2.5	388.7721	0.0190	7.4
15	30	2.5	561.5597	0.0127	7.1
16	30	5	274.8894	0.0250	6.9
17	40	5	494.8008	0.0154	7.6
18	50	5	777.5442	0.0120	9.3
19	50	10	376.9911	0.0230	8.7
20	60	10	549.7787	0.0190	10.4
21	75	10	867.8650	0.0150	13.0
22	100	10	1555.0884	0.0110	17.1
23	100	25	589.0486	0.0300	17.7
24	125	25	942.4778	0.0220	20.7
25	150	25	1374.4468	0.0185	25.4
26	180	25	1996.4821	0.0159	31.7
27	200	25	2474.0042	0.0141	34.9



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Singida	District	Iramba
Ward	Ndago	Village	Nguvumali
Site No.	GS-89	Operator	Mr. Mghanga
Date	29-Jul-06	Equipment	SYSCAL-Jr.
Longitude	34.37897	Latitude	4.57279
Altitude	1414	Orientation	N45W


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	21.8000	137.0
2	2	0.5	11.7810	8.1300	95.8
3	2.5	0.5	18.8496	3.9400	74.3
4	3	0.5	27.4889	2.2000	60.5
5	4	0.5	49.4801	0.8860	43.8
6	5	0.5	77.7544	0.4440	34.5
7	6	0.5	112.3119	0.2160	24.3
8	8	0.5	200.2765	0.0790	15.8
9	10	0.5	313.3739	0.0440	13.8
10	10	2.5	58.9049	0.2300	13.5
11	12	2.5	86.5509	0.1400	12.1
12	15	2.5	137.4447	0.0860	11.8
13	20	2.5	247.4004	0.0490	12.1
14	25	2.5	388.7721	0.0300	11.7
15	30	2.5	561.5597	0.0280	15.7
16	30	5	274.8894	0.0570	15.7
17	40	5	494.8008	0.0420	20.8
18	50	5	777.5442	0.0400	31.1
19	50	10	376.9911	0.0750	28.3
20	60	10	549.7787	0.0650	35.7
21	75	10	867.8650	0.0330	28.6
22	100	10	1555.0884	0.0210	32.7
23	100	25	589.0486	0.0580	34.2
24	125	25	942.4778	0.0410	38.6
25	150	25	1374.4468	0.0390	53.6
26	180	25	1996.4821	0.0310	61.9
27	200	25	2474.0042	0.0280	69.3



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Singida	Division	Iramba
Ward	Shelui	Village	Wembere
Site No.	GS-90	Operator	Mr. Gimbiishi
Date	22-Jul-06	Equipment	SYSCAL-Jr.
Longitude	34.26485	Latitude	4.31540
Altitude	1140	Orientation	N45W


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	5.4800	34.4
2	2	0.5	11.7810	2.4800	29.2
3	2.5	0.5	18.8496	1.4500	27.3
4	3	0.5	27.4889	0.9900	27.2
5	4	0.5	49.4801	0.5300	26.2
6	5	0.5	77.7544	0.3300	25.7
7	6	0.5	112.3119	0.2300	25.8
8	8	0.5	200.2765	0.1300	26.0
9	10	0.5	313.3739	0.0800	25.1
10	10	2.5	58.9049	0.5000	29.5
11	12	2.5	86.5509	0.3200	27.7
12	15	2.5	137.4447	0.1900	27.4
13	20	2.5	247.4004	0.1100	27.2
14	25	2.5	388.7721	0.0600	23.3
15	30	2.5	561.5597	0.0430	24.1
16	30	5	274.8894	0.0900	24.7
17	40	5	494.8008	0.0490	24.2
18	50	5	777.5442	0.0300	23.3
19	50	10	376.9911	0.0600	22.6
20	60	10	549.7787	0.0400	22.0
21	75	10	867.8650	0.0280	24.3
22	100	10	1555.0884	0.0210	32.7
23	100	25	589.0486	0.0510	30.0
24	125	25	942.4778	0.0340	32.0
25	150	25	1374.4468	0.0260	35.7
26	180	25	1996.4821	0.0210	41.9
27	200	25	2474.0042	0.0190	47.0



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Singida	District	Iramba
Ward	Tulya	Village	Tulya
Site No.	GS-91	Operator	Mr. Mghanga
Date	29-Jul-06	Equipment	SYSCAL-Jr.
Longitude	34.33626	Latitude	4.11902
Altitude	1084	Orientation	N45E


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	24.4300	153.5
2	2	0.5	11.7810	7.9700	93.9
3	2.5	0.5	18.8496	3.5300	66.5
4	3	0.5	27.4889	1.9700	54.2
5	4	0.5	49.4801	0.7500	37.1
6	5	0.5	77.7544	0.3700	28.8
7	6	0.5	112.3119	0.1900	22.4
8	8	0.5	200.2765	0.0290	5.8
9	10	0.5	313.3739	0.0220	6.9
10	10	2.5	58.9049	0.1830	10.8
11	12	2.5	86.5509	0.1060	9.2
12	15	2.5	137.4447	0.0610	8.4
13	20	2.5	247.4004	0.0210	5.2
14	25	2.5	388.7721	0.0150	5.8
15	30	2.5	561.5597	0.0100	5.6
16	30	5	274.8894	0.0210	5.8
17	40	5	494.8008	0.0090	4.5
18	50	5	777.5442	0.0060	4.7
19	50	10	376.9911	0.0290	10.9
20	60	10	549.7787	0.0190	10.4
21	75	10	867.8650	0.0115	10.0
22	100	10	1555.0884	0.0070	10.9
23	100	25	589.0486	0.0240	14.1
24	125	25	942.4778	0.0170	16.0
25	150	25	1374.4468	0.0140	19.2
26	180	25	1996.4821	0.0090	18.0
27	200	25	2474.0042	0.0070	17.3



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Singida	Division	Singida Rural
Ward	Mwaru	Village	Mlandala
Site No.	GS-92	Operator	Mr. Mabina
Date	20-Jul-06	Equipment	SYSCAL-Jr.
Longitude	34.14157	Latitude	4.73107
Altitude	1097	Orientation	E-W


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	29.3500	184.4
2	2	0.5	11.7810	12.5400	147.7
3	2.5	0.5	18.8496	6.9000	130.1
4	3	0.5	27.4889	3.9600	108.9
5	4	0.5	49.4801	1.2000	59.4
6	5	0.5	77.7544	0.6300	49.0
7	6	0.5	112.3119	0.2900	32.6
8	8	0.5	200.2765	0.0910	18.2
9	10	0.5	313.3739	0.0500	15.7
10	10	2.5	58.9049	0.3100	18.3
11	12	2.5	86.5509	0.2000	17.3
12	15	2.5	137.4447	0.1400	19.2
13	20	2.5	247.4004	0.0990	24.5
14	25	2.5	388.7721	0.0730	28.4
15	30	2.5	561.5597	0.0640	35.9
16	30	5	274.8894	0.1100	30.2
17	40	5	494.8008	0.0820	40.6
18	50	5	777.5442	0.0660	51.3
19	50	10	376.9911	0.1330	50.1
20	60	10	549.7787	0.0960	52.8
21	75	10	867.8650	0.0700	60.8
22	100	10	1555.0884	0.0700	108.9
23	100	25	589.0486	0.1800	106.0
24	125	25	942.4778	0.1200	113.1
25	150	25	1374.4468	0.0960	131.9
26	180	25	1996.4821	0.0900	179.7
27	200	25	2474.0042	0.0800	197.9



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Singida	District	Manyoni
Ward	Chikuyu	Village	Chikuyu
Site No.	GS-93	Operator	Mr. Bago
Date	31-Jul-06	Equipment	ABEM SAS 300C
Longitude	35.04503	Latitude	5.86942
Altitude	832	Orientation	E-W


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	16.5300	103.9
2	2	0.5	11.7810	7.8700	92.7
3	2.5	0.5	18.8496	5.6000	105.6
4	3	0.5	27.4889	4.3900	120.7
5	4	0.5	49.4801	3.1600	156.4
6	5	0.5	77.7544	2.3000	178.8
7	6	0.5	112.3119	1.6700	187.6
8	8	0.5	200.2765	0.9740	195.1
9	10	0.5	313.3739	0.5640	176.7
10	10	2.5	58.9049	2.5500	150.2
11	12	2.5	86.5509	1.5870	137.4
12	15	2.5	137.4447	0.7440	102.3
13	20	2.5	247.4004	0.2930	72.5
14	25	2.5	388.7721	0.1460	56.8
15	30	2.5	561.5597	0.1010	56.7
16	30	5	274.8894	0.2090	57.5
17	40	5	494.8008	0.1430	70.8
18	50	5	777.5442	0.1110	86.3
19	50	10	376.9911	0.2350	88.6
20	60	10	549.7787	0.1960	107.8
21	75	10	867.8650	0.1590	138.0
22	100	10	1555.0884	0.1310	203.7
23	100	25	589.0486	0.2500	147.3
24	125	25	942.4778	0.1770	166.8
25	150	25	1374.4468	0.1440	197.9
26	180	25	1996.4821	0.1210	241.6
27	200	25	2474.0042	0.1070	264.7



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Singida	District	Manyoni
Ward	Isseke	Village	Isseke
Site No.	GS-94	Operator	Mr. Bago
Date	1-Aug-06	Equipment	ABEM SAS 300C
Longitude	35.01802	Latitude	6.42675
Altitude	1111	Orientation	N40W


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	4.6900	29.5
2	2	0.5	11.7810	2.4800	29.2
3	2.5	0.5	18.8496	1.8820	29.8
4	3	0.5	27.4889	1.1720	32.2
5	4	0.5	49.4801	0.7050	34.9
6	5	0.5	77.7544	0.4790	37.2
7	6	0.5	112.3119	0.3440	38.6
8	8	0.5	200.2765	0.2130	42.7
9	10	0.5	313.3739	0.1480	46.4
10	10	2.5	58.9049	0.7330	43.2
11	12	2.5	86.5509	0.5690	49.2
12	15	2.5	137.4447	0.4210	57.9
13	20	2.5	247.4004	0.3020	74.7
14	25	2.5	388.7721	0.2370	92.1
15	30	2.5	561.5597	0.1950	109.5
16	30	5	274.8894	0.3920	107.8
17	40	5	494.8008	0.3110	153.9
18	50	5	777.5442	0.2510	195.2
19	50	10	376.9911	0.4720	177.9
20	60	10	549.7787	0.3470	190.8
21	75	10	867.8650	0.2400	208.3
22	100	10	1555.0884	0.1780	276.8
23	100	25	589.0486	0.5130	302.2
24	125	25	942.4778	0.3810	359.1
25	150	25	1374.4468	0.3020	415.1
26	180	25	1996.4821	0.2580	515.1
27	200	25	2474.0042	0.2290	566.5



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Singida	District	Manyoni
Ward	Ingji	Village	Kitaraka
Site No.	GS-95	Operator	Mr. Bago
Date	28-Jul-06	Equipment	ABEM SAS-300C
Longitude	34.37322	Latitude	5.64579
Altitude	1302	Orientation	N45W


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	4.0800	25.6
2	2	0.5	11.7810	1.9310	22.7
3	2.5	0.5	18.8496	1.0650	20.1
4	3	0.5	27.4889	0.7420	20.4
5	4	0.5	49.4801	0.4530	22.4
6	5	0.5	77.7544	0.3050	23.7
7	6	0.5	112.3119	0.2260	25.4
8	8	0.5	200.2765	0.1320	26.4
9	10	0.5	313.3739	0.0899	28.2
10	10	2.5	58.9049	0.4800	28.3
11	12	2.5	86.5509	0.2940	25.4
12	15	2.5	137.4447	0.2060	28.3
13	20	2.5	247.4004	0.1430	35.4
14	25	2.5	388.7721	0.1050	40.8
15	30	2.5	561.5597	0.0790	44.4
16	30	5	274.8894	0.1590	43.7
17	40	5	494.8008	0.1070	52.9
18	50	5	777.5442	0.0820	63.8
19	50	10	376.9911	0.1630	61.4
20	60	10	549.7787	0.1260	69.3
21	75	10	867.8650	0.0860	74.6
22	100	10	1555.0884	0.0600	93.3
23	100	25	589.0486	0.1510	88.9
24	125	25	942.4778	0.1140	107.4
25	150	25	1374.4468	0.0930	127.8
26	180	25	1996.4821	0.0760	151.7
27	200	25	2474.0042	0.0664	164.3



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Singida	District	Manyoni
Ward	Sasajila	Village	Makasuku
Site No.	GS-98	Operator	Mr. Bago
Date	1-Aug-06	Equipment	ABEM SAS 300C
Longitude	34.92019	Latitude	6.00629
Altitude	945	Orientation	N-S


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	14.7700	92.8
2	2	0.5	11.7810	8.0500	94.8
3	2.5	0.5	18.8496	4.4300	83.5
4	3	0.5	27.4889	2.7500	75.6
5	4	0.5	49.4801	1.4870	73.6
6	5	0.5	77.7544	0.8560	66.6
7	6	0.5	112.3119	0.5230	58.7
8	8	0.5	200.2765	0.2480	49.7
9	10	0.5	313.3739	0.1390	43.6
10	10	2.5	58.9049	0.6170	36.3
11	12	2.5	86.5509	0.3880	33.6
12	15	2.5	137.4447	0.2040	28.0
13	20	2.5	247.4004	0.0930	23.0
14	25	2.5	388.7721	0.0530	20.6
15	30	2.5	561.5597	0.0390	21.9
16	30	5	274.8894	0.0760	20.9
17	40	5	494.8008	0.0480	23.8
18	50	5	777.5442	0.0350	27.2
19	50	10	376.9911	0.0700	26.4
20	60	10	549.7787	0.0490	26.9
21	75	10	867.8650	0.0350	30.4
22	100	10	1555.0884	0.0263	40.9
23	100	25	589.0486	0.0670	39.5
24	125	25	942.4778	0.0560	52.8
25	150	25	1374.4468	0.0480	66.0
26	180	25	1996.4821	0.0410	81.9
27	200	25	2474.0042	0.0380	94.0



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Singida	Division	Singida Rural
Ward	Isuna	Village	Nkuhi
Site No.	GS-99	Operator	Mr. Lyatau
Date	18-Jul-06	Equipment	SYSCAL-Jr.
Longitude	34.77265	Latitude	5.35130
Altitude	1381	Orientation	E-W


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	41.5700	261.2
2	2	0.5	11.7810	20.5700	242.3
3	2.5	0.5	18.8496	10.7000	201.7
4	3	0.5	27.4889	5.2800	145.1
5	4	0.5	49.4801	1.5400	76.2
6	5	0.5	77.7544	0.5200	40.4
7	6	0.5	112.3119	0.2470	27.7
8	8	0.5	200.2765	0.0910	18.2
9	10	0.5	313.3739	0.0540	16.9
10	10	2.5	58.9049	0.2170	12.8
11	12	2.5	86.5509	0.1400	12.1
12	15	2.5	137.4447	0.0850	11.7
13	20	2.5	247.4004	0.0340	8.4
14	25	2.5	388.7721	0.0180	7.0
15	30	2.5	561.5597	0.0150	8.4
16	30	5	274.8894	0.0181	5.0
17	40	5	494.8008	0.0120	5.9
18	50	5	777.5442	0.0060	4.7
19	50	10	376.9911	0.0230	8.7
20	60	10	549.7787	0.0140	7.7
21	75	10	867.8650	0.0094	8.2
22	100	10	1555.0884	0.0026	4.0
23	100	25	589.0486	0.0170	10.0
24	125	25	942.4778	0.0190	17.9
25	150	25	1374.4468	0.0170	23.4
26	180	25	1996.4821	0.0120	24.0
27	200	25	2474.0042	0.0114	28.2



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Singida	Division	Singida Rural
Ward	Kinyeto	Village	Igauri
Site No.	GS-100	Operator	Mr. Bago
Date	16-Jul-06	Equipment	ABEM SAS 300C
Longitude	34.79882	Latitude	4.66529
Altitude	1549	Orientation	E-W


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	0.6390	4.0
2	2	0.5	11.7810	0.3370	4.0
3	2.5	0.5	18.8496	0.2150	4.1
4	3	0.5	27.4889	0.1640	4.5
5	4	0.5	49.4801	0.1075	5.3
6	5	0.5	77.7544	0.0790	6.1
7	6	0.5	112.3119	0.0618	6.9
8	8	0.5	200.2765	0.0425	8.5
9	10	0.5	313.3739	0.0330	10.3
10	10	2.5	58.9049	0.1720	10.1
11	12	2.5	86.5509	0.1367	11.8
12	15	2.5	137.4447	0.1070	14.7
13	20	2.5	247.4004	0.0800	19.8
14	25	2.5	388.7721	0.0656	25.5
15	30	2.5	561.5597	0.0564	31.7
16	30	5	274.8894	0.1080	29.7
17	40	5	494.8008	0.0846	41.9
18	50	5	777.5442	0.0695	54.0
19	60	10	376.9911	0.1470	55.4
20	60	10	549.7787	0.1230	67.6
21	75	10	867.8650	0.1004	87.1
22	100	10	1555.0884	0.0820	127.5
23	100	25	589.0486	0.1930	113.7
24	125	25	942.4778	0.1640	154.6
25	150	25	1374.4468	0.1510	207.5
26	180	25	1996.4821	0.1390	277.5
27	200	25	2474.0042	0.1310	324.1



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Singida	District	Singida Rural
Ward	Mang'onyi	Village	Sambaru
Site No.	GS-101	Operator	Mr. Bago
Date	29-Jul-06	Equipment	ABEM SAS-300C
Longitude	35.06622	Latitude	5.25707
Altitude	1210	Orientation	N40W


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	2.7100	17.0
2	2	0.5	11.7810	1.4100	16.6
3	2.5	0.5	18.8496	0.9120	17.2
4	3	0.5	27.4889	0.5800	15.9
5	4	0.5	49.4801	0.2900	14.3
6	5	0.5	77.7544	0.1710	13.3
7	6	0.5	112.3119	0.1160	13.0
8	8	0.5	200.2765	0.0630	12.6
9	10	0.5	313.3739	0.0410	12.8
10	10	2.5	58.9049	0.2200	13.0
11	12	2.5	86.5509	0.1510	13.1
12	15	2.5	137.4447	0.0970	13.3
13	20	2.5	247.4004	0.0530	13.1
14	25	2.5	388.7721	0.0330	12.8
15	30	2.5	561.5597	0.0220	12.4
16	30	5	274.8894	0.0450	12.4
17	40	5	494.8008	0.0240	11.9
18	50	5	777.5442	0.0140	10.9
19	60	10	376.9911	0.0282	10.6
20	60	10	549.7787	0.0183	10.1
21	75	10	867.8650	0.0110	9.5
22	100	10	1555.0884	0.0060	9.3
23	100	25	589.0486	0.0175	10.3
24	125	25	942.4778	0.0120	11.3
25	150	25	1374.4468	0.0093	12.8
26	180	25	1996.4821	0.0077	15.4
27	200	25	2474.0042	0.0070	17.3



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Singida	Division	Singida Rural
Ward	Mgori	Village	Mgori
Site No.	GS-102	Operator	Mr. Bago
Date	16-Jul-06	Equipment	ABEM SAS 300C
Longitude	34.95876	Latitude	4.84885
Altitude	1320	Orientation	N-S


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	15.7100	98.7
2	2	0.5	11.7810	6.8700	80.9
3	2.5	0.5	18.8496	3.9700	74.8
4	3	0.5	27.4889	2.6000	71.5
5	4	0.5	49.4801	1.3760	68.1
6	5	0.5	77.7544	0.6850	53.3
7	6	0.5	112.3119	0.4400	49.4
8	8	0.5	200.2765	0.2460	49.3
9	10	0.5	313.3739	0.0630	19.7
10	10	2.5	58.9049	0.3590	21.1
11	12	2.5	86.5509	0.1670	14.5
12	15	2.5	137.4447	0.0930	12.8
13	20	2.5	247.4004	0.0510	12.6
14	25	2.5	388.7721	0.0350	13.6
15	30	2.5	561.5597	0.0224	12.6
16	30	5	274.8894	0.0495	13.6
17	40	5	494.8008	0.0277	13.7
18	50	5	777.5442	0.0178	13.8
19	50	10	376.9911	0.0380	14.3
20	60	10	549.7787	0.0280	15.4
21	75	10	867.8650	0.0190	16.5
22	100	10	1555.0884	0.0150	23.3
23	100	25	589.0486	0.0350	20.6
24	125	25	942.4778	0.0280	26.4
25	150	25	1374.4468	0.0220	30.2
26	180	25	1996.4821	0.0186	37.1
27	200	25	2474.0042	0.0160	39.6



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Singida	Division	Singida Rural
Ward	Mgingira	Village	Iyumbu
Site No.	GS-103	Operator	Mr. Mabina
Date	20-Jul-06	Equipment	SYSCAL-Jr.
Longitude	34.03919	Latitude	5.14585
Altitude	1057	Orientation	E-W


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	3.0400	19.1
2	2	0.5	11.7810	1.3400	15.8
3	2.5	0.5	18.8496	0.7300	13.8
4	3	0.5	27.4889	0.5900	16.2
5	4	0.5	49.4801	0.3300	16.3
6	5	0.5	77.7544	0.1800	11.7
7	6	0.5	112.3119	0.0800	9.0
8	8	0.5	200.2765	0.0500	10.0
9	10	0.5	313.3739	0.0200	6.3
10	10	2.5	58.9049	0.1600	9.4
11	12	2.5	86.5509	0.0900	7.8
12	15	2.5	137.4447	0.0600	8.2
13	20	2.5	247.4004	0.0300	7.4
14	25	2.5	388.7721	0.0200	7.8
15	30	2.5	561.5597	0.0170	9.5
16	30	5	274.8894	0.0500	13.7
17	40	5	494.8008	0.0140	6.9
18	50	5	777.5442	0.0080	6.2
19	50	10	376.9911	0.0300	11.3
20	60	10	549.7787	0.0200	11.0
21	75	10	867.8650	0.0160	13.9
22	100	10	1555.0884	0.0090	14.0
23	100	25	589.0486	0.0160	9.4
24	125	25	942.4778	0.0140	13.2
25	150	25	1374.4468	0.0130	17.9
26	180	25	1996.4821	0.0080	16.0
27	200	25	2474.0042	0.0050	12.4



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Singida	Division	Singida Rural
Ward	Muhintiri	Village	Igilan Soni
Site No.	GS-105	Operator	Mr. Gambishi
Date	21-Jul-06	Equipment	SYSCAL-Jr.
Longitude	34.48139	Latitude	5.32769
Altitude	1253	Orientation	N45E


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	0.7100	4.5
2	2	0.5	11.7810	0.2700	3.2
3	2.5	0.5	18.8496	0.1900	3.6
4	3	0.5	27.4889	0.1400	3.8
5	4	0.5	49.4801	0.0930	4.6
6	5	0.5	77.7544	0.0700	5.4
7	6	0.5	112.3119	0.0560	6.3
8	8	0.5	200.2765	0.0420	8.4
9	10	0.5	313.3739	0.0340	10.7
10	10	2.5	58.9049	0.1900	11.2
11	12	2.5	86.5509	0.1660	14.4
12	15	2.5	137.4447	0.1100	19.2
13	20	2.5	247.4004	0.0870	27.2
14	25	2.5	388.7721	0.0700	33.8
15	30	2.5	561.5597	0.0500	39.3
16	30	5	274.8894	0.1500	41.2
17	40	5	494.8008	0.1200	59.4
18	50	5	777.5442	0.0900	70.0
19	50	10	376.9911	0.1800	67.9
20	60	10	549.7787	0.1500	82.5
21	75	10	867.8650	0.1200	104.1
22	100	10	1555.0884	0.0990	154.0
23	100	25	589.0486	0.2400	141.4
24	125	25	942.4778	0.2100	197.9
25	150	25	1374.4468	0.1600	219.9
26	180	25	1996.4821	0.1300	259.5
27	200	25	2474.0042	0.1100	272.1



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Singida	Division	Singida Rural
Ward	Mwaru	Village	Msosa
Site No.	GS-106	Operator	Mr. Mabina
Date	20-Jul-06	Equipment	SYSCAL-Jr.
Longitude	34.15391	Latitude	4.94711
Altitude	1091	Orientation	E-W


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	35.3900	222.4
2	2	0.5	11.7810	9.5800	112.9
3	2.5	0.5	18.8496	1.6900	31.9
4	3	0.5	27.4889	0.8500	23.4
5	4	0.5	49.4801	0.3600	17.8
6	5	0.5	77.7544	0.1100	8.6
7	6	0.5	112.3119	0.0950	10.7
8	8	0.5	200.2765	0.0420	8.4
9	10	0.5	313.3739	0.0270	8.5
10	10	2.5	58.9049	0.1300	7.7
11	12	2.5	86.5509	0.1200	10.4
12	15	2.5	137.4447	0.0770	10.6
13	20	2.5	247.4004	0.0420	10.4
14	25	2.5	388.7721	0.0250	9.7
15	30	2.5	561.5597	0.0170	9.5
16	30	5	274.8894	0.0260	7.1
17	40	5	494.8008	0.0060	3.0
18	50	5	777.5442	0.0220	17.1
19	50	10	376.9911	0.0310	11.7
20	60	10	549.7787	0.0240	13.2
21	75	10	867.8650	0.0190	16.5
22	100	10	1555.0884	0.0130	20.2
23	100	25	589.0486	0.0380	22.4
24	125	25	942.4778	0.0300	28.3
25	150	25	1374.4468	0.0270	37.1
26	180	25	1996.4821	0.0200	39.9
27	200	25	2474.0042	0.0170	42.1



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Singida	Division	Singida Rural
Ward	Mwaru	Village	Ighombwe
Site No.	GS-107	Operator	Mr. Gimbiishi
Date	21-Jul-06	Equipment	SYSCAL-Jr.
Longitude	34.33716	Latitude	4.96077
Altitude	1167	Orientation	N-S


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	58.6000	368.2
2	2	0.5	11.7810	34.5000	406.4
3	2.5	0.5	18.8496	22.8800	431.3
4	3	0.5	27.4889	16.7900	461.5
5	4	0.5	49.4801	9.4700	468.6
6	5	0.5	77.7544	5.4000	419.9
7	6	0.5	112.3119	3.3700	378.5
8	8	0.5	200.2765	1.3500	270.4
9	10	0.5	313.3739	0.5500	172.4
10	10	2.5	58.9049	3.0500	179.7
11	12	2.5	86.5509	1.3000	112.5
12	15	2.5	137.4447	0.6100	83.8
13	20	2.5	247.4004	0.2300	56.9
14	25	2.5	388.7721	0.1200	46.7
15	30	2.5	561.5597	0.0500	28.1
16	30	5	274.8894	0.0800	23.0
17	40	5	494.8008	0.0800	39.6
18	50	5	777.5442	0.0400	31.1
19	50	10	376.9911	0.0600	22.6
20	60	10	549.7787	0.0250	13.7
21	75	10	867.8650	0.0660	57.3
22	100	10	1555.0884	0.0470	73.1
23	100	25	589.0486	0.1100	64.8
24	125	25	942.4778	0.0870	82.0
25	150	25	1374.4468	0.0730	100.3
26	180	25	1996.4821	0.0580	115.8
27	200	25	2474.0042	0.0520	128.6



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Singida	District	Singida Rural
Ward	Sepuka	Village	Mtunduru
Site No.	T-13-1	Operator	Mr. Lyatuu
Date	12-Jul-06	Equipment	Syscal
Longitude	34.54601	Latitude	4.84128
Altitude	1477	Orientation	


No.	AB/2 (m)	MN/2 (m)	K	V (mV)	I (mA)	Rho-a (Ωm)
1	1.5	0.5	6.2832	3825.551	3.47	6927.0
2	2	0.5	11.7810	1996.025	3.25	7235.4
3	2.5	0.5	18.8496	1616.392	4.03	7560.4
4	3	0.5	27.4889	1029.150	3.72	7604.9
5	4	0.5	49.4801	507.744	3.75	6699.5
6	5	0.5	77.7544	278.384	3.75	5772.2
7	6	0.5	112.3119	308.591	6.95	4986.8
8	8	0.5	200.2765	99.023	5.67	3497.7
9	10	0.5	313.3739	19.035	2.80	2130.4
10	10	2.5	58.9049	113.971	2.71	2477.3
11	12	2.5	86.5509	30.975	1.99	1347.2
12	15	2.5	137.4447	26.868	6.38	578.8
13	20	2.5	247.4004	4.285	3.77	281.2
14	25	2.5	388.7721	3.910	5.68	267.6
15	30	2.5	561.5597	1.685	4.40	215.1
16	30	5	274.8894	2.022	4.79	
17	40	5	494.8008	0.814	2.42	
18	50	5	777.5442	1.456	2.41	
19	50	10	376.9911	1.316	2.42	
20	60	10	549.7787	0.051	0.03	
21	75	10	867.8650	0.182	0.03	
22	100	10	1555.0884	0.165	0.28	
23	100	25	589.0486	0.045	0.22	
24	125	25	942.4778	0.038	0.22	
25	150	25	1374.4468	0.134	0.05	
26	180	25	1996.4821	0.057	0.08	
27	200	25	2474.0042	0.051	0.15	



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Singida	District	Singida Rurak
Ward	Sepaka	Village	Mtunduru
Site No.	T-13-2	Operator	Mr. Lyatuu
Date	12-Jul-06	Equipment	Syscal
Longitude	34.5326	Latitude	4.85709
Altitude	1469	Orientation	


No.	AB/2 (m)	MN/2 (m)	K	V (mV)	I (mA)	Rho-a (Wm)
1	1.5	0.5	6.2832	45.770	0.14	2054.2
2	2	0.5	11.7810	13.917	0.06	2732.6
3	2.5	0.5	18.8496	7.807	0.07	2102.3
4	3	0.5	27.4889	5.309	0.08	1824.2
5	4	0.5	49.4801	1.920	0.08	1187.5
6	5	0.5	77.7544	1.119	0.08	1087.6
7	6	0.5	112.3119	7.890	0.96	923.1
8	8	0.5	200.2765	10.014	3.19	628.7
9	10	0.5	313.3739	9.124	5.59	511.5
10	10	2.5	58.9049	39.565	5.63	414.0
11	12	2.5	86.5509	27.816	6.66	361.5
12	15	2.5	137.4447	15.105	6.82	304.4
13	20	2.5	247.4004	13.224	10.52	311.0
14	25	2.5	388.7721	3.923	3.98	383.2
15	30	2.5	561.5597	3.312	3.93	473.3
16	30	5	274.8894	7.292	3.84	522.0
17	40	5	494.8008	4.578	4.60	492.4
18	50	5	777.5442	3.936	3.12	513.7
19	50	10	376.9911	4.279	3.14	551.0
20	60	10	549.7787	3.287	3.28	633.1
21	75	10	867.8650	3.713	5.09	988.6
22	100	10	1555.0884	2.670	4.20	988.6
23	100	25	589.0486	7.248	4.26	
24	125	25	942.4778	5.309	2.79	
25	150	25	1374.4468	4.247	1.47	
26	180	25	1996.4821	11.997	26.26	
27	200	25	2474.0042	3.936	1.43	



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Singida	District	Singida Rurak
Ward	Sepuka	Village	Mtunduru
Site No.	T-13-3	Operator	Mr. Lyatuu
Date	12-Jul-06	Equipment	Syscal
Longitude	34.52757	Latitude	4.83370
Altitude	1461	Orientation	


No.	AB/2 (m)	MN/2 (m)	K	V (mV)	I (mA)	Rho-a (Wm)
1	1.5	0.5	6.2832	0.769	0.26	18.6
2	2	0.5	11.7810	0.432	0.34	15.0
3	2.5	0.5	18.8496	0.464	0.65	13.5
4	3	0.5	27.4889	41.053	102.24	11.0
5	4	0.5	49.4801	29.354	130.50	11.1
6	5	0.5	77.7544	32.202	237.96	10.5
7	6	0.5	112.3119	34.212	368.17	10.4
8	8	0.5	200.2765	23.333	447.26	10.4
9	10	0.5	313.3739	4.215	117.00	11.3
10	10	2.5	58.9049	20.542	118.11	10.2
11	12	2.5	86.5509	19.995	153.84	11.2
12	15	2.5	137.4447	49.718	512.68	13.3
13	20	2.5	247.4004	34.854	525.20	16.4
14	25	2.5	388.7721	1.634	26.42	24.0
15	30	2.5	561.5597	2.613	56.07	26.2
16	30	5	274.8894	5.239	52.39	27.5
17	40	5	494.8008	1.456	26.95	26.7
18	50	5	777.5442	0.547	14.21	29.9
19	50	10	376.9911	1.087	13.20	31.0
20	60	10	549.7787	0.540	9.54	31.1
21	75	10	867.8650	1.094	25.77	36.8
22	100	10	1555.0884	0.076	3.19	37.0
23	100	25	589.0486	0.604	5.29	67.3
24	125	25	942.4778	0.693	6.63	98.5
25	150	25	1374.4468	0.420	5.81	99.4
26	180	25	1996.4821	0.585	14.23	82.1
27	200	25	2474.0042	0.521	12.44	103.6



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Singida	Division	Singida Rural
Ward	Ngimu	Village	Pohama
Site No.	GS-108	Operator	Mr. Bago
Date	16-Jul-06	Equipment	ABEM SAS 300C
Longitude	35.13755	Latitude	4.75028
Altitude	1450	Orientation	E-W


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	6.4000	40.2
2	2	0.5	11.7810	3.2700	38.5
3	2.5	0.5	18.8496	1.8160	34.2
4	3	0.5	27.4889	1.2360	34.0
5	4	0.5	49.4801	0.6800	33.6
6	5	0.5	77.7544	0.3600	28.0
7	6	0.5	112.3119	0.2560	28.8
8	8	0.5	200.2765	0.1125	22.5
9	10	0.5	313.3739	0.0640	20.1
10	10	2.5	58.9049	0.3310	19.5
11	12	2.5	86.5509	0.1820	15.8
12	15	2.5	137.4447	0.0980	13.5
13	20	2.5	247.4004	0.0540	13.4
14	25	2.5	388.7721	0.0390	15.2
15	30	2.5	561.5597	0.0320	18.0
16	30	5	274.8894	0.0610	16.8
17	40	5	494.8008	0.0450	22.3
18	50	5	777.5442	0.0370	28.8
19	50	10	376.9911	0.0754	28.4
20	60	10	549.7787	0.0630	34.6
21	75	10	867.8650	0.0502	43.6
22	100	10	1555.0884	0.0386	60.0
23	100	25	589.0486	0.0900	53.0
24	125	25	942.4778	0.0730	68.8
25	150	25	1374.4468	0.0650	89.3
26	180	25	1996.4821	0.0550	109.8
27	200	25	2474.0042	0.0510	126.2



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Singida	Division	Singida Rural
Ward	Ntuntu	Village	Ntuntu
Site No.	GS-109	Operator	Mr. Lyathu
Date	18-Jul-06	Equipment	SYSCAL-Jr.
Longitude	34.99435	Latitude	5.13445
Altitude	1510	Orientation	E-W


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	3.7870	23.8
2	2	0.5	11.7810	2.0900	23.9
3	2.5	0.5	18.8496	1.2400	23.4
4	3	0.5	27.4889	0.8800	24.2
5	4	0.5	49.4801	0.4700	23.3
6	5	0.5	77.7544	0.2970	23.1
7	6	0.5	112.3119	0.1897	21.3
8	8	0.5	200.2765	0.1000	20.0
9	10	0.5	313.3739	0.0610	19.1
10	10	2.5	58.9049	0.2900	17.1
11	12	2.5	86.5509	0.1970	17.1
12	15	2.5	137.4447	0.1330	18.3
13	20	2.5	247.4004	0.0980	24.2
14	25	2.5	388.7721	0.0800	31.1
15	30	2.5	561.5597	0.0700	39.3
16	30	5	274.8894	0.1300	35.7
17	40	5	494.8008	0.0980	48.5
18	50	5	777.5442	0.0830	64.5
19	50	10	376.9911	0.1750	66.0
20	60	10	549.7787	0.1700	93.5
21	75	10	867.8650	0.1370	118.9
22	100	10	1555.0884	0.1010	157.1
23	100	25	589.0486	0.2300	135.5
24	125	25	942.4778	0.1900	179.1
25	150	25	1374.4468	0.1600	219.9
26	180	25	1996.4821	0.1490	297.5
27	200	25	2474.0042	0.1060	262.2



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Singida	Division	Singida Urban
Ward	Mwankoko	Village	Mwankoko
Site No.	GS-110	Operator	Mr. Bwanguzo
Date	20-Jul-06	Equipment	ABEM SAS 300C
Longitude	34.62996	Latitude	4.84887
Altitude	1485	Orientation	N45W


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	4.9100	30.9
2	2	0.5	11.7810	1.8990	22.4
3	2.5	0.5	18.8496	0.7660	14.4
4	3	0.5	27.4889	0.4740	13.0
5	4	0.5	49.4801	0.2770	13.7
6	5	0.5	77.7544	0.1810	14.1
7	6	0.5	112.3119	0.1270	14.3
8	8	0.5	200.2765	0.0820	16.4
9	10	0.5	313.3739	0.0605	19.0
10	10	2.5	58.9049	0.2270	13.4
11	12	2.5	86.5509	0.1750	15.1
12	15	2.5	137.4447	0.1310	18.0
13	20	2.5	247.4004	0.0910	22.5
14	25	2.5	388.7721	0.0710	27.6
15	30	2.5	561.5597	0.0560	31.4
16	30	5	274.8894	0.1120	30.8
17	40	5	494.8008	0.0810	40.1
18	50	5	777.5442	0.0640	49.8
19	50	10	376.9911	0.1290	48.6
20	60	10	549.7787	0.0970	53.3
21	75	10	867.8650	0.0690	59.9
22	100	10	1555.0884	0.0580	90.2
23	100	25	589.0486	0.1460	86.0
24	125	25	942.4778	0.1260	118.8
25	150	25	1374.4468	0.1050	144.3
26	180	25	1996.4821	0.0930	185.7
27	200	25	2474.0042	0.0860	212.8



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Tabora	District	Igunga
Ward	Chabutwa	Village	Majengo
Site No.	GS-112	Operator	Mr. Bwanguzo
Date	26-Jul-06	Equipment	ABEM SAS-300C
Longitude	33.43701	Latitude	4.61830
Altitude	1209	Orientation	N45W


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	4.6100	29.0
2	2	0.5	11.7810	2.7900	32.9
3	2.5	0.5	18.8496	1.5480	29.2
4	3	0.5	27.4889	1.0190	28.0
5	4	0.5	49.4801	0.6050	29.9
6	5	0.5	77.7544	0.3230	25.1
7	6	0.5	112.3119	0.2490	28.0
8	8	0.5	200.2765	0.1350	27.0
9	10	0.5	313.3739	0.0770	24.1
10	10	2.5	58.9049	0.4570	26.9
11	12	2.5	86.5509	0.3060	26.5
12	15	2.5	137.4447	0.2300	31.6
13	20	2.5	247.4004	0.1420	35.1
14	25	2.5	388.7721	0.0930	36.2
15	30	2.5	561.5597	0.0620	34.8
16	30	5	274.8894	0.1300	35.7
17	40	5	494.8008	0.0850	42.1
18	50	5	777.5442	0.0590	45.9
19	50	10	376.9911	0.1140	43.0
20	60	10	549.7787	0.0920	50.6
21	75	10	867.8650	0.0680	59.0
22	100	10	1555.0884	0.0440	68.4
23	100	25	589.0486	0.1110	65.4
24	125	25	942.4778	0.0720	67.9
25	150	25	1374.4468	0.0520	71.5
26	180	25	1996.4821	0.0460	91.8
27	200	25	2474.0042	0.0400	99.0



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Tabora	District	Igunga
Ward	Choma	Village	Choma
Site No.	GS-113	Operator	Mr. Bago
Date	24-Jul-06	Equipment	ABEM SAS-300C
Longitude	33.36647	Latitude	4.00402
Altitude	1108	Orientation	E-W


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	1.5030	9.4
2	2	0.5	11.7810	0.6430	7.6
3	2.5	0.5	18.8496	0.3870	7.3
4	3	0.5	27.4889	0.2700	7.4
5	4	0.5	49.4801	0.1830	9.1
6	5	0.5	77.7544	0.1260	9.8
7	6	0.5	112.3119	0.0950	10.7
8	8	0.5	200.2765	0.0580	11.6
9	10	0.5	313.3739	0.0410	12.8
10	10	2.5	58.9049	0.2110	12.4
11	12	2.5	86.5509	0.1480	12.8
12	15	2.5	137.4447	0.1030	14.2
13	20	2.5	247.4004	0.0670	16.6
14	25	2.5	388.7721	0.0490	19.0
15	30	2.5	561.5597	0.0370	20.8
16	30	5	274.8894	0.0751	20.6
17	40	5	494.8008	0.0480	23.8
18	50	5	777.5442	0.0340	26.4
19	50	10	376.9911	0.0709	26.7
20	60	10	549.7787	0.0504	27.7
21	75	10	867.8650	0.0350	30.4
22	100	10	1555.0884	0.0235	36.5
23	100	25	589.0486	0.0610	35.9
24	125	25	942.4778	0.0450	42.4
25	150	25	1374.4468	0.0370	50.9
26	180	25	1996.4821	0.0290	57.9
27	200	25	2474.0042	0.0250	61.9



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Tabora	District	Igunga
Ward	Itumba	Village	Bihekela
Site No.	GS-114	Operator	Mr. Bwanguzo
Date	23-Jul-06	Equipment	ABEM SAS-300C
Longitude	33.74387	Latitude	4.79996
Altitude	1055	Orientation	NE-SW


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	5.2500	33.0
2	2	0.5	11.7810	2.8000	33.0
3	2.5	0.5	18.8496	1.4640	27.6
4	3	0.5	27.4889	1.0120	27.8
5	4	0.5	49.4801	0.6100	30.2
6	5	0.5	77.7544	0.3700	28.8
7	6	0.5	112.3119	0.2710	30.4
8	8	0.5	200.2765	0.1560	31.2
9	10	0.5	313.3739	0.1100	34.5
10	10	2.5	58.9049	0.5470	32.2
11	12	2.5	86.5509	0.4050	35.1
12	15	2.5	137.4447	0.2650	36.4
13	20	2.5	247.4004	0.1590	39.3
14	25	2.5	388.7721	0.1150	44.7
15	30	2.5	561.5597	0.0810	45.5
16	30	5	274.8894	0.1510	41.5
17	40	5	494.8008	0.0990	49.0
18	50	5	777.5442	0.0750	58.3
19	50	10	376.9911	0.1460	55.0
20	60	10	549.7787	0.1190	65.4
21	75	10	867.8650	0.0800	69.4
22	100	10	1555.0884	0.0680	105.7
23	100	25	589.0486	0.1480	87.2
24	125	25	942.4778	0.1050	99.0
25	150	25	1374.4468	0.0840	115.5
26	180	25	1996.4821	0.0650	129.8
27	200	25	2474.0042	0.0550	136.1



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Tabora	District	Igunga
Ward	Igunga	Village	Mgongoro
Site No.	GS-115	Operator	Mr. Bago
Date	22-Jul-06	Equipment	ABEM SAS-300C
Longitude	34.04684	Latitude	4.39261
Altitude	1036	Orientation	N-S


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	0.4390	2.8
2	2	0.5	11.7810	0.2470	2.9
3	2.5	0.5	18.8496	0.1630	3.1
4	3	0.5	27.4889	0.1096	3.0
5	4	0.5	49.4801	0.0618	3.1
6	5	0.5	77.7544	0.0398	3.1
7	6	0.5	112.3119	0.0283	3.2
8	8	0.5	200.2765	0.0163	3.3
9	10	0.5	313.3739	0.0104	3.3
10	10	2.5	58.9049	0.0505	3.0
11	12	2.5	86.5509	0.0358	3.1
12	15	2.5	137.4447	0.0213	2.9
13	20	2.5	247.4004	0.0136	3.4
14	25	2.5	388.7721	0.0114	4.4
15	30	2.5	561.5597	0.0054	3.1
16	30	5	274.8894	0.0120	3.3
17	40	5	494.8008	0.0068	3.4
18	50	5	777.5442	0.0044	3.4
19	50	10	376.9911	0.0087	3.3
20	60	10	549.7787	0.0068	3.7
21	75	10	867.8650	0.0044	3.8
22	100	10	1555.0884	0.0029	4.5
23	100	25	589.0486	0.0092	5.4
24	125	25	942.4778	0.0058	5.5
25	150	25	1374.4468	0.0040	5.5
26	180	25	1996.4821	0.0026	5.2
27	200	25	2474.0042	0.0016	4.0



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Tabora	District	Igunga
Ward	Mwanzugi	Village	Mwanzugi
Site No.	GS-116	Operator	Mr. Bago
Date	23-Jul-06	Equipment	ABEM SAS-300C
Longitude	33.89657	Latitude	4.36617
Altitude	1083	Orientation	N-S


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	1.7250	10.8
2	2	0.5	11.7810	0.8820	10.4
3	2.5	0.5	18.8496	0.5180	9.8
4	3	0.5	27.4889	0.3270	9.0
5	4	0.5	49.4801	0.1670	8.3
6	5	0.5	77.7544	0.0940	7.3
7	6	0.5	112.3119	0.0610	6.9
8	8	0.5	200.2765	0.0280	5.6
9	10	0.5	313.3739	0.0150	4.7
10	10	2.5	58.9049	0.0760	4.5
11	12	2.5	86.5509	0.0500	4.3
12	15	2.5	137.4447	0.0320	4.4
13	20	2.5	247.4004	0.0200	4.9
14	25	2.5	388.7721	0.0140	5.4
15	30	2.5	561.5597	0.0110	6.2
16	30	5	274.8894	0.0210	5.8
17	40	5	494.8008	0.0140	6.9
18	50	5	777.5442	0.0110	8.6
19	50	10	376.9911	0.0210	7.9
20	60	10	549.7787	0.0150	8.2
21	75	10	867.8650	0.0120	10.4
22	100	10	1555.0884	0.0080	12.4
23	100	25	589.0486	0.0230	13.5
24	125	25	942.4778	0.0160	15.1
25	150	25	1374.4468	0.0130	17.9
26	180	25	1996.4821	0.0110	22.0
27	200	25	2474.0042	0.0085	21.0



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Tabora	District	Igunga
Ward	Igulubi	Village	Kalangale
Site No.	GS-117	Operator	Mr. Bago
Date	24-Jul-06	Equipment	ABEM SAS-300C
Longitude	33.65567	Latitude	3.96046
Altitude	1065	Orientation	E-W


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	2.8100	17.7
2	2	0.5	11.7810	1.4500	17.1
3	2.5	0.5	18.8496	0.8300	15.6
4	3	0.5	27.4889	0.5280	14.5
5	4	0.5	49.4801	0.2500	12.4
6	5	0.5	77.7544	0.1370	10.7
7	6	0.5	112.3119	0.0930	10.4
8	8	0.5	200.2765	0.0533	10.7
9	10	0.5	313.3739	0.0345	10.8
10	10	2.5	58.9049	0.1650	9.7
11	12	2.5	86.5509	0.1080	9.3
12	15	2.5	137.4447	0.0658	9.0
13	20	2.5	247.4004	0.0372	9.2
14	25	2.5	388.7721	0.0240	9.3
15	30	2.5	561.5597	0.0173	9.7
16	30	5	274.8894	0.0326	9.0
17	40	5	494.8008	0.0211	10.4
18	50	5	777.5442	0.0150	11.7
19	50	10	376.9911	0.0280	10.6
20	60	10	549.7787	0.0220	12.1
21	75	10	867.8650	0.0164	14.2
22	100	10	1555.0884	0.0120	18.7
23	100	25	589.0486	0.0310	18.3
24	125	25	942.4778	0.0230	21.7
25	150	25	1374.4688	0.0190	26.1
26	180	25	1996.4821	0.0150	29.9
27	200	25	2474.0042	0.0131	32.4



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Tabora	District	Igunga
Ward	Isakamaliwa	Village	Hindishi
Site No.	GS-118	Operator	Mr. Bago
Date	23-Jul-06	Equipment	ABEM SAS-300C
Longitude	33.97948	Latitude	4.13970
Altitude	1083	Orientation	N45W


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	0.7670	4.8
2	2	0.5	11.7810	0.3050	3.6
3	2.5	0.5	18.8496	0.1500	2.8
4	3	0.5	27.4889	0.0780	2.1
5	4	0.5	49.4801	0.0350	1.7
6	5	0.5	77.7544	0.0210	1.6
7	6	0.5	112.3119	0.0160	1.8
8	8	0.5	200.2765	0.0120	2.4
9	10	0.5	313.3739	0.0087	2.7
10	10	2.5	58.9049	0.0380	2.2
11	12	2.5	86.5509	0.0240	2.1
12	15	2.5	137.4447	0.0160	2.2
13	20	2.5	247.4004	0.0100	2.5
14	25	2.5	388.7721	0.0060	2.3
15	30	2.5	561.5597	0.0050	2.8
16	30	5	274.8894	0.0090	2.5
17	40	5	494.8008	0.0050	2.5
18	50	5	777.5442	0.0030	2.3
19	50	10	376.9911	0.0070	2.6
20	60	10	549.7787	0.0040	2.2
21	75	10	867.8650	0.0020	1.7
22	100	10	1555.0884	0.0012	1.9
23	100	25	589.0486	0.0025	1.5
24	125	25	942.4778	0.0022	2.1
25	150	25	1374.4688	0.0017	2.3
26	180	25	1996.4821	0.0014	2.8
27	200	25	2474.0042	0.0012	3.0



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Tabora	District	Igunga
Ward	Itumba	Village	Chagana
Site No.	GS-120	Operator	Mr. Bago
Date	22-Jul-06	Equipment	ABEM SAS-300C
Longitude	34.91372	Latitude	4.56739
Altitude	1043	Orientation	E-W


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	4.3300	27.2
2	2	0.5	11.7810	2.2900	27.0
3	2.5	0.5	18.8496	1.1060	20.8
4	3	0.5	27.4889	0.6950	19.1
5	4	0.5	49.4801	0.2130	10.5
6	5	0.5	77.7544	0.1230	9.6
7	6	0.5	112.3119	0.0880	9.9
8	8	0.5	200.2765	0.0403	8.1
9	10	0.5	313.3739	0.0230	7.2
10	10	2.5	58.9049	0.1300	7.7
11	12	2.5	86.5509	0.0970	8.4
12	15	2.5	137.4447	0.0510	7.0
13	20	2.5	247.4004	0.0238	5.9
14	25	2.5	388.7721	0.0118	4.6
15	30	2.5	561.5597	0.0098	5.5
16	30	5	274.8894	0.0230	6.3
17	40	5	494.8008	0.0090	4.5
18	50	5	777.5442	0.0050	3.9
19	50	10	376.9911	0.0109	4.1
20	60	10	549.7787	0.0060	3.3
21	75	10	867.8650	0.0050	4.3
22	100	10	1555.0884	0.0020	3.1
23	100	25	589.0486	0.0110	6.5
24	125	25	942.4778	0.0070	6.6
25	150	25	1374.4468	0.0052	7.1
26	180	25	1996.4821	0.0047	9.4
27	200	25	2474.0042	0.0038	9.4



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Tabora	District	Igunga
Ward	Mwamashimba	Village	Imalanguzu
Site No.	GS-121	Operator	Mr. Bago
Date	24-Jul-06	Equipment	ABEM SAS-300C
Longitude	33.80265	Latitude	4.11595
Altitude	1122	Orientation	N-S


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	22.2000	139.5
2	2	0.5	11.7810	9.9100	116.7
3	2.5	0.5	18.8496	4.9800	93.9
4	3	0.5	27.4889	2.9400	80.8
5	4	0.5	49.4801	1.2390	61.3
6	5	0.5	77.7544	0.6180	48.1
7	6	0.5	112.3119	0.3530	39.6
8	8	0.5	200.2765	0.1230	24.6
9	10	0.5	313.3739	0.0560	17.5
10	10	2.5	58.9049	0.3210	18.9
11	12	2.5	86.5509	0.1440	12.5
12	15	2.5	137.4447	0.0560	7.7
13	20	2.5	247.4004	0.0200	4.9
14	25	2.5	388.7721	0.0110	4.3
15	30	2.5	561.5597	0.0060	3.4
16	30	5	274.8894	0.0120	3.3
17	40	5	494.8008	0.0060	3.0
18	50	5	777.5442	0.0030	2.3
19	50	10	376.9911	0.0060	2.3
20	60	10	549.7787	0.0040	2.2
21	75	10	867.8650	0.0030	2.6
22	100	10	1555.0884	0.0020	3.1
23	100	25	589.0486	0.0060	3.5
24	125	25	942.4778	0.0040	3.8
25	150	25	1374.4468	0.0030	4.1
26	180	25	1996.4821	0.0020	4.0
27	200	25	2474.0042	0.0017	4.2



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Tabora	District	Igunga
Ward	Nkinga	Village	Ulaya
Site No.	GS-122	Operator	Mr. Bago
Date	25-Jul-06	Equipment	ABEM SAS-300C
Longitude	33.43102	Latitude	4.38678
Altitude	1265	Orientation	E-W


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	305.0000	1916.4
2	2	0.5	11.7810	116.0000	1366.6
3	2.5	0.5	18.8496	44.1000	831.3
4	3	0.5	27.4889	23.4000	643.2
5	4	0.5	49.4801	6.7100	532.0
6	5	0.5	77.7544	3.3000	256.6
7	6	0.5	112.3119	1.0210	114.7
8	8	0.5	200.2765	0.5480	109.8
9	10	0.5	313.3739	0.2500	78.3
10	10	2.5	58.9049	1.3400	78.9
11	12	2.5	86.5509	0.7730	66.9
12	15	2.5	137.4447	0.5590	76.8
13	20	2.5	247.4004	0.4130	102.2
14	25	2.5	388.7721	0.2060	80.1
15	30	2.5	561.5597	0.1900	106.7
16	30	5	274.8894	0.4040	111.1
17	40	5	494.8008	0.2750	136.1
18	50	5	777.5442	0.2210	171.8
19	50	10	376.9911	0.3100	116.9
20	60	10	549.7787	0.2300	126.4
21	75	10	867.8650	0.1520	131.9
22	100	10	1555.0884	0.1100	171.1
23	100	25	589.0486	0.2760	162.6
24	125	25	942.4778	0.2080	196.0
25	150	25	1374.4468	0.1680	230.9
26	180	25	1996.4821	0.1400	279.5
27	200	25	2474.0042	0.1300	321.6



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Tabora	District	Igunga
Ward	Sunguzwi	Village	Ngurifi
Site No.	GS-123	Operator	Mr. Bago
Date	25-Jul-06	Equipment	ABEM SAS-300C
Longitude	33.56159	Latitude	4.43943
Altitude	1202	Orientation	N45W


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	7.7000	48.4
2	2	0.5	11.7810	3.3300	39.2
3	2.5	0.5	18.8496	1.9800	37.3
4	3	0.5	27.4889	1.4160	38.9
5	4	0.5	49.4801	0.9690	47.9
6	5	0.5	77.7544	0.8590	66.8
7	6	0.5	112.3119	0.5580	62.7
8	8	0.5	200.2765	0.3470	69.5
9	10	0.5	313.3739	0.2600	81.5
10	10	2.5	58.9049	1.0660	62.8
11	12	2.5	86.5509	0.7990	69.2
12	15	2.5	137.4447	0.5400	74.2
13	20	2.5	247.4004	0.3290	81.4
14	25	2.5	388.7721	0.2310	89.8
15	30	2.5	561.5597	0.1830	102.8
16	30	5	274.8894	0.3810	104.7
17	40	5	494.8008	0.2670	132.1
18	50	5	777.5442	0.2110	164.1
19	50	10	376.9911	0.4650	175.3
20	60	10	549.7787	0.3800	208.9
21	75	10	867.8650	0.2930	254.3
22	100	10	1555.0884	0.2210	343.7
23	100	25	589.0486	0.5080	299.2
24	125	25	942.4778	0.3340	314.8
25	150	25	1374.4468	0.2340	321.6
26	180	25	1996.4821	0.1800	359.4
27	200	25	2474.0042	0.1560	385.9



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Tabora	District	Nzega
Ward	Lusu	Village	Lusu
Site No.	GS-124	Operator	Mr. Bago
Date	25-Jul-06	Equipment	ABEM SAS-300C
Longitude	33.22118	Latitude	4.02908
Altitude	1105	Orientation	N-S


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	4.2000	26.4
2	2	0.5	11.7810	2.1300	25.1
3	2.5	0.5	18.8496	1.6300	30.7
4	3	0.5	27.4889	1.1860	32.6
5	4	0.5	49.4801	0.7000	34.6
6	5	0.5	77.7544	0.4550	35.4
7	6	0.5	112.3119	0.3190	35.8
8	8	0.5	200.2765	0.1740	34.8
9	10	0.5	313.3739	0.1100	34.5
10	10	2.5	58.9049	0.5670	33.4
11	12	2.5	86.5509	0.3790	32.8
12	15	2.5	137.4447	0.2370	32.6
13	20	2.5	247.4004	0.1200	29.7
14	25	2.5	388.7721	0.0760	29.5
15	30	2.5	561.5597	0.0490	27.5
16	30	5	274.8894	0.0970	26.7
17	40	5	494.8008	0.0537	26.6
18	50	5	777.5442	0.0361	28.1
19	50	10	376.9911	0.0756	28.5
20	60	10	549.7787	0.0543	29.9
21	75	10	867.8650	0.0370	32.1
22	100	10	1555.0884	0.0247	38.4
23	100	25	589.0486	0.0580	34.2
24	125	25	942.4778	0.0470	44.3
25	150	25	1374.4468	0.0390	53.6
26	180	25	1996.4821	0.0310	61.9
27	200	25	2474.0042	0.0280	69.3



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Tabora	District	Nzega
Ward	Mwamala	Village	Naola
Site No.	GS-126	Operator	Mr. Bwanguzo
Date	26-Jul-06	Equipment	ABEM SAS-300C
Longitude	32.89010	Latitude	4.01083
Altitude	1147	Orientation	E-W


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	2.2600	14.2
2	2	0.5	11.7810	1.1310	13.3
3	2.5	0.5	18.8496	0.5980	11.3
4	3	0.5	27.4889	0.3500	9.6
5	4	0.5	49.4801	0.1830	9.1
6	5	0.5	77.7544	0.1130	8.8
7	6	0.5	112.3119	0.0740	8.3
8	8	0.5	200.2765	0.0420	8.4
9	10	0.5	313.3739	0.0280	8.8
10	10	2.5	58.9049	0.1370	8.1
11	12	2.5	86.5509	0.0940	8.1
12	15	2.5	137.4447	0.0590	8.1
13	20	2.5	247.4004	0.0310	7.7
14	25	2.5	388.7721	0.0180	7.0
15	30	2.5	561.5597	0.0130	7.3
16	30	5	274.8894	0.0260	7.1
17	40	5	494.8008	0.0140	6.9
18	50	5	777.5442	0.0090	7.0
19	50	10	376.9911	0.0180	6.8
20	60	10	549.7787	0.0120	6.6
21	75	10	867.8650	0.0090	7.8
22	100	10	1555.0884	0.0070	10.9
23	100	25	589.0486	0.0190	11.2
24	125	25	942.4778	0.0140	13.2
25	150	25	1374.4468	0.0110	15.1
26	180	25	1996.4821	0.0090	18.0
27	200	25	2474.0042	0.0080	19.8



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Tabora	District	Nzege
Ward	Ndala	Village	Wita
Site No.	GS-127	Operator	Mr. Bwanguzo
Date	26-Jul-06	Equipment	ABEM SAS-300C
Longitude	33.28093	Latitude	4.74312
Altitude	1219	Orientation	N-S


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	3.7600	23.6
2	2	0.5	11.7810	1.8620	21.9
3	2.5	0.5	18.8496	1.1570	21.8
4	3	0.5	27.4889	0.7580	20.8
5	4	0.5	49.4801	0.4320	21.4
6	5	0.5	77.7544	0.2380	18.5
7	6	0.5	112.3119	0.1730	19.4
8	8	0.5	200.2765	0.1330	26.6
9	10	0.5	313.3739	0.0860	27.0
10	10	2.5	58.9049	0.4320	25.4
11	12	2.5	86.5509	0.3160	27.4
12	15	2.5	137.4447	0.2240	30.8
13	20	2.5	247.4004	0.1450	35.9
14	25	2.5	388.7721	0.1000	38.9
15	30	2.5	561.5597	0.0710	39.9
16	30	5	274.8894	0.1560	42.9
17	40	5	494.8008	0.0880	43.5
18	50	5	777.5442	0.0670	52.1
19	50	10	376.9911	0.1340	50.5
20	60	10	549.7787	0.1010	55.5
21	75	10	867.8650	0.0790	68.6
22	100	10	1555.0884	0.0610	94.9
23	100	25	589.0486	0.1620	95.4
24	125	25	942.4778	0.1400	131.9
25	150	25	1374.4468	0.1250	171.8
26	180	25	1996.4821	0.1080	215.6
27	200	25	2474.0042	0.0950	235.0



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Tabora	District	Igunga
Ward	Shigamba	Village	Kagungwa
Site No.	GS-128	Operator	Mr. Bago
Date	25-Jul-06	Equipment	ABEM SAS-300C
Longitude	33.10327	Latitude	4.19761
Altitude	1192	Orientation	N45W


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	1.5670	9.8
2	2	0.5	11.7810	0.6940	8.2
3	2.5	0.5	18.8496	0.4600	8.7
4	3	0.5	27.4889	0.3700	10.2
5	4	0.5	49.4801	0.2490	12.3
6	5	0.5	77.7544	0.2020	15.7
7	6	0.5	112.3119	0.1580	17.7
8	8	0.5	200.2765	0.1140	22.8
9	10	0.5	313.3739	0.0980	30.7
10	10	2.5	58.9049	0.3660	21.6
11	12	2.5	86.5509	0.3010	26.1
12	15	2.5	137.4447	0.2370	32.6
13	20	2.5	247.4004	0.1780	44.0
14	25	2.5	388.7721	0.1370	53.3
15	30	2.5	561.5597	0.1190	66.8
16	30	5	274.8894	0.2300	63.2
17	40	5	494.8008	0.1670	82.6
18	50	5	777.5442	0.1310	101.9
19	50	10	376.9911	0.2500	94.2
20	60	10	549.7787	0.1950	107.2
21	75	10	867.8650	0.1510	131.0
22	100	10	1555.0884	0.1130	175.7
23	100	25	589.0486	0.2750	162.0
24	125	25	942.4778	0.2350	212.1
25	150	25	1374.4468	0.1856	255.1
26	180	25	1996.4821	0.1540	307.5
27	200	25	2474.0042	0.1390	343.9



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Tabora	District	Sikonge
Ward	Igigwa	Village	Nyahua
Site No.	GS-130	Operator	Mr. Bago
Date	27-Jul-06	Equipment	ABEM SAS-300C
Longitude	33.33403	Latitude	5.37905
Altitude	1167	Orientation	N-S


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	182.0000	1143.5
2	2	0.5	11.7810	92.6000	1090.9
3	2.5	0.5	18.8496	52.0000	980.2
4	3	0.5	27.4889	27.8000	764.2
5	4	0.5	49.4801	9.7400	481.9
6	5	0.5	77.7544	3.5500	278.4
7	6	0.5	112.3119	1.4040	157.7
8	8	0.5	200.2765	0.2960	59.3
9	10	0.5	313.3739	0.1080	33.8
10	10	2.5	58.9049	0.6290	87.1
11	12	2.5	86.5509	0.2940	25.4
12	15	2.5	137.4447	0.1350	18.6
13	20	2.5	247.4004	0.0680	16.8
14	25	2.5	388.7721	0.0450	17.5
15	30	2.5	561.5597	0.0320	18.0
16	30	5	274.8894	0.0640	17.6
17	40	5	494.8008	0.0390	19.3
18	50	5	777.5442	0.0260	20.2
19	50	10	376.9911	0.0510	19.2
20	60	10	549.7787	0.0380	20.9
21	75	10	867.8650	0.0300	26.0
22	100	10	1555.0884	0.0240	37.3
23	100	25	589.0486	0.0610	35.9
24	125	25	942.4778	0.0520	49.0
25	150	25	1374.4468	0.0487	66.9
26	180	25	1996.4821	0.0350	69.9
27	200	25	2474.0042	0.0325	80.4



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Tabora	District	Uyui
Ward	Kizengi	Village	Kizengi
Site No.	GS-131	Operator	Mr. Bago
Date	27-Jul-06	Equipment	ABEM SAS-300C
Longitude	33.58269	Latitude	5.34718
Altitude	1172	Orientation	N-S


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	4.0800	25.6
2	2	0.5	11.7810	1.9310	22.7
3	2.5	0.5	18.8496	1.0650	20.1
4	3	0.5	27.4889	0.7420	20.4
5	4	0.5	49.4801	0.4530	22.4
6	5	0.5	77.7544	0.3050	23.7
7	6	0.5	112.3119	0.2260	25.4
8	8	0.5	200.2765	0.1320	26.4
9	10	0.5	313.3739	0.0899	28.2
10	10	2.5	58.9049	0.4800	28.3
11	12	2.5	86.5509	0.2940	25.4
12	15	2.5	137.4447	0.2060	28.3
13	20	2.5	247.4004	0.1430	35.4
14	25	2.5	388.7721	0.1050	40.8
15	30	2.5	561.5597	0.0790	44.4
16	30	5	274.8894	0.1590	43.7
17	40	5	494.8008	0.1070	52.9
18	50	5	777.5442	0.0820	63.8
19	50	10	376.9911	0.1630	61.4
20	60	10	549.7787	0.1260	69.3
21	75	10	867.8650	0.0860	74.6
22	100	10	1555.0884	0.0600	93.3
23	100	25	589.0486	0.1510	88.9
24	125	25	942.4778	0.1140	107.4
25	150	25	1374.4468	0.0930	127.8
26	180	25	1996.4821	0.0760	151.7
27	200	25	2474.0042	0.0664	164.3



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Tabora	District	Uyui
Ward	Igalula	Village	Mwakadala
Site No.	GS-133	Operator	Mr. Bago
Date	23-Jul-06	Equipment	ABEM SAS-300C
Longitude	33.65466	Latitude	4.90020
Altitude	1186	Orientation	E-W


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	18.2700	114.8
2	2	0.5	11.7810	3.7600	44.3
3	2.5	0.5	18.8496	1.6700	31.5
4	3	0.5	27.4889	1.0300	28.3
5	4	0.5	49.4801	0.5890	29.1
6	5	0.5	77.7544	0.4120	32.0
7	6	0.5	112.3119	0.3180	35.7
8	8	0.5	200.2765	0.1710	34.2
9	10	0.5	313.3739	0.0990	31.0
10	10	2.5	58.9049	0.5450	32.1
11	12	2.5	86.5509	0.3800	32.9
12	15	2.5	137.4447	0.2560	35.2
13	20	2.5	247.4004	0.1610	39.8
14	25	2.5	388.7721	0.1110	43.2
15	30	2.5	561.5597	0.0810	45.5
16	30	5	274.8894	0.1480	40.7
17	40	5	494.8008	0.1000	49.5
18	50	5	777.5442	0.0770	59.9
19	50	10	376.9911	0.1420	53.5
20	60	10	549.7787	0.1110	61.0
21	75	10	867.8650	0.0890	77.2
22	100	10	1555.0884	0.0660	102.6
23	100	25	589.0486	0.1590	93.7
24	125	25	942.4778	0.1290	121.6
25	150	25	1374.4468	0.1020	140.2
26	180	25	1996.4821	0.0920	183.7
27	200	25	2474.0042	0.0760	188.0



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Tabora	Division	Uyui
Ward	Igalula	Village	Seniki
Site No.	T-16-1	Operator	Mr. Bwanguzo
Date	8-Jul-06	Equipment	ABEM SAS 300C
Longitude	33.27674	Latitude	5.17534
Altitude	1264	Orientation	N75W


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	1.2660	8.0
2	2	0.5	11.7810	0.5810	6.8
3	2.5	0.5	18.8496	0.4370	8.2
4	3	0.5	27.4889	0.3130	8.6
5	4	0.5	49.4801	0.2120	10.5
6	5	0.5	77.7544	0.1720	13.4
7	6	0.5	112.3119	0.1300	14.6
8	8	0.5	200.2765	0.1050	21.0
9	10	0.5	313.3739	0.0880	27.6
10	10	2.5	58.9049	0.3880	22.9
11	12	2.5	86.5509	0.3530	30.6
12	15	2.5	137.4447	0.2620	36.0
13	20	2.5	247.4004	0.1920	47.5
14	25	2.5	388.7721	0.1340	52.1
15	30	2.5	561.5597	0.1180	66.3
16	30	5	274.8894	0.2100	57.7
17	40	5	494.8008	0.1700	84.1
18	50	5	777.5442	0.1500	116.6
19	50	10	376.9911	0.3090	116.5
20	60	10	549.7787	0.2740	150.6
21	75	10	867.8650	0.2220	192.7
22	100	10	1555.0884	0.1760	273.7
23	100	25	589.0486	0.4450	262.1
24	125	25	942.4778	0.3600	339.3
25	150	25	1374.4468	0.2860	393.1
26	180	25	1996.4821	0.2380	475.2
27	200	25	2474.0042	0.1810	447.8



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Tabora	Division	Uyui
Ward	Igulala	Village	Semiki
Site No.	T-16-2	Operator	Mr. Bwanguzo
Date	8-Jul-06	Equipment	ABEM SAS 300C
Longitude	33.27106	Latitude	5.17309
Altitude	1264	Orientation	E-W


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	1.7240	10.8
2	2	0.5	11.7810	0.8640	10.2
3	2.5	0.5	18.8496	0.5700	10.7
4	3	0.5	27.4889	0.4280	11.8
5	4	0.5	49.4801	0.2840	14.1
6	5	0.5	77.7544	0.2070	16.1
7	6	0.5	112.3119	0.1640	18.4
8	8	0.5	200.2765	0.1180	23.6
9	10	0.5	313.3739	0.0906	28.4
10	10	2.5	58.9049	0.4950	29.2
11	12	2.5	86.5509	0.4000	34.6
12	15	2.5	137.4447	0.2980	41.0
13	20	2.5	247.4004	0.1820	45.0
14	25	2.5	388.7721	0.1560	60.6
15	30	2.5	561.5597	0.1270	71.3
16	40	5	274.8894	0.2460	67.6
17	40	5	494.8008	0.1730	85.6
18	50	5	777.5442	0.1327	103.2
19	50	10	376.9911	0.2770	104.4
20	60	10	549.7787	0.2250	123.7
21	75	10	867.8650	0.1691	146.8
22	100	10	1555.0884	0.1182	183.8
23	100	25	589.0486	0.3410	200.9
24	125	25	942.4778	0.2780	262.0
25	150	25	1374.4468	0.2350	323.0
26	180	25	1996.4821	0.1970	393.3
27	200	25	2474.0042	0.1680	415.6



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Dodoma	District	Bahi
Ward	Pamantwa	Village	Mkakatika
Site No.	T-1-2	Operator	Mr. Bago
Date	31-Jul-06	Equipment	SYSCAL-Jr.
Longitude	35.35014	Latitude	5.91408
Altitude	896	Orientation	E-W


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	54.9000	344.9
2	2	0.5	11.7810	22.6000	266.2
3	2.5	0.5	18.8496	11.7900	222.2
4	3	0.5	27.4889	7.1800	197.4
5	4	0.5	49.4801	3.6600	181.1
6	5	0.5	77.7544	2.1000	163.3
7	6	0.5	112.3119	1.2000	134.8
8	8	0.5	200.2765	0.5030	100.7
9	10	0.5	313.3739	0.2360	73.6
10	10	2.5	58.9049	1.1600	68.3
11	12	2.5	86.5509	0.6760	58.5
12	15	2.5	137.4447	0.4120	56.6
13	20	2.5	247.4004	0.2240	55.4
14	25	2.5	388.7721	0.1470	57.1
15	30	2.5	561.5597	0.1050	59.0
16	40	5	274.8894	0.2020	55.5
17	40	5	494.8008	0.1490	73.7
18	50	5	777.5442	0.0990	77.0
19	50	10	376.9911	0.2220	83.7
20	60	10	549.7787	0.1890	103.9
21	75	10	867.8650	0.1420	123.2
22	100	10	1555.0884	0.1160	180.4
23	100	25	589.0486	0.2310	136.1
24	125	25	942.4778	0.2030	191.3
25	150	25	1374.4468	0.1790	246.0
26	180	25	1996.4821	0.1620	323.4
27	200	25	2474.0042	0.1520	376.0



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Dodoma	District	Bahi
Ward	Pamantwa	Village	Mkakatika
Site No.	T-1-3	Operator	Mr. Bago
Date	31-Jul-06	Equipment	SYSICAL-Jr.
Longitude	35.34882	Latitude	5.91335
Altitude	895	Orientation	E-W


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	5.2200	32.8
2	2	0.5	11.7810	3.3700	39.7
3	2.5	0.5	18.8496	2.4000	45.2
4	3	0.5	27.4889	1.8340	50.4
5	4	0.5	49.4801	1.1530	57.1
6	5	0.5	77.7544	0.7710	59.9
7	6	0.5	112.3119	0.5460	61.3
8	8	0.5	200.2765	0.3170	63.5
9	10	0.5	313.3739	0.2010	63.0
10	10	2.5	58.9049	0.9910	58.4
11	12	2.5	86.5509	0.6420	55.6
12	15	2.5	137.4447	0.4030	55.4
13	20	2.5	247.4004	0.2500	61.9
14	25	2.5	388.7721	0.1520	59.1
15	30	2.5	561.5597	0.1060	59.5
16	30	5	274.8894	0.2160	59.4
17	40	5	494.8008	0.1350	66.8
18	50	5	777.5442	0.1080	84.0
19	50	10	376.9911	0.2160	81.4
20	60	10	549.7787	0.1810	99.5
21	75	10	867.8650	0.1410	122.4
22	100	10	1555.0884	0.1040	161.7
23	100	25	589.0486	0.2450	144.3
24	125	25	942.4778	0.1990	187.6
25	150	25	1374.4468	0.1650	226.8
26	180	25	1996.4821	0.1330	265.5
27	200	25	2474.0042	0.1190	294.4



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Dodoma	Division	Dodoma Rural
Ward	Babayu	Village	Kongogo
Site No.	T-2-2	Operator	Mr. Bwanzoo
Date	12-Jul-06	Equipment	ABEM SAS 300C
Longitude	35.62644	Latitude	5.65422
Altitude	1050	Orientation	N30E


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	4.6800	29.4
2	2	0.5	11.7810	2.2700	26.7
3	2.5	0.5	18.8496	1.4100	26.6
4	3	0.5	27.4889	0.8890	24.4
5	4	0.5	49.4801	0.4890	24.2
6	5	0.5	77.7544	0.3060	23.8
7	6	0.5	112.3119	0.2010	22.6
8	8	0.5	200.2765	0.1080	21.6
9	10	0.5	313.3739	0.0670	21.0
10	10	2.5	58.9049	0.3150	18.6
11	12	2.5	86.5509	0.2020	17.5
12	15	2.5	137.4447	0.1148	16.7
13	20	2.5	247.4004	0.0720	17.8
14	25	2.5	388.7721	0.0440	17.1
15	30	2.5	561.5597	0.0340	19.1
16	30	5	274.8894	0.0730	20.1
17	40	5	494.8008	0.0430	21.3
18	50	5	777.5442	0.0350	27.2
19	50	10	376.9911	0.0580	21.9
20	60	10	549.7787	0.0460	25.3
21	75	10	867.8650	0.0320	27.8
22	100	10	1555.0884	0.0230	35.8
23	100	25	589.0486	0.0460	27.1
24	125	25	942.4778	0.0340	32.0
25	150	25	1374.4468	0.0270	37.1
26	180	25	1996.4821	0.0220	43.9
27	200	25	2474.0042	0.0200	49.5



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Dodoma	Division	Kondoa
Ward	Farkwa	Village	Bubutole
Site No.	T-3-1	Operator	Mr. Bwanguzo
Date	30-Jun-06	Equipment	ABEM SAS 300C
Longitude	35.55725	Latitude	5.31521
Altitude	1099	Orientation	E-W


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	3.1700	19.9
2	2	0.5	11.7810	2.0800	24.5
3	2.5	0.5	18.8496	1.3960	26.3
4	3	0.5	27.4889	0.9990	27.5
5	4	0.5	49.4801	0.6880	33.8
6	5	0.5	77.7544	0.5030	39.1
7	6	0.5	112.3119	0.3850	43.2
8	8	0.5	200.2765	0.2420	48.5
9	10	0.5	313.3739	0.1608	50.4
10	10	2.5	58.9049	0.8370	49.3
11	12	2.5	86.5509	0.5660	49.0
12	15	2.5	137.4447	0.3260	44.8
13	20	2.5	247.4004	0.1630	40.3
14	25	2.5	388.7721	0.0935	36.4
15	30	2.5	561.5597	0.0702	39.4
16	30	5	274.8894	0.1240	34.1
17	40	5	494.8008	0.0610	30.2
18	50	5	777.5442	0.0380	29.5
19	50	10	376.9911	0.0760	28.7
20	60	10	549.7787	0.0542	29.8
21	75	10	867.8650	0.0382	33.2
22	100	10	1555.0884	0.0242	37.6
23	100	25	589.0486	0.0540	31.8
24	125	25	942.4778	0.0440	41.5
25	150	25	1374.4468	0.0320	44.0
26	180	25	1996.4821	0.0250	49.9
27	200	25	2474.0042	0.0230	56.9



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Dodoma	Division	Kondoa
Ward	Farkwa	Village	Bubutole
Site No.	T-3-2	Operator	Mr. Bwanguzo
Date	30-Jun-06	Equipment	ABEM SAS 300C
Longitude	35.55470	Latitude	5.31322
Altitude	1095	Orientation	N-S


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	4.7000	29.5
2	2	0.5	11.7810	2.9700	35.0
3	2.5	0.5	18.8496	2.2700	42.8
4	3	0.5	27.4889	1.6200	44.5
5	4	0.5	49.4801	0.9640	47.7
6	5	0.5	77.7544	0.7050	54.8
7	6	0.5	112.3119	0.5200	58.4
8	8	0.5	200.2765	0.2940	58.9
9	10	0.5	313.3739	0.1880	58.9
10	10	2.5	58.9049	0.9120	53.7
11	12	2.5	86.5509	0.6130	53.1
12	15	2.5	137.4447	0.3460	47.6
13	20	2.5	247.4004	0.1430	35.4
14	25	2.5	388.7721	0.0720	28.0
15	30	2.5	561.5597	0.0430	24.1
16	30	5	274.8894	0.0820	22.5
17	40	5	494.8008	0.0400	19.8
18	50	5	777.5442	0.0250	19.4
19	50	10	376.9911	0.0490	18.5
20	60	10	549.7787	0.0470	25.8
21	75	10	867.8650	0.0300	26.0
22	100	10	1555.0884	0.0180	28.0
23	100	25	589.0486	0.0510	30.0
24	125	25	942.4778	0.0410	38.6
25	150	25	1374.4468	0.0320	44.0
26	180	25	1996.4821	0.0240	47.9
27	200	25	2474.0042	0.021	52.0



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Dodoma	Division	Kondoa
Ward	Farkwa	Village	Bubutole
Site No.	T-3-3	Operator	Mr. Bwanguzo
Date	30-Jun-06	Equipment	ABEM SAS 300C
Longitude	35.55382	Latitude	5.31303
Altitude	1094	Orientation	N7W


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	3.7400	23.5
2	2	0.5	11.7810	1.9640	23.1
3	2.5	0.5	18.8496	1.3600	25.6
4	3	0.5	27.4889	0.9900	27.2
5	4	0.5	49.4801	0.5840	28.9
6	5	0.5	77.7544	0.3580	27.8
7	6	0.5	112.3119	0.2530	28.4
8	8	0.5	200.2765	0.1469	29.4
9	10	0.5	313.3739	0.0941	29.5
10	10	2.5	58.9049	0.3890	22.9
11	12	2.5	86.5509	0.2460	21.3
12	15	2.5	137.4447	0.1465	20.1
13	20	2.5	247.4004	0.0760	18.6
14	25	2.5	388.7721	0.0470	18.3
15	30	2.5	561.5597	0.0379	21.3
16	30	5	274.8894	0.0740	20.3
17	40	5	494.8008	0.0319	15.8
18	50	5	777.5442	0.0214	16.6
19	50	10	376.9911	0.0440	16.6
20	60	10	549.7787	0.0340	18.7
21	75	10	867.8650	0.0250	21.7
22	100	10	1555.0884	0.0170	26.4
23	100	25	589.0486	0.0450	26.5
24	125	25	942.4778	0.0280	26.4
25	150	25	1374.4468	0.0240	33.0
26	180	25	1996.4821	0.0200	39.9
27	200	25	2474.0042	0.017	42.1



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Dodoma	Division	Kondoa
Ward	Kalamba	Village	Loo
Site No.	T-4-1	Operator	Mr. Bwanguzo
Date	1-Jul-06	Equipment	ABEM SAS 300C
Longitude	35.88363	Latitude	4.87931
Altitude	1509	Orientation	N10E


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	163.3000	1026.0
2	2	0.5	11.7810	72.2000	850.6
3	2.5	0.5	18.8496	47.0000	885.9
4	3	0.5	27.4889	30.3000	832.9
5	4	0.5	49.4801	13.0100	643.7
6	5	0.5	77.7544	6.5200	507.0
7	6	0.5	112.3119	3.6000	404.3
8	8	0.5	200.2765	1.0820	216.7
9	10	0.5	313.3739	0.3780	118.5
10	10	2.5	58.9049	2.2300	131.4
11	12	2.5	86.5509	0.7990	69.2
12	15	2.5	137.4447	0.2750	37.8
13	20	2.5	247.4004	0.1180	29.2
14	25	2.5	388.7721	0.0870	33.8
15	30	2.5	561.5597	0.0690	38.7
16	30	5	274.8894	0.1300	35.7
17	40	5	494.8008	0.0930	46.0
18	50	5	777.5442	0.0830	64.5
19	50	10	376.9911	0.1380	52.0
20	60	10	549.7787	0.1210	66.5
21	75	10	867.8650	0.0920	79.8
22	100	10	1555.0884	0.0690	107.3
23	100	25	589.0486	0.1523	89.7
24	125	25	942.4778	0.1140	107.4
25	150	25	1374.4468	0.0920	126.4
26	180	25	1996.4821	0.0720	143.7
27	200	25	2474.0042	0.062	153.4



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Dodoma	Division	Kondoa
Ward	Kalamba	Village	Loo
Site No.	T-4-2	Operator	Mr. Bwanguzo
Date	1-Jul-06	Equipment	ABEM SAS 300C
Longitude	35.87705	Latitude	4.88251
Altitude	1494	Orientation	N10E


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	1.6600	10.4
2	2	0.5	11.7810	0.8300	9.8
3	2.5	0.5	18.8496	0.5500	10.4
4	3	0.5	27.4889	0.3920	10.8
5	4	0.5	49.4801	0.2250	11.1
6	5	0.5	77.7544	0.1520	11.8
7	6	0.5	112.3119	0.1140	12.8
8	8	0.5	200.2765	0.0690	13.8
9	10	0.5	313.3739	0.0450	14.1
10	10	2.5	58.9049	0.2290	13.5
11	12	2.5	86.5509	0.1580	13.7
12	15	2.5	137.4447	0.0990	13.6
13	20	2.5	247.4004	0.0520	12.9
14	25	2.5	388.7721	0.0360	14.0
15	30	2.5	561.5597	0.0230	12.9
16	30	5	274.8894	0.0498	13.7
17	40	5	494.8008	0.0320	15.8
18	50	5	777.5442	0.0256	19.9
19	50	10	376.9911	0.0550	20.7
20	60	10	549.7787	0.0450	24.7
21	75	10	867.8650	0.0360	31.2
22	100	10	1555.0884	0.0270	42.0
23	100	25	589.0486	0.0810	47.7
24	125	25	942.4778	0.0650	61.3
25	150	25	1374.4468	0.0550	75.6
26	180	25	1996.4821	0.0450	89.8
27	200	25	2474.0042	0.0444	108.9



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Dodoma	Division	Kondoa
Ward	Kalamba	Village	Loo
Site No.	T-4-3	Operator	Mr. Bwanguzo
Date	1-Jul-06	Equipment	ABEM SAS 300C
Longitude	35.86756	Latitude	4.89000
Altitude	1506	Orientation	N30E


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	57.3000	360.0
2	2	0.5	11.7810	29.1000	342.8
3	2.5	0.5	18.8496	16.9000	318.6
4	3	0.5	27.4889	10.2800	282.6
5	4	0.5	49.4801	4.9700	245.9
6	5	0.5	77.7544	2.9400	228.6
7	6	0.5	112.3119	1.9950	224.1
8	8	0.5	200.2765	1.0320	206.7
9	10	0.5	313.3739	0.6380	199.9
10	10	2.5	58.9049	3.3600	197.9
11	12	2.5	86.5509	2.1600	186.9
12	15	2.5	137.4447	1.2880	177.0
13	20	2.5	247.4004	0.7500	185.6
14	25	2.5	388.7721	0.4710	183.1
15	30	2.5	561.5597	0.3290	184.8
16	30	5	274.8894	0.6350	174.6
17	40	5	494.8008	0.4190	207.3
18	50	5	777.5442	0.3160	245.7
19	50	10	376.9911	0.6290	237.1
20	60	10	549.7787	0.4730	260.0
21	75	10	867.8650	0.3570	309.8
22	100	10	1555.0884	0.2430	377.9
23	100	25	589.0486	0.6410	377.6
24	125	25	942.4778	0.3980	375.1
25	150	25	1374.4468	0.2870	394.5
26	180	25	1996.4821	0.2280	455.2
27	200	25	2474.0042	0.2	494.8



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Dodoma	Division	Kondea
Ward	Kalamba	Village	Loo
Site No.	T-4-4	Operator	Mr. Bwanguzo
Date	31-Aug-06	Equipment	ABEM SAS 300C
Longitude	35.87000	Latitude	4.88863
Altitude	1485	Orientation	N-S


No.	AB/2 (m)	MIN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	52.0000	326.7
2	2	0.5	11.7810	11.2800	132.9
3	2.5	0.5	18.8496	3.5200	66.4
4	3	0.5	27.4889	1.9370	53.2
5	4	0.5	49.4801	1.1140	55.1
6	5	0.5	77.7544	0.7150	55.6
7	6	0.5	112.3119	0.5300	59.5
8	8	0.5	200.2765	0.3800	76.1
9	10	0.5	313.3739	0.2800	87.7
10	10	2.5	58.9049	1.1300	66.6
11	12	2.5	86.5509	0.7940	68.7
12	15	2.5	137.4447	0.5600	77.0
13	20	2.5	247.4004	0.4000	99.0
14	25	2.5	388.7721	0.2580	100.3
15	30	2.5	561.5597		
16	30	5	274.8894	0.4430	121.8
17	40	5	494.8008	0.2830	140.0
18	50	5	777.5442	0.1970	153.2
19	50	10	376.9911	0.4960	187.0
20	60	10	549.7787		
21	75	10	867.8650	0.1730	150.1
22	100	10	1555.0884	0.1530	237.9
23	100	25	589.0486		
24	125	25	942.4778		
25	150	25	1374.4468		
26	180	25	1996.4821		
27	200	25	2474.0042		



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Dodoma	Division	Kondea
Ward	Kalamba	Village	Loo
Site No.	T-4-5	Operator	Mr. Bwanguzo
Date	31-Aug-06	Equipment	ABEM SAS 300C
Longitude	35.86891	Latitude	4.88896
Altitude	1489	Orientation	N20W


No.	AB/2 (m)	MIN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	4.9600	31.2
2	2	0.5	11.7810	1.6340	19.3
3	2.5	0.5	18.8496	0.8290	15.6
4	3	0.5	27.4889	0.4730	13.0
5	4	0.5	49.4801	0.2290	11.3
6	5	0.5	77.7544	0.1440	11.2
7	6	0.5	112.3119	0.0920	10.3
8	8	0.5	200.2765	0.0560	11.2
9	10	0.5	313.3739	0.0370	11.6
10	10	2.5	58.9049	0.1820	10.7
11	12	2.5	86.5509	0.1280	11.1
12	15	2.5	137.4447	0.0750	10.3
13	20	2.5	247.4004	0.0450	11.1
14	25	2.5	388.7721	0.0330	12.8
15	30	2.5	561.5597	0.0230	12.9
16	30	5	274.8894	0.0430	11.8
17	40	5	494.8008	0.0300	14.8
18	50	5	777.5442	0.0240	18.7
19	50	10	376.9911	0.0470	17.7
20	60	10	549.7787	0.0390	21.4
21	75	10	867.8650	0.0300	26.0
22	100	10	1555.0884	0.0173	26.9
23	100	25	589.0486		
24	125	25	942.4778		
25	150	25	1374.4468		
26	180	25	1996.4821		
27	200	25	2474.0042		



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Dodoma	Division	Dodoma Rural
Ward	Mpalanga	Village	Nholi
Site No.	No.5-1	Operator	Mr. Bwanguzo
Date	10-Jul-06	Equipment	ABEM SAS 300C
Longitude	35.48404	Latitude	6.29414
Altitude	1004	Orientation	N45E


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	185.6000	1166.2
2	2	0.5	11.7810	89.0000	1048.5
3	2.5	0.5	18.8496	45.1000	850.1
4	3	0.5	27.4889	23.1000	635.0
5	4	0.5	49.4801	6.6700	330.0
6	5	0.5	77.7544	2.3900	185.8
7	6	0.5	112.3119	1.0750	120.7
8	8	0.5	200.2765	0.4940	98.9
9	10	0.5	313.3739	0.3020	94.6
10	10	2.5	58.9049	1.8600	80.1
11	12	2.5	86.5509	0.9000	77.9
12	15	2.5	137.4447	0.5000	68.7
13	20	2.5	247.4004	0.4000	99.0
14	25	2.5	388.7721	0.2900	112.7
15	30	2.5	561.5597	0.2000	112.3
16	30	5	274.8894	0.3980	109.4
17	40	5	494.8008	0.2390	118.3
18	50	5	777.5442	0.2060	160.2
19	50	10	376.9911	0.4090	154.2
20	60	10	549.7787	0.2570	141.3
21	75	10	867.8650	0.1970	171.0
22	100	10	1555.0884	0.1700	264.4
23	100	25	589.0486	0.3860	227.4
24	125	25	942.4778	0.2670	251.6
25	150	25	1374.4468	0.1700	233.7
26	180	25	1996.4821	0.1510	301.5



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Dodoma	Division	Kondoa
Ward	Kalamba	Village	Loo
Site No.	I-4-6	Operator	Mr. Bwanguzo
Date	31-Aug-06	Equipment	ABEM SAS 300C
Longitude	35.87260	Latitude	4.88711
Altitude	1484	Orientation	N40W


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	2.3500	14.8
2	2	0.5	11.7810	1.3120	15.5
3	2.5	0.5	18.8496	0.7680	14.5
4	3	0.5	27.4889	0.5300	14.6
5	4	0.5	49.4801	0.2630	13.0
6	5	0.5	77.7544	0.1630	12.7
7	6	0.5	112.3119	0.1070	12.0
8	8	0.5	200.2765	0.0550	11.0
9	10	0.5	313.3739	0.0360	11.3
10	10	2.5	58.9049	0.1880	11.1
11	12	2.5	86.5509	0.1300	11.3
12	15	2.5	137.4447	0.0850	11.7
13	20	2.5	247.4004	0.0490	12.1
14	25	2.5	388.7721	0.0340	13.2
15	30	2.5	561.5597	0.0220	12.4
16	30	5	274.8894	0.0470	12.9
17	40	5	494.8008	0.0300	14.8
18	50	5	777.5442	0.0220	17.1
19	50	10	376.9911	0.0500	18.8
20	60	10	549.7787	0.0340	18.7
21	75	10	867.8650	0.0230	20.0
22	100	10	1555.0884	0.0210	32.7
23	100	25	589.0486		
24	125	25	942.4778		
25	150	25	1374.4468		
26	180	25	1996.4821		
27	200	25	2474.0042		



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Dodoma	District	Dodoma Rural
Ward	Mpalanga	Village	Mpalanga
Site No.	T-5-2	Operator	Mr. Bvanguzo
Date	2-Aug-06	Equipment	ABEM SAS 300C
Longitude	35.47862	Latitude	6.33644
Altitude	955	Orientation	N-S


No.	AB/2 (m)	MN/2 (m)	K	VI (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	13.6100	85.5
2	2	0.5	11.7810	6.0300	71.0
3	2.5	0.5	18.8496	4.6300	87.3
4	3	0.5	27.4889	2.1800	59.9
5	4	0.5	49.4801	0.9700	48.0
6	5	0.5	77.7544	0.4700	36.5
7	6	0.5	112.3119	0.3000	33.7
8	8	0.5	200.2765	0.2780	55.7
9	10	0.5	313.3739	0.1710	53.6
10	10	2.5	58.9049	0.4010	23.6
11	12	2.5	86.5509	0.3500	30.3
12	15	2.5	137.4447	0.2400	33.0
13	20	2.5	247.4004	0.1240	30.7
14	25	2.5	388.7721	0.1110	43.2
15	30	2.5	561.5597	0.0940	52.8
16	30	5	274.8894	0.1460	40.1
17	40	5	494.8008	0.1320	65.3
18	50	5	777.5442	0.1210	94.1
19	50	10	376.9911	0.2260	85.2
20	60	10	549.7787	0.1580	86.9
21	75	10	867.8650	0.1140	98.9
22	100	10	1555.0884	0.0860	133.7
23	100	25	589.0486	0.2200	129.6
24	125	25	942.4778	0.1550	146.1
25	150	25	1374.4468	0.1170	160.8
26	180	25	1996.4821	0.0900	179.7
27	200	25	2474.0042	0.1000	247.4



Resistivity Sounding Data Sheet (Schlumberger Configuration)


Region	Dodoma	District	Dodoma Rural
Ward	Mpalanga	Village	Mpalanga
Site No.	T-5-3	Operator	Mr. Bvanguzo
Date	2-Aug-06	Equipment	ABEM SAS 300C
Longitude	35.47188	Latitude	6.34680
Altitude	946	Orientation	N45W

No.	AB/2 (m)	MN/2 (m)	K	VI (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	43.7000	274.6
2	2	0.5	11.7810	7.8200	92.1
3	2.5	0.5	18.8496	2.4400	46.0
4	3	0.5	27.4889	1.6550	45.5
5	4	0.5	49.4801	1.0130	50.1
6	5	0.5	77.7544	0.8640	67.2
7	6	0.5	112.3119	0.5350	60.1
8	8	0.5	200.2765	0.2000	40.1
9	10	0.5	313.3739	0.1010	31.7
10	10	2.5	58.9049	0.2930	17.3
11	12	2.5	86.5509	0.2310	20.0
12	15	2.5	137.4447	0.1860	25.6
13	20	2.5	247.4004	0.0820	20.3
14	25	2.5	388.7721	0.0380	14.8
15	30	2.5	561.5597	0.0220	12.4
16	30	5	274.8894	0.0440	12.1
17	40	5	494.8008	0.0300	14.8
18	50	5	777.5442	0.0290	22.5
19	50	10	376.9911	0.0580	21.9
20	60	10	549.7787	0.0460	25.3
21	75	10	867.8650	0.0330	28.6
22	100	10	1555.0884	0.0250	38.9
23	100	25	589.0486	0.0530	31.2
24	125	25	942.4778	0.0460	43.4
25	150	25	1374.4468	0.0340	46.7
26	180	25	1996.4821	0.0260	51.9
27	200	25	2474.0042	0.0220	54.4




Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Manyara	District	Hanang			
Ward	Balangidalaalu	Village	Dumbeta			
Site No.	T-6-1	Operator	Mr. Lyatuu			
Date	5-Jul-06	Equipment	Syscal Jr.			
Longitude	35.36692	Latitude	4.58669			
Altitude	1546	Orientation				
No.	AB/2 (m)	MN/2 (m)	K	V (mV)	I (mA)	Rho-a (Wm)
1	1.5	0.5	6.2832	3825.551	3.47	6927.0
2	2	0.5	11.7810	1996.025	3.25	7235.4
3	2.5	0.5	18.8496	1616.392	4.03	7560.4
4	3	0.5	27.4889	1029.150	3.72	7604.9
5	4	0.5	49.4801	507.744	3.75	6699.5
6	5	0.5	77.7544	278.384	3.75	5772.2
7	6	0.5	112.3119	308.591	6.95	4986.8
8	8	0.5	200.2765	99.023	5.67	3497.7
9	10	0.5	313.3739	19.035	2.8	2130.4
10	10	2.5	58.9049	113.971	2.71	2477.3
11	12	2.5	86.5509	30.975	1.99	1347.2
12	15	2.5	137.4447	26.868	6.38	578.8
13	20	2.5	247.4004	4.285	3.77	281.2
14	25	2.5	388.7721	3.910	5.68	267.6
15	30	2.5	561.5597	1.685	4.4	215.1
16	30	5	274.8894	2.022	4.79	116.0
17	40	5	494.8008	0.814	2.42	166.4
18	50	5	777.5442	1.456	2.41	
19	50	10	376.9911	1.316	2.42	205.0
20	60	10	549.7787	0.051	0.03	
21	75	10	867.8650	0.182	0.03	
22	100	10	1555.0884	0.165	0.28	
23	100	25	589.0486	0.045	0.22	
24	125	25	942.4778	0.038	0.22	
25	150	25	1374.4468	0.134	0.05	
26	180	25	1996.4821	0.057	0.08	
27	200	25	2474.0042	0.051	0.15	




Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Manyara	District	Hanang			
Ward	Balangidalaalu	Village	Dumbeta			
Site No.	T-6-2	Operator	Mr. Lyatuu			
Date	5-Jul-06	Equipment	Syscal Jr.			
Longitude	35.36895	Latitude	4.58404			
Altitude	1546	Orientation				
No.	AB/2 (m)	MN/2 (m)	K	V (mV)	I (mA)	Rho-a (Wm)
1	1.5	0.5	6.2832	2053.761	341.96	37.7
2	2	0.5	11.7810	1206.483	331.94	42.8
3	2.5	0.5	18.8496	814.707	308.94	49.7
4	3	0.5	27.4889	730.204	353.88	56.7
5	4	0.5	49.4801	440.916	320.92	68.0
6	5	0.5	77.7544	317.32	340.27	72.5
7	6	0.5	112.3119	212.276	324.32	73.5
8	8	0.5	200.2765	118.281	342.67	69.1
9	10	0.5	313.3739	76.345	357.42	66.9
10	10	2.5	58.9049	457.911	359.19	75.1
11	12	2.5	86.5509	293.027	342.58	74.0
12	15	2.5	137.4447	168.597	330.11	70.2
13	20	2.5	247.4004	92.125	368.15	61.9
14	25	2.5	388.7721	52.904	339.49	60.6
15	30	2.5	561.5597	34.873	327.02	59.9
16	30	5	274.8894	73.548	329.38	61.4
17	40	5	494.8008	25.832	220.48	58.0
18	50	5	777.5442	21.051	305.66	53.5
19	50	10	376.9911	44.677	309.6	54.4
20	60	10	549.7787	29.373	314.69	51.3
21	75	10	867.8650	17.529	326.64	46.6
22	100	10	1555.0884	8.024	293.03	42.6
23	100	25	589.0486	21.324	294.68	42.6
24	125	25	942.4778	13.917	304.25	43.1
25	150	25	1374.4468	10.993	331.38	45.6
26	180	25	1996.4821	9.34	359.87	51.8
27	200	25	2474.0042	7.242	313.42	57.2




Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Manyara	District	Hanang			
Ward	Balangidalalu	Village	Dumbeta			
Site No.	T-6-3	Operator	Mr. Lyatuu			
Date	5-Jul-06	Equipment	Syscal			
Longitude	35.35964	Latitude	4.59342			
Altitude	1518	Orientation				
No.	AB/2 (m)	MIN/2 (m)	K	V (mV)	I (mA)	Rho-a (Wm)
1	1.5	0.5	6.2832	957.955	625.61	9.6
2	2	0.5	11.7810	507.33	566.5	10.6
3	2.5	0.5	18.8496	291.532	505.15	10.9
4	3	0.5	27.4889	175.839	498.74	9.7
5	4	0.5	49.4801	89.754	481.3	9.2
6	5	0.5	77.7544	82.181	690.03	9.3
7	6	0.5	112.3119	63.725	801.18	8.9
8	8	0.5	200.2765	41.002	865.07	9.5
9	10	0.5	313.3739	28.585	831.39	10.8
10	10	2.5	58.9049	142.117	827.85	10.1
11	12	2.5	86.5509	100.581	757.24	11.5
12	15	2.5	137.4447	81.298	809.93	13.8
13	20	2.5	247.4004	49.369	689.34	17.7
14	25	2.5	388.7721	49.362	897.85	21.4
15	30	2.5	561.5597	36.202	820.26	24.8
16	30	5	274.8894	77.324	815.71	26.1
17	40	5	494.8008	58.581	889.93	32.6
18	50	5	777.5442	41.777	854.78	38.0
19	50	10	376.9911	80.401	849.78	35.7
20	60	10	549.7787	58.568	801.56	40.2
21	75	10	867.8650	50.284	917.61	47.6
22	100	10	1555.0884	31.776	824.01	60.0
23	100	25	589.0486	74.775	819.33	53.8
24	125	25	942.4778	53.209	753.32	66.6
25	150	25	1374.4468	46.444	805.36	79.3
26	180	25	1996.4821	32.794	698.85	93.7
27	200	25	2474.0042	30.479	714.72	105.5



Resistivity Sounding Data Sheet (Schlumberger Configuration)


Region	Manyara	District	Babati			
Ward	Dareda	Village	Bermi/Scoto			
Site No.	T-7-1	Operator	Mr. Lyatuu			
Date	4-Jul-06	Equipment	Syscal Jr.			
Longitude	35.50853	Latitude	4.2354			
Altitude	1599	Orientation				
No.	AB/2 (m)	MIN/2 (m)	K	V (mV)	I (mA)	Rho-a (Wm)
1	1.5	0.5	6.2832	370.27	554.1	4.2
2	2	0.5	11.7810	274.17	667.1	4.8
3	2.5	0.5	18.8496	139.31	504.4	5.2
4	3	0.5	27.4889	106.00	500.0	5.8
5	4	0.5	49.4801	65.00	500.0	6.4
6	5	0.5	77.7544	46.00	500.0	7.2
7	6	0.5	112.3119	45.23	687.0	7.4
8	8	0.5	200.2765	30.86	814.1	7.6
9	10	0.5	313.3739	12.00	500.0	7.5
10	10	2.5	58.9049	70.00	500.0	8.2
11	12	2.5	86.5509	51.80	537.4	8.3
12	15	2.5	137.4447	30.00	511.5	8.1
13	20	2.5	247.4004	17.15	524.9	8.1
14	25	2.5	388.7721	5.27	269.6	7.6
15	30	2.5	561.5597	5.46	339.4	9.0
16	30	5	274.8894	11.41	349.2	9.0
17	40	5	494.8008	10.55	492.9	10.6
18	50	5	777.5442	7.29	447.0	12.7
19	50	10	376.9911	14.31	443.0	12.2
20	60	10	549.7787	12.61	484.9	14.3
21	75	10	867.8650	5.18	240.7	18.7
22	100	10	1555.0884	8.77	547.5	24.9
23	100	25	589.0486	21.53	544.6	23.3
24	125	25	942.4778	14.32	437.8	30.8
25	150	25	1374.4468	9.91	350.9	38.8
26	180	25	1996.4821	9.12	373.9	48.7
27	200	25	2474.0042	10.28	463.0	54.9



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Manyara	District	Babati
Ward	Dareda	Village	Seloto
Site No.	T-7-2	Operator	Mr. Lyatuu
Date	4-Jul-06	Equipment	Syscal
Longitude	35.48875	Latitude	4.24282
Altitude	1675	Orientation	


No.	AB/2 (m)	MN/2 (m)	K	V (mV)	I (mA)	Rho-a (Wm)
1	1.5	0.5	6.2832	9209.81	554.14	104.4
2	2	0.5	11.7810	5704.05	667.14	100.7
3	2.5	0.5	18.8496	2612.74	504.39	97.6
4	3	0.5	27.4889	446.46	124.22	98.8
5	4	0.5	49.4801	296.13	152.40	96.1
6	5	0.5	77.7544	209.83	171.01	95.4
7	6	0.5	112.3119	128.30	161.76	89.1
8	8	0.5	200.2765	70.38	167.58	84.1
9	10	0.5	313.3739	41.66	163.42	79.9
10	10	2.5	58.9049	15.49	11.00	82.9
11	12	2.5	86.5509	440.64	537.37	71.0
12	15	2.5	137.4447	133.60	284.26	64.6
13	20	2.5	247.4004	43.09	174.76	61.0
14	25	2.5	388.7721	28.95	175.12	64.3
15	30	2.5	561.5597	19.02	159.03	67.1
16	30	5	274.8894	36.07	161.42	61.4
17	40	5	494.8008	14.15	101.53	69.0
18	50	5	777.5442	31.43	314.30	77.8
19	50	10	376.9911	62.86	316.54	74.9
20	60	10	549.7787	25.11	160.59	86.0
21	100	10	867.8650	19.04	160.00	103.3
22	100	25	1555.0884	25.61	293.74	135.6
23	100	50	589.0486	69.17	295.32	138.0
24	125	25	942.4778	76.10	413.97	173.3
25	150	25	1374.4468	60.80	400.00	208.9
26	180	25	1996.4821	50.61	411.53	245.5
27	200	25	2474.0042	42.69	376.46	280.5



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Singida	District	Manyoni
Ward	Sanza	Village	Ikasi
Site No.	T-8-1	Operator	Mr. Bwanguzo
Date	9-Jul-06	Equipment	ABEM SAS 300C
Longitude	35.15852	Latitude	6.24101
Altitude	833	Orientation	N30W


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	14.1800	89.1
2	2	0.5	11.7810	7.2500	85.4
3	2.5	0.5	18.8496	4.9100	92.6
4	3	0.5	27.4889	3.2700	89.9
5	4	0.5	49.4801	1.7370	85.9
6	5	0.5	77.7544	0.9460	73.6
7	6	0.5	112.3119	0.5810	65.3
8	8	0.5	200.2765	0.2340	46.9
9	10	0.5	313.3739	0.1190	37.3
10	10	2.5	58.9049	0.6630	39.1
11	12	2.5	86.5509	0.3480	30.1
12	15	2.5	137.4447	0.1807	24.8
13	20	2.5	247.4004	0.0649	16.1
14	25	2.5	388.7721	0.0330	12.8
15	30	2.5	561.5597	0.0186	10.4
16	30	5	274.8894	0.0356	9.8
17	40	5	494.8008	0.0110	5.4
18	50	5	777.5442	0.0060	4.7
19	50	10	376.9911	0.0129	4.9
20	60	10	549.7787	0.0089	4.9
21	75	10	867.8650	0.0049	4.3
22	100	10	1555.0884	0.0039	6.1
23	100	25	589.0486	0.0060	3.5
24	125	25	942.4778	0.0043	4.1
25	150	25	1374.4468	0.0030	4.1
26	180	25	1996.4821	0.0022	4.4
27	200	25	2474.0042	0.002	4.9



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Singida	District	Manyoni
Ward	Sanza	Village	Ikasi
Site No.	T-8-2	Operator	Mr. Bwanguzo
Date	9-Jul-06	Equipment	ABEM SAS 300C
Longitude	35.16049	Latitude	6.24609
Altitude	838	Orientation	N50W


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	39.3000	246.9
2	2	0.5	11.7810	17.2400	208.1
3	2.5	0.5	18.8496	8.4900	160.0
4	3	0.5	27.4889	5.5400	152.3
5	4	0.5	49.4801	2.7100	134.1
6	5	0.5	77.7544	1.6400	127.5
7	6	0.5	112.3119	1.0920	122.6
8	8	0.5	200.2765	0.5260	105.3
9	10	0.5	313.3739	0.2930	91.8
10	10	2.5	58.9049	1.5440	90.9
11	12	2.5	86.5509	0.9030	78.2
12	15	2.5	137.4447	0.4260	58.6
13	20	2.5	247.4004	0.1410	34.9
14	25	2.5	388.7721	0.0580	22.5
15	30	2.5	561.5597	0.0341	19.1
16	30	5	274.8894	0.0601	16.5
17	40	5	494.8008	0.0230	11.4
18	50	5	777.5442	0.0160	12.4
19	50	10	376.9911	0.0236	8.9
20	60	10	549.7787	0.0150	8.2
21	75	10	867.8650	0.0090	7.8
22	100	10	1555.0884	0.0060	9.3
23	100	25	589.0486	0.0147	8.7
24	125	25	942.4778	0.0094	8.9
25	150	25	1374.4468	0.0078	10.7
26	180	25	1996.4821	0.0063	12.6
27	200	25	2474.0042	0.0056	13.9



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Singida	District	Manyoni
Ward	Maruru	Village	Ilalo
Site No.	T-9-1	Operator	Mr. Mabina
Date	9-Jul-06	Equipment	Syscal
Longitude	35.00445	Latitude	5.65725
Altitude	1082	Orientation	


No.	AB/2 (m)	MN/2 (m)	K	V (mV)	I (mA)	Rho-a (Ωm)
1	1.5	0.5	6.2832	701.632	434.70	10.1
2	2	0.5	11.7810	438.678	579.16	8.9
3	2.5	0.5	18.8496	164.312	339.01	9.1
4	3	0.5	27.4889	190.754	572.83	9.2
5	4	0.5	49.4801	99.551	543.94	9.1
6	5	0.5	77.7544	38.052	319.63	9.3
7	6	0.5	112.3119	26.423	324.02	9.2
8	8	0.5	200.2765	15.958	343.61	9.3
9	10	0.5	313.3739	8.500	305.61	8.7
10	10	2.5	58.9049	42.076	303.17	8.2
11	12	2.5	86.5509	54.970	579.55	8.2
12	15	2.5	137.4447	33.366	563.36	8.1
13	20	2.5	247.4004	10.077	315.43	7.9
14	25	2.5	388.7721	4.495	220.55	7.9
15	30	2.5	561.5597	1.106	67.97	9.1
16	30	5	274.8894	2.009	66.82	8.3
17	40	5	494.8008	5.747	346.34	8.2
18	50	5	777.5442	1.698	154.34	8.6
19	50	10	376.9911	3.414	153.69	8.4
20	60	10	549.7787	0.394	17.46	
21	75	10	867.8650	1.005	90.25	9.7
22	100	10	1555.0884	0.636	102.99	9.6
23	100	25	589.0486	3.421	206.94	9.7
24	125	25	942.4778	3.611	289.94	11.7
25	150	25	1374.4468	1.011	130.22	10.7
26	180	25	1996.4821	1.151	219.85	
27	200	25	2474.0042	2.219	330.85	16.6



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Singida	District	Manyoni
Ward	Maruru	Village	Ilalo
Site No.	T-9-2	Operator	Mr. Mabina
Date	9-Jul-06	Equipment	Syscal
Longitude	34.98556	Latitude	5.61932
Altitude	1178	Orientation	


No.	AB/2 (m)	MN/2 (m)	K	V (mV)	I (mA)	Rho-a (Ωm)
1	1.5	0.5	6.2832	935.544	20.70	284.0
2	2	0.5	11.7810	718.500	29.37	288.2
3	2.5	0.5	18.8496	580.833	41.03	266.8
4	3	0.5	27.4889	209.866	24.95	231.2
5	4	0.5	49.4801	98.542	32.36	150.7
6	5	0.5	77.7544	59.192	45.90	100.3
7	6	0.5	112.3119	28.642	41.63	77.3
8	8	0.5	200.2765	14.280	42.07	68.0
9	10	0.5	313.3739	9.944	45.20	68.9
10	10	2.5	58.9049	48.587	44.61	64.2
11	12	2.5	86.5509	39.953	49.06	70.5
12	15	2.5	137.4447	42.280	70.81	82.1
13	20	2.5	247.4004	19.703	45.82	106.4
14	25	2.5	388.7721	10.465	33.99	119.7
15	30	2.5	561.5597	8.780	36.67	134.5
16	30	5	274.8894	16.162	35.81	124.1
17	40	5	494.8008	7.922	23.32	168.1
18	50	5	777.5442	3.382	12.76	206.1
19	50	10	376.9911	6.135	12.78	181.0
20	60	10	549.7787	10.376	26.98	211.4
21	75	10	867.8650	5.512	19.76	242.1
22	100	10	1555.0884	5.684	34.79	254.1
23	100	25	589.0486	14.617	34.68	248.3
24	125	25	942.4778	31.058	96.17	304.4
25	150	25	1374.4468	21.534	80.47	367.8
26	180	25	1996.4821	41.288	189.12	435.9
27	200	25	2474.0042	35.331	178.65	489.3



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Manyara	Division	Hanang
Ward	Hirbadaw	Village	Hirbadaw
Site No.	T-10-1	Operator	Mr. Bwaunguzo
Date	5-Jul-06	Equipment	ABEM SAS 300C
Longitude	34.90223	Latitude	4.33915
Altitude	1625	Orientation	N60E


No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	23.5000	147.7
2	2	0.5	11.7810	9.6500	113.7
3	2.5	0.5	18.8496	4.8000	90.5
4	3	0.5	27.4889	3.1300	86.0
5	4	0.5	49.4801	1.5890	78.6
6	5	0.5	77.7544	0.9570	74.4
7	6	0.5	112.3119	0.6060	68.1
8	8	0.5	200.2765	0.3470	69.5
9	10	0.5	313.3739	0.2340	73.3
10	10	2.5	58.9049	1.2170	71.7
11	12	2.5	86.5509	0.8600	74.4
12	15	2.5	137.4447	0.5580	76.7
13	20	2.5	247.4004	0.3380	83.6
14	25	2.5	388.7721	0.2250	87.5
15	30	2.5	561.5597	0.1620	91.0
16	30	5	274.8894	0.3180	87.4
17	40	5	494.8008	0.2020	99.9
18	50	5	777.5442	0.1523	118.4
19	50	10	376.9911	0.2930	110.5
20	60	10	549.7787	0.2280	125.3
21	75	10	867.8650	0.1671	145.0
22	100	10	1555.0884	0.1283	199.5
23	100	25	589.0486	0.3320	195.6
24	125	25	942.4778	0.2730	257.3
25	150	25	1374.4468	0.2230	306.5
26	180	25	1996.4821	0.1810	361.4
27	200	25	2474.0042	0.1610	398.3



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Manyara	Division	Hanang
Ward	Hirbadaw	Village	Hirbadaw
Site No.	T-10-2	Operator	Mr. Bwanguzo
Date	5-Jul-06	Equipment	ABEM SAS 300C
Longitude	34.92006	Latitude	4.33772
Altitude	1585	Orientation	N50E

No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	4.2500	26.7
2	2	0.5	11.7810	1.5060	17.7
3	2.5	0.5	18.8496	0.7040	13.3
4	3	0.5	27.4889	0.3910	10.7
5	4	0.5	49.4801	0.1810	9.0
6	5	0.5	77.7544	0.1070	8.3
7	6	0.5	112.3119	0.0686	7.7
8	8	0.5	200.2765	0.0370	7.4
9	10	0.5	313.3739	0.0240	7.5
10	10	2.5	58.9049	0.1265	7.5
11	12	2.5	86.5509	0.0887	7.7
12	15	2.5	137.4447	0.0545	7.5
13	20	2.5	247.4004	0.0278	6.9
14	25	2.5	388.7721	0.0183	7.1
15	30	2.5	561.5597	0.0130	7.3
16	30	5	274.8894	0.0260	7.1
17	40	5	494.8008	0.0186	9.2
18	50	5	777.5442	0.0137	10.7
19	50	10	376.9911	0.0280	10.6
20	60	10	549.7787	0.0206	11.3
21	75	10	867.8650	0.0154	13.4
22	100	10	1555.0884	0.0108	16.8
23	100	25	589.0486	0.0260	15.3
24	125	25	942.4778	0.0210	19.8
25	150	25	1374.4468	0.0170	23.4
26	180	25	1996.4821	0.0140	28.0
27	200	25	2474.0042	0.0120	29.7



Resistivity Sounding Data Sheet (Schlumberger Configuration)

Region	Manyara	Division	Hanang
Ward	Hirbadaw	Village	Hirbadaw
Site No.	T-10-3	Operator	Mr. Bwanguzo
Date	5-Jul-06	Equipment	ABEM SAS 300C
Longitude	34.90277	Latitude	4.35319
Altitude	1603	Orientation	N30E

No.	AB/2 (m)	MN/2 (m)	K	V/I (Ω)	Rho-a (Ωm)
1	1.5	0.5	6.2832	39.9000	250.7
2	2	0.5	11.7810	18.4600	217.5
3	2.5	0.5	18.8496	10.5900	199.6
4	3	0.5	27.4889	7.2000	197.9
5	4	0.5	49.4801	3.8000	188.0
6	5	0.5	77.7544	2.1600	167.9
7	6	0.5	112.3119	1.3850	155.6
8	8	0.5	200.2765	0.6620	132.6
9	10	0.5	313.3739	0.3920	122.8
10	10	2.5	58.9049	1.8970	111.7
11	12	2.5	86.5509	1.2010	103.9
12	15	2.5	137.4447	0.6660	91.5
13	20	2.5	247.4004	0.3390	83.9
14	25	2.5	388.7721	0.2080	80.9
15	30	2.5	561.5597	0.1390	78.1
16	30	5	274.8894	0.2610	71.7
17	40	5	494.8008	0.1380	68.3
18	50	5	777.5442	0.0830	64.5
19	50	10	376.9911	0.1500	56.5
20	60	10	549.7787	0.1000	55.0
21	75	10	867.8650	0.0590	51.2
22	100	10	1555.0884	0.0350	54.4
23	100	25	589.0486	0.0880	51.8
24	125	25	942.4778	0.0540	50.9
25	150	25	1374.4468	0.0380	52.2
26	180	25	1996.4821	0.0250	49.9
27	200	25	2474.0042	0.0230	56.9

