

Appendix 13

Geologic core log for the drill holes in area B

INDEX

INDEX

Hole No. MJO-B1 (From 0.00 m to 50.00 m)

Depth (m)	Chart	Lithology and Alteration	Mineralization	Depth (m)	D.L. (m)	Au (g/t)	Ag (g/t)	Cu (%)	Pb (%)	Zn (%)
3.00		Casing. No recovery.								
3.60		Reddish-brown gossan soil.		3.80						
		Light weathered and argillized zone with dominant copper oxide minerals along fractures.			2.00	Tr	Tr	0.51	<0.01	0.03
				5.80						
7.90		No recovery.			2.10	Tr	Tr	1.04	<0.01	0.09
10	?	Silicified argillized and weathered zone (slim).	7.90, 22.00, 32.00 Possibly old working	7.90						
	v /	Light green argillized and weathered pillow lava. Chloritized and fractured.								
	v									
	v									
	v	Lower part: hematite in matrix and fractures								
20	v									
21.40		Brown gossan soil.								
22.00		White siliceous gossan. Weathered and porous.								
		25.30~32.05 Core recovery 22%								
26.60		Light gray strongly silicified and brecciated zone with mineralization.	Siliceous ore zone. Pyrite along fractures.	26.60	2.00	0.3	1.8	0.87	<0.01	0.04
				28.60						
30					2.00	0.4	1.7	0.67	<0.01	0.03
				30.60						
					2.00	0.3	5.6	0.62	0.01	0.03
				32.60						
					2.00	0.9	12.5	3.12	0.02	0.11
			34.40~37.80 Increase sulfides downward. Matrix filled with pyrite > chalcopyrite	34.60						
					2.00	6.5	16.0	1.85	0.04	0.07
37.80		Massive sulfide zone.	Massive ore. Very fine-grained pyrite-chalcopyrite. Porous in places.	36.60	1.20	8.7	25.9	1.10	0.05	0.13
				37.80	1.00	9.0	24.1	0.96	0.07	0.11
40		39.70~40.10 Siliceous fragment		38.80	1.00	16.8	35.8	3.32	0.10	0.12
		Chalcanthite (CuSO ₄ ·5H ₂ O) along fractures.		39.80	1.00	8.9	29.9	0.59	0.05	0.10
				40.80	1.00	13.2	14.9	2.45	0.04	0.06
				41.80	1.00	13.0	3.7	1.69	0.02	0.04
				42.80	1.00	7.1	8.0	1.86	0.02	0.07
		44.00~46.90 Brecciated		43.80	1.00	9.3	5.5	1.67	0.03	0.05
				44.80	1.00	12.2	12.3	0.89	0.04	0.29
46.90		Light gray strongly silicified and brecciated zone with mineralization.	Siliceous ore zone. Matrix filled with pyrite > chalcopyrite. Fine-grained.	45.80	1.10	10.4	7.5	2.06	0.05	0.24
				46.90	2.00	11.4	5.8	0.74	0.01	0.13
50				48.90	2.00	6.6	8.4	1.95	0.03	0.18

Hole No. MJO - B1 (From, 50.00 m to 100.35 m)

Depth (m)	Chart	Lithology and Alteration	Mineralization	Depth (m)	D.L. (m)	Au (g/t)	Ag (g/t)	Cu (%)	Pb (%)	Zn (%)
50.90				50.90						
			52.00~58.10 satin spar (gypsum) stringers and veinlets		2.00	1.8	5.2	0.61	0.02	0.78
				52.90						
					2.30	1.0	4.1	0.59	0.02	0.36
55.20		Gray brecciated clay zone with silicified small fragments.	Pyrite disseminations.	55.20						
56.10		Dark green strongly chloritized zone. Sheared.								
58.00		Green~dark green pillow lava with quartz stringers. Chloritized and brecciated in places.								
60		58.00~61.00 Strongly chloritized 63.80~64.70 Hematite in matrix								
71.35		Hematite zone with volcanic fragment.								
71.80		Dark green strongly chloritized pillow lava with dominant hematite in matrix and fractures.								
75.70		Dark green chloritized and weakly brecciated pillow lava with quartz stringers and minor hematite veins. Variolo-like texture in places.								
80		90.00m Fracture with limonite								
90		100.35m End of hole								
100		100.35m End of hole								

100.35

Hole No. MJO - B2 (From 0.00m to 50.00m)

Depth (m)	Chart	Lithology and Alteration	Mineralization	Depth (m)	D.L. (m)	Au (g/t)	Ag (g/t)	Cu (%)	Pb (%)	Zn (%)
		Casing. No recovery.								
3.00		Light green pillow lava with calcite stringers. Hematite in matrix and fractures.								
5.80		Light brownish-green pillow breccia with calcite stringers. Hematite in matrix and fractures.								
7.80		Same as 3.00-5.80								
10		9.70-10.20 Brecciated. Matrix filled with calcite								
11.60		Green-dark green and reddish-brown in places chloritized pillow lava to pillow breccia. Many calcite stringers. Hematite in matrix.								
15.80		15.80 Sheared zone								
17.00		17.00 Calcite-hematite vein 4 cm								
20		18.00-88.80 Variole-like texture in places								
30										
40										
43.80		43.80-44.20 Brecciated. Matrix filled with calcite								
50										

Hole No. MJO - B2 (From 50.00m to 100.00m)

Depth (m)	Chart	Lithology and Alteration	Mineralization	Depth (m)	D.L. (m)	Au (g/t)	Ag (g/t)	Cu (%)	Pb (%)	Zn (%)
60		Reddish-brown parts increase for downward.								
65.00~66.50		Many calcite stringers in matrix								
70										
74.00~78.20		Hematite and calcite dominant in matrix.								
80										
84.00~85.70		Brecciated								
88.00		Dark green strongly chloritized zone.								
89.95~91.10		Brecciated sheared zone								
91.10		Light green chloritized and silicified mineralized zone. Brecciated.	Stockwork of pyrite and chalcopyrite stringers and veinlets.	91.10	2.00	0.2	1.2	0.13	<0.01	0.22
			Gypsum stringers at top along fractures.	93.10	2.00	0.6	1.3	0.86	<0.01	0.42
				95.10	2.00	0.6	2.3	0.91	0.01	0.57
				97.10	2.00	1.0	1.2	0.62	<0.01	0.44
100				99.10	2.00	0.5	1.1	0.88	<0.01	0.16

Hole No. MJO-B2 (From 100.00 m to 150.00 m)

Depth (m)	Chart	Lithology and Alteration	Mineralization	Depth (m)	D.L. (m)	Au (g/t)	Ag (g/t)	Cu (%)	Pb (%)	Zn (%)
101.50		Gray sheared and brecciated zone. Chloritized and silicified.	Pyrite, chalcopyrite spots in matrix. Pyrite disseminations and stringers.	101.10						
					2.00	0.1	1.4	0.97	<0.01	0.24
103.70		Dark gray silicified and chloritized zone with mineralization. Brecciated.	Pyrite and chalcopyrite stringers, veinlets and disseminations. Gypsum along fractures.	103.10						
					2.00	Tr	Tr	0.22	<0.01	0.14
				105.10						
					2.00	0.4	1.5	0.37	<0.01	0.04
				107.10						
					2.00	Tr	Tr	0.25	<0.01	0.07
		109.50~111.70 Strongly brecciated		109.10						
					2.00	Tr	Tr	0.26	<0.01	0.04
				111.10						
					2.00	Tr	0.1	0.09	<0.01	0.06
		113.70~118.30 Strongly brecciated		113.10						
					2.00	0.2	0.1	0.55	<0.01	0.12
				115.10						
					2.00	Tr	Tr	0.25	<0.01	0.04
				117.10						
					2.00	Tr	Tr	0.07	<0.01	0.04
				119.10						
					2.00	Tr	Tr	0.03	<0.01	0.06
				121.10						
					2.00	0.1	0.5	0.03	<0.01	0.18
122.20		Gray silicified and strongly chloritized zone.	Pyrite-chalcopyrite veinlets. Pyrite stringers and disseminations.	123.10						
					1.50	1.1	2.0	0.72	<0.01	0.40
124.60		Light yellowish-green chloritized and weakly silicified pillow lava. Hematite in matrix and fractures. Minor quartz stringers. Brecciated in places.		124.60						
130										
139.50		Strongly chloritized brecciated zone.								
140										
140.90		Gray silicified, chloritized and brecciated zone with mineralization. Quartz veinlets.	Pyrite, chalcopyrite stockwork vein and stringer.	140.90						
					2.00	0.2	0.3	0.65	<0.01	0.05
				142.90						
					2.00	Tr	Tr	0.29	<0.01	0.03
				144.90						
					2.00	0.6	1.1	1.39	<0.01	0.05
				146.90						
					2.00	Tr	Tr	0.29	<0.01	0.11
148.60		148.60~149.00 Gray clay zone with quartz stringers		148.90						
149.00					2.00	Tr	Tr	0.33	<0.01	0.02
150										

Hole No. MJO - B2 (From 150.00m to 157.25 m)

Depth (m)	Chart	Lithology and Alteration	Mineralization	Depth (m)	D.L. (m)	Au (g/t)	Ag (g/t)	Cu (%)	Pb (%)	Zn (%)
154.20		Green chloritized and weakly brecciated pillow lava with quartz-hematite veins.		150.90						
					2.00	0.1	0.3	0.12	<0.01	0.06
				152.90	1.30	Tr	Tr	0.04	<0.01	0.21
154.20										
157.25		157.25m End of hole								
160										
170										
180										
190										
200										

Hole No. MJO - B3 (From 0.00 m to 50.00 m)

Depth (m)	Chart	Lithology and Alteration	Mineralization	Depth (m)	D.L. (m)	Au (g/t)	Ag (g/t)	Cu (%)	Pb (%)	Zn (%)
		Casing. No recover								
3.00		Reddish-brown and light green doleritic weathered pillow lava. Weakly brecciated. Hematite in matrix.								
7.70										
10		Light green and reddish-brown in part weakly chloritized pillow breccia and pillow lava. Vesicles filled with calcite and zeolites. Hematite, calcite stringers.								
19.00										
20		Light green weakly brecciated doleritic pillow lava. Hematite in matrix. Calcite stringers.								
28.20		28.20~28.60 and 30.00~30.20 Light green argillized zones								
28.60										
30										
30.20		Reddish-brown weakly chloritized pillow lava. Vesicles filled with calcite and zeolites. Calcite-quartz-hematite stringers and veinlets.								
31.60		31.60 Calcite-hematite vein 5 cm								
32.10		32.10~32.50 Pillow breccia								
39.30		39.30~39.70 Pillow breccia								
40										
48.40										
50										









































Hole No. MJO - B3 (From 50.00 m to 100.00 m)

Depth (m)	Chart	Lithology and Alteration	Mineralization	Depth (m)	D.L. (m)	Au (g/t)	Ag (g/t)	Cu (%)	Pb (%)	Zn (%)
		Light green weakly chloritized pillow and massive lavas. Few hematite stringers along fractures.	Quartz stringers and veinlets.							
60			58.40 Quartz veinlets (2 cm)							
68.90 69.20		Hematite-quartz zone. Weakly sheared								
70		Light greenish gray to gray silicified, chloritized and brecciated zone with mineralization (pillow lava).	Stockwork mineralized zone. Many quartz and calcite veins, veinlets and stringers with pyrite. Pyrite disseminations. Minor chalcopyrite.							
74.35~74.75		74.35~74.75 Sheared								
75.30		75.30~77.40 Sheared, brecciated and strongly chloritized zone with calcite stringers.								
77.40				77.40	2.00	0.2	1.7	0.02	0.02	0.01
80				79.40	2.00	Tr	Tr	0.01	<0.01	<0.01
95.10~96.10		95.10~96.10 Hematite in matrix		81.40						
97.60			97.60 Gypsum along fractures							
97.90			97.90 Quartz-hematite stringers							
100										

Hole No. MJO - B3 (From 150.00 m to 201.70 m)

Depth (m)	Chart	Lithology and Alteration	Mineralization	Depth (m)	D.L. (m)	Au (g/t)	Ag (g/t)	Cu (%)	Pb (%)	Zn (%)
160	v v △ △ v v △ △ v v									
170	△ △ △ v v	Strongly brecciated.								
180	△ v v △ v v	182.70~182.80 Sheared zone with quartz and hematite	183.50, 185.00, 185.50 Quartz-hematite veinlets							
190	Qtz-hf v △ △ v v	195.10~195.20 Sheared zone with quartz and hematite								
190.70	△ v v	198.70~199.90 and 200.30~200.60 Dark green brecciated, silicified and strongly chloritized zone. Sheared at top and bottom	198.70~199.90 and 200.30~200.60 Pyrite stringers and disseminations							
199.90	v	199.90~200.30 and 200.60~200.70 Dark green brecciated and chloritized pillow lava with quartz-calcite-hematite stringers	199.40 Minor chalcopyrite							
200.30	v	201.70 End of hole								
200.60	v									
201.70	△									

Hole No. MJO - B4 (From 0.00 m to 50.00 m)

Depth (m)	Chart	Lithology and Alteration	Mineralization	Depth (m)	D.L. (m)	Au (g/t)	Ag (g/t)	Cu (%)	Pb (%)	Zn (%)
		Casing. No recovery.								
3.00		Light green weathered pillow lava.								
7.40		Argillized zone with limonite.								
7.80		Light brown weathered pillow lava.								
9.10		Argillized in part	8.95~11.10							
10		Green hyaloclastic pillow breccia.	Green copper mineral spots and along fractures							
		Strongly chloritized. Minor hematite along fractures.								
13.00										
		Light green~light brownish green brecciated pillow lava. Chloritized.								
		Fractures filled with hematite.								
										
										
20										
										
										
										
										
		20.40~27.60								
		Calcite stringers								
27.60										
		Dark green brecciated pillow lava.								
		Strongly chloritized and weakly sheared.								
30										
		30.20~36.10								
		Fractures filled with hematite.								
										
										
										
										
										
										
										
37.70										
										
										
										
										
										
										
										
										
40		Light greenish gray~gray silicified and chloritized zone. Mineralized and brecciated.	Pyrite > chalcopyrite-quartz stringers.	37.70	2.00	Tr	Tr	0.03	<0.01	0.18
			Pyrite > chalcopyrite disseminations (stockwork zone).	39.70	2.00	0.1	0.8	0.24	<0.01	0.12
				41.70	2.00	0.1	1.6	0.66	<0.01	0.18
			39.40~39.60	43.70	2.00	0.4	0.7	0.56	<0.01	0.19
		44.00~44.30	Sphalerite-pyrite-quartz stringers	45.70	2.00	0.1	1.2	0.44	<0.01	0.17
		Sheared and strongly brecciated		47.70	2.00	0.1	0.9	0.27	<0.01	0.19
50				49.70						

Hole No. MJO - B4 (From 50.00 m to 101.30 m)

Depth (m)	Chart	Lithology and Alteration	Mineralization	Depth (m)	D.L. (m)	Au (g/t)	Ag (g/t)	Cu (%)	Pb (%)	Zn (%)
				51.70	2.00	0.1	1.8	0.87	<0.01	0.31
				53.70	2.00	0.3	1.1	0.63	<0.01	0.10
				55.70	2.00	0.1	2.5	0.82	<0.01	0.13
				57.70	2.00	0.1	1.6	0.75	<0.01	0.17
60				59.70	2.00	0.2	1.6	1.03	<0.01	0.08
				61.70	2.00	1.2	0.8	1.08	<0.01	0.18
				63.70	2.00	0.1	2.7	1.23	<0.01	0.26
			66.30~69.50 Gypsum along fractures and in pyrite- chalcopyrite veinlets	65.70	2.00	0.9	4.8	2.27	<0.01	0.22
				67.70	2.00	0.2	1.7	0.44	<0.01	0.35
70		70.15 Sheared zone, 5 cm		69.70	2.00	0.6	2.9	0.84	<0.01	0.47
				71.70	2.00	1.2	2.1	0.72	<0.01	0.61
				73.70	2.00	0.5	1.4	0.78	<0.01	0.28
			74.50 Gypsum along fractures	75.70	2.00	0.6	1.8	0.82	<0.01	0.45
				77.70	2.00	0.8	1.1	0.64	<0.01	0.60
80		77.85~78.40 Argillized		79.70	2.00	0.7	1.0	0.57	<0.01	0.48
				81.70	2.00	Tr	0.1	0.77	<0.01	0.34
				83.70	2.00	0.5	2.2	1.27	<0.01	0.37
				85.70	2.00	0.7	1.8	1.33	<0.01	0.35
				87.70	2.00	0.5	1.4	0.91	<0.01	0.18
89.80		88.30~89.80 Strongly brecciated		89.80	2.10	0.3	0.9	0.79	<0.79	0.18
90		Dark green strongly chloritized pillow lava.	Weak pyrite disseminations.							
91.90		89.90~90.50 Sheared								
		Gray and green brecciated pillow lava. Silicified and chloritized with epidote spots.	Weak pyrite disseminations. Quartz stringers and quartz-hematite stringers.							
100		101.30 End of hole								
101.30										

Hole No. MJO - B5 (From 0.00 m to 50.00 m)

Depth (m)	Chart	Lithology and Alteration	Mineralization	Depth (m)	D.L. (m)	Au (g/t)	Ag (g/t)	Cu (%)	Pb (%)	Zn (%)
		Casing. No recovery.								
3.00		Purplish green pillow lava. Weathered, fractured and weakly argillized.								
9.70		Greenish gray pillow lava argillized and weathered.								
11.70		Purplish green weathered pillow lava. Fractures filled with limonite								
17.00		Sheared zone with quartz-hematite veins.								
17.30		Dark green weakly brecciated pillow lava. Chloritized. Fractures filled with hematite and quartz.								
20										
28.30		Strongly chloritized sheared zone.	Weak pyrite disseminations	28.70						
28.70		Green~greenish gray brecciated zone (pillow lava). Chloritized and weakly silicified. Argillized in part.	Pyrite-quartz with minor chalcopyrite veinlets and quartz stringers. Pyrite disseminations.	30.70	2.00	Tr	Tr	0.11	<0.01	0.41
30										
31.00~31.30		Light green bleached and argillized	29.35~29.50 Sphalerite-pyrite stringers							
			38.50~38.60 Chalcopyrite > pyrite stringers	37.70						
40				39.70	2.00	Tr	Tr	0.51	<0.01	0.04
43.40				43.40	2.00	Tr	Tr	0.39	<0.01	0.07
45.40				45.40	2.00	Tr	Tr	0.35	<0.01	0.16
47.40		Greenish gray brecciated zone (pillow lava). Chloritized, weakly silicified and argillized.	Stockwork ore zone chalcopyrite-pyrite veinlets and stringers.	47.40	2.00	0.1	1.1	1.17	<0.01	0.19
50				49.40						

Hole No. MJO - B5 (From 100.00 m to 150.00 m)

Depth (m)	Chart	Lithology and Alteration	Mineralization	Depth (m)	D.L. (m)	Au (g/t)	Ag (g/t)	Cu (%)	Pb (%)	Zn (%)
	v		102.00~106.30 Weak pyrite disseminations							
106.30		Dark green~dark greenish gray brecciated zone. Silicified and strongly chloritized.	Stockwork ore. Chalcopyrite >> pyrite veinlets and spots. Pyrite disseminations.	106.30	2.00	0.1	1.3	2.07	<0.01	0.04
110				110.30	2.00	Tr	Tr	0.37	<0.01	0.03
				112.30	2.00	1.0	1.1	1.91	<0.01	0.09
				114.30	2.00	0.5	0.8	1.16	<0.01	0.03
				116.30	2.00	0.5	0.5	0.76	<0.01	0.03
				118.30	2.00	0.1	0.7	0.39	<0.01	0.03
120				120.30	2.00	Tr	Tr	0.50	<0.01	0.04
				122.30	2.00	Tr	Tr	1.25	<0.01	0.04
124.60		Weakly sheared.		124.60	230	Tr	Tr	1.42	<0.01	0.04
		Dark brownish green~greenish gray brecciated pillow lava. Chloritized. Fractures and matrix filled with hematite.	Quartz stringers.							
130										
140										
145.70		Sheared zone with quartz-hematite.								
145.90		Same as 124.60~145.70								
150		150.00 End of hole								

Hole No. MJO - B6 (From 0.00 m to 50.00 m)

Depth (m)	Chart	Lithology and Alteration	Mineralization	Depth (m)	D.L. (m)	Au (g/t)	Ag (g/t)	Cu (%)	Pb (%)	Zn (%)
		Casing. No recovery.								
3.00		Weathered and argillized zone with siliceous fragment. Dominant copper oxide minerals.		3.00	1.50	Tr	Tr	1.34	<0.01	0.70
4.50		Reddish-brown gossan soil. No copper minerals.		4.50						
10										
11.20		Greenish-gray silicified, argillized and chloritized zone. Brecciated. 11.05~17.85. Poor recovery. D.L. 6.80, C.L. 3.35. 49%	Stockwork zone. Pyrite-chalcopyrite stringers and disseminations.	11.20	2.00	Tr	2.0	1.48	<0.01	0.19
				13.20	2.00	Tr	1.2	2.69	<0.01	0.07
				15.20	2.00	Tr	Tr	3.17	<0.01	0.07
				17.20	2.00	0.7	2.2	2.96	<0.01	0.12
20				19.20	2.00	1.0	3.6	2.15	<0.01	0.22
		20.90~31.30. More argillized zone. Poor recovery. D.L. 10.40, C.L. 4.35. 42%.		21.20	2.00	1.3	3.0	5.48	<0.01	0.18
				23.20	2.10	0.7	3.8	6.51	<0.01	0.20
25.30		Gray-greenish gray clay zone with siliceous fragments. Possibly old working. 25.80 Gypsum stringer. 27.00 Wood chip		25.30						
30										
31.50		0.00~31.30m Re-drilling. Light green-gray silicified and chloritized pillow lava with quartz stringers. Brecciated in part.	Pyrite disseminations. 31.80. Gypsum stringers.							
37.00		Yellowish green strongly chloritized pillow lava. Brecciated.	Very weak mineralization with quartz stringers. 37.90. Gypsum stringers.							
38.90		Light gray argillized sheared zone.	Weak pyrite disseminations.	39.35						
40		Gray silicified, chloritized and brecciated zone. 43.40~44.00. Weakly sheared zone with many quartz stringers	Pyrite stringers and disseminations. Quartz stringer and veinlets. 42.70. Sphalerite-pyrite stringer. 44.10~44.30. Sphalerite-pyrite stringers.	40	2.00	Tr	Tr	0.02	<0.01	0.10
				41.35	2.00	Tr	Tr	0.04	<0.01	0.27
				43.35	2.00	0.1	0.9	0.05	<0.01	0.38
				45.35	2.00	Tr	Tr	0.01	0.01	0.10
				47.35	2.00	Tr	Tr	0.11	<0.01	0.90
50				49.35						

Hole No. MJO-, B6 (From 50.00 m to 100.85 m)

Depth (m)	Chart	Lithology and Alteration	Mineralization	Depth (m)	D.L. (m)	Au (g/t)	Ag (g/t)	Cu (%)	Pb (%)	Zn (%)
		52.05~52.10 Strongly brecciated and chloritized sheared zone	52.00~61.00 Chalcopyrite > pyrite stringers	51.35	2.00	Tr	0.5	0.51	<0.01	0.08
					2.00	Tr	Tr	0.84	<0.01	0.04
				53.35	2.00	Tr	Tr	1.80	<0.01	0.03
				55.35	2.00	0.2	0.9	1.05	<0.01	0.03
		57.40~57.50 Brecciated zone	57.40~57.50 Chalcopyrite-pyrite ore breccia	57.35	2.00	1.2	0.8	1.97	<0.01	0.07
60				59.35	2.00	Tr	0.1	0.78	<0.01	0.04
				61.35	2.00	0.2	1.3	0.70	<0.01	0.04
				63.35	2.00	Tr	Tr	0.44	<0.01	0.02
		65.00~65.05 Sheared zone with chlorite		65.35	2.00	0.1	0.2	0.77	<0.01	0.01
				67.35	2.00	Tr	0.1	0.09	<0.01	0.05
70				69.35	2.00	Tr	Tr	0.10	<0.01	0.03
				71.35	2.00	Tr	Tr	0.05	<0.01	0.07
			71.40~75.90 Mineralization weak	73.35	2.55	0.2	0.4	0.04	<0.01	0.04
75.90		Green chloritized pillow lava. Hematite in fracture and matrix. Weakly brecciated. Quartz and calcite stringers.		75.90						
80										
90										
		92.40~92.50 Reddish brown metalliferous sediments								
		96.00 Quartz-hematite vein 7cm								
		96.15~96.25 Reddish-brown metalliferous sediments								
100		100.85m End of hole								

100.85

Hole No. MJO-B7 (From 0.00 m to 50.00 m)

Depth (m)	Chart	Lithology and Alteration	Mineralization	Depth (m)	D.L. (m)	Au (g/t)	Ag (g/t)	Cu (%)	Pb (%)	Zn (%)
2.00		Possibly siliceous gossan. Sludge only.		2.00	2.00	5.7	19.5	0.13	—	<0.01
3.80		Siliceous gossan. Intensely silicified and brecciated.	Pyrite disseminations.	3.80	1.80	9.6	11.7	0.24	—	<0.01
6.30		Silicified and argillized gossan, dark brown. Limonite dominant.		6.30	2.50	1.6	4.0	0.17	—	<0.01
7.00		Argillized and strongly brecciated volcanics, yellowish gray. Gossanized.		7.00	2.40	0.1	1.7	0.08	—	<0.01
8.70		Siliceous gossan with minor gossan soil, dark brown. Limonite and goethite.		8.70	2.00	Tr	Tr	0.10	—	<0.01
10		Strongly argillized zone, whitish gray. Gossanized.		10.70	2.00	0.2	1.0	0.26	—	0.01
12.70		Pillow lavas with minor pillow breccia, light brownish green. Strongly chloritized, brecciated and weakly hematized. Dominant gypsum films along fractures. Variole like texture.	Weak pyrite disseminations.	12.70						
20		12.70 - 20.55 Gossanized. 15.10 - 15.50 Brecciated zone with dominant limonite. 16.10 - 16.35 Brown gossan soil.	19.10 - 21.30 Native copper speck.	19.10	2.20	Tr	Tr	0.42	—	0.02
24.10		Quartz-hematite veinlet.								
26.00		Quartz-hematite stringer.								
31.30		Pillow breccia, yellowish green, chloritized. Dominant quartz in matrix and along fractures. 34.20 Quartz veinlet.	Pyrite disseminations.							
34.20		Strongly chloritized and sheared zone, dark brownish green. Weathered. Fractures filled with quartz and gypsum.	Pyrite disseminations.							
37.10		36.40 Gypsum veinlet. 37.00 - 37.10 Argillized.								
40		Pillow lavas, deep green and brownish green, brecciated and strongly chloritized. Weakly weathered. Fractures filled with gypsum and quartz.								
45.50		Strongly sheared and brecciated zone. Fractures filled with gypsum and quartz. Matrix filled with quartz.	Pyrite disseminations.							
46.50		Pillow lavas, greenish gray, silicified, chloritized and brecciated. Matrix filled with chlorite and quartz.	Strong pyrite disseminations with minor pyrite stringers.							
49.50										
50										

Hole No. MJO-B 7 (From 50.00 m to 100.00m)

Depth (m)	Chart	Lithology and Alteration	Mineralization	Depth (m)	D.L. (m)	Au (g/t)	Ag (g/t)	Cu (%)	Pb (%)	Zn (%)
50.65		Strongly sheared brecciated zone. Fractures filled with quartz	Strong pyrite disseminations.	50.65						
		Strongly chloritized and brecciated zone with mineralization. Fractures filled with quartz.	Pyrite dissemination and sulfide stringers stockwork.	52.65	2.00	Tr	Tr	0.37	—	0.31
		55.10 - 55.40 Argillized zone.	51.65 - 51.80 Chalcopyrite-pyrite /quartz veinlet.	54.65	2.00	Tr	Tr	0.47	—	0.52
		55.40 - 55.90 Cave zone. No recovery.		56.65	2.00	0.5	2.4	1.02	—	0.67
		55.90 - 56.20 Strongly sheared zone with quartz veinlets.	57.15 - 57.35 Pyrite-sphalerite network veinlets.	58.65	2.00	0.5	3.0	0.09	—	0.52
60				60.40	1.75	0.4	6.4	0.04	—	0.01
60.40		Pillow breccia, light green. Chloritized and hematized. Matrix filled with hematite. Quartz-hematite stringers.								
		60.90 Reduced the size to BX. 60.70, 61.80 Quartz-hematite veinlets.								
64.70		62.60 - 62.80 Quartz-hematite veinlets. Pillow lavas, light green, chloritized. Fractures filled with quartz.								
		65.30 - 65.50 Native copper speck.								
68.60		Pillow breccia and pillow lavas, dark green to dark greenish gray, Chloritized, hematized and strongly brecciated. Matrix filled with hematite and quartz. Dominant fractures filled with quartz, quartz-hematite and calcite.								
		68.60 Quartz veinlet.								
		70.00 Quartz-hematite veinlet.								
		74.45, 75.35 Quartz-hematite veinlets.								
		75.60 Quartz veinlet 0.02m.								
		77.50 Quartz veinlets.								
		76.80 - 78.60 Brecciated pillow lavas.								
80		79.70 - 82.00 Brecciated pillow lavas.								
		81.70 Quartz veinlet 0.01m.								
		82.00 - 82.30 Quartz hematite vein.								
		82.65 Quartz-hematite veinlet.								
		82.85 Quartz-hematite veinlet 0.05m.								
89.00		Pillow lavas with subordinate pillow breccia. Same rock facies as above.								
90		91.00 - 94.65 Vesicles filled with quartz and calcite.								
		97.10 Quartz-calcite-hematite vein 0.05m.								
		97.25 Quartz-calcite veinlet.								
100		97.40 Quartz-calcite veinlet.								

Hole No. MJO - B 7 (From 100.00 m to 120.80 m)

Depth (m)	Chart	Lithology and Alteration	Mineralization	Depth (m)	D.L. (m)	Au (g/t)	Ag (g/t)	Cu (%)	Pb (%)	Zn (%)
		104.00 Quartz-hematite veinlet 0.02m								
		106.70 Quartz-hematite veinlet 0.04m								
110		108.80 - 110.50 Pillow breccia, dark green.								
110.60		110.15 - 110.35 Quartz-hematite veinlets with minor calcite stringers.								
113.00		Pillow lavas, light green, brecciated. Fractures and matrix filled with hematite.								
		Pillow breccia with minor pillow lavas, green to dark green, chloritized. Matrix filled with hematite. Fractures filled with quartz-hematite.	118.00 Quartz-hematite veinlet 0.03m.							
		113.05, 113.20 Quartz-hematite veinlets.	119.35, 119.56, 120.50 Quartz-hematite veinlets.							
120		116.60 - 118.80 Hematite > quartz vein zone.								
120.80		120.70 - 120.80 Quartz vein.								
		120.80 m End of hole.								
130										
140										
150										

Hole No. MJO-B 8 (From 0.00 m to 50.00 m)

Depth (m)	Chart	Lithology and Alteration	Mineralization	Depth (m)	D.L. (m)	Au (g/t)	Ag (g/t)	Cu (%)	Pb (%)	Zn (%)
0.50	V	Overburden. Pillow lavas, light green, weathered and hematized. Completely fractured and core broken. 0.50 - 3.00 Green copper speck.								
7.40		Strongly argillized zone.								
8.00	V	Pillow lavas, light green, brecciated and hematized. Core broken.								
10	V									
11.50		Reddish brown clay zone. Possibly old working.		11.50	2.00	Tr	Tr	0.15	—	0.31
				13.50						
14.70		Strongly silicified rock, gossanized and brecciated. Poor recovery.		14.70	1.20	Tr	Tr	0.14	—	0.26
15.90		Clay zone with minor siliceous fragments at the top, light yellowish brown. Poor recovery, possibly old working.		15.90	1.20	Tr	Tr	0.04	—	<0.01
18.75		16.90 - 18.85 Sludge.		17.40	1.50	0.7	1.7	0.05	—	<0.01
20		Strongly silicified and gossanized rocks. Poor recovery.		18.75	1.35	4.8	11.0	0.04	—	<0.01
20.25		Cave zone.		20.25	1.50	113.4	182.3	0.06	—	<0.01
20.90		Gossanized and siliceous zone (?) Only sludge.		20.90						
21.90		Cave zone.		21.90	1.00	8.7	15.7	0.11	—	0.02
22.90		Gossanized and siliceous zone, Siliceous rocks.		22.90						
23.90		Massive ore zone	Fine-grained massive pyrite ore with minor gray clay.	23.90	1.00	48.2	148.4	0.20	—	0.01
24.70		24.70 m Reduced the size to BX.		24.70	0.80	54.4	124.6	0.17	—	<0.01
				25.70	1.00	3.5	12.4	2.32	—	0.10
				26.70	1.00	3.0	18.8	2.16	—	0.16
				27.70	1.00	3.5	15.3	2.05	—	0.21
				28.70	1.00	5.0	12.0	1.44	—	0.10
				29.70	1.00	2.6	17.3	2.95	—	0.10
				30.70	1.00	2.1	16.3	3.03	—	0.10
			30.15 - 32.50 More compact and less clay.	31.70	1.00	5.7	13.7	1.88	—	0.10
			32.50 - 36.60 Porous with bornite.	32.70	1.00	6.2	16.3	4.26	—	0.05
				33.70	1.00	13.7	26.3	2.49	—	0.05
				34.70	1.00	12.3	21.2	1.74	—	0.05
				35.70	1.00	11.1	10.9	1.72	—	0.02
			36.60 - 38.60 Minor siliceous fragments.	36.70	1.00	9.6	10.4	3.07	—	0.02
				37.70	1.00	3.9	7.8	6.47	—	0.03
				38.60	0.90	5.2	7.5	5.65	—	0.01
38.60		Strongly argillized zone	Pyrite disseminations.	38.60	1.40	2.8	5.4	6.99	—	0.05
40				40.00	1.15	2.8	7.5	11.21	—	0.10
41.15		Strongly argillized white clay zone Strongly brecciated.	Less pyrite disseminations.	41.15	1.50	0.8	1.2	1.34	—	0.05
43.80		Pillow lavas, greenish gray, argillized and strongly brecciated. Matrix and fractures filled with quartz. Hematite layer.	43.30 and 43.95 Gypsum stringers.	42.65	1.15	Tr	Tr	0.08	—	0.21
45.45		Gray sediments. Coarse-grained sandstone and conglomerate.		43.80						
46.00		Fragment: angular volcanics and jasper.								
50										

Hole No. MJO-B8 (From 50.00 m to 100.85m)

Depth (m)	Chart	Lithology and Alteration	Mineralization	Depth (m)	D.L. (m)	Au (g/t)	Ag (g/t)	Cu (%)	Pb (%)	Zn (%)
		Matrix: tuffaceous and muddy, ill sorted.								
52.35	V	Pillow lavas, light greenish gray. Hematized, chloritized and brecciated. Matrix filled with hematite.								
54.00	V	Reddish brown hematite zone, sheared.								
54.70	V	Pillow lavas, deep green, strongly chloritized and brecciated. Hematized in places. Variole like texture. Matrix filled with hematite. Fractures filled with calcite.								
60	V									
68.80	V	Sheared hematite zone with fragments of volcanics.								
69.95	V	Pillow lavas with subordinate pillow breccia, green to greenish gray, chloritized. Variole like texture.								
70	V	69.95 - 73.10 Brecciated and hematized zone with quartz-calcite stringers.								
	V	71.20 - 71.90 Pillow breccia.								
80	V									
	V	81.20 - 82.30 pillow breccia.								
	V									
	V	85.60 - 85.80 Pillow breccia.								
90	V									
	V	92.60, 93.20 Calcite-quartz stringers.								
	V	94.20 - 94.80 Fractures filled with calcite.								
	V									
	V	97.90 - 99.80 pillow breccia.								
100	V	100.85 m End of hole.								
100.85	V									

Hole No. MJO-B 9 (From 0.00 m to 50.00 m)

Depth (m)	Chart	Lithology and Alteration	Mineralization	Depth (m)	D.L. (m)	Au (g/t)	Ag (g/t)	Cu (%)	Pb (%)	Zn (%)
0.20		Overburden.								
	V	Pillow lavas, light green to light brownish green, fine-grained. Hematized, chloritized and brecciated. Matrix and fractures filled with hematite, calcite and quartz. 4.50 - 7.10 Hematite breccia in matrix.								
	V	7.10 - 7.46 Light yellowish green strongly argillized and sheared zone.								
10	V	10.30 - 10.50 Hematite > calcite veinlet 0.03m (vertical).								
	V	10.60 - 11.60 Weathered along fractures.								
	HT V	12.20 - 12.40 Sheared and argillized zone.								
	V	12.85 - 13.20 Hematite along fractures.								
	V	15.20 Hematite-calcite veinlet 0.04m.								
17.60	V	Pillow lavas and pillow breccia in places, green to dark green. Hematized and strongly chloritized. Hematite along fractures and in matrix. Hematite-calcite stringers. Variole like texture.								
20	V	20.80 - 21.00 Strongly chloritized, brecciated and sheared zone with hematite.								
	V	21.75 - 22.15 Matrix of breccia filled with calcite.								
	V	27.10 - 27.70 Weathered and argillized zone.								
30	V									
	V	32.00 - 50.40 Calcite and calcite-hematite stringers dominant.								
40	V									
	V									
50	V									






Hole No. MJO-B 9 (From 50.00 m to 100.00m)

Depth (m)	Chart	Lithology and Alteration	Mineralization	Depth (m)	D.L. (m)	Au (g/t)	Ag (g/t)	Cu (%)	Pb (%)	Zn (%)
60.00	V	58.80 Reduced the size to BX. 58.85 Native copper speck.								
60.70	V	Deep green strongly argillized, chloritized zone.	Pyrite disseminations.							
62.20	V	Greenish gray strongly chloritized and brecciated zone with silicified breccia. (Stockwork ore zone).	Pyrite disseminations and stringers in matrix.	62.20						
65.00	V	Chloritized, silicified and brecciated zone with mineralization, green to greenish gray. (Stockwork ore) Weakly argillized in places.	Chalcopyrite and pyrite disseminations and stringers.	64.20	2.00	Tr	Tr	0.12	—	0.21
70.00	V	Variole like texture.		66.20	2.00	0.1	1.4	0.10	—	0.16
80.00	V			68.20	2.00	0.1	1.5	1.05	—	0.10
82.50	V	Strongly chloritized, argillized and brecciated zone, dark greenish gray.	Pyrite >> chalcopyrite disseminations with a few pyrite stringers.	70.20	2.00	Tr	Tr	0.37	—	0.10
84.50	V	Brecciated and strongly chloritized zone with silicified breccia, dark green.	Pyrite stringers and disseminations.	72.20	2.00	Tr	Tr	0.18	—	0.10
90.00	V	Strongly brecciated pillow lavas.		74.20	2.00	0.1	1.1	0.85	—	0.16
90.10	V	90.90 - 91.00 Argillized sheared zone.		76.20	2.00	0.1	1.5	2.28	—	0.21
91.00	V	Pillow breccia, dark greenish gray, chloritized and weakly silicified.		78.20	2.00	Tr	Tr	0.45	—	0.10
99.10	V	Variole like texture.		80.20	2.00	0.1	2.1	0.86	—	0.10
100.00	V			82.50	2.30	1.1	4.5	4.16	—	0.36
				84.50	2.00	0.2	1.6	1.01	—	0.10
				86.50	2.00	Tr	Tr	0.66	—	0.05
				88.50	2.00	Tr	Tr	0.34	—	0.05
				90.10	1.60	Tr	Tr	0.11	—	0.10

Hole No. MJO - B 9 (From 100.00 m to 150.00 m)

Depth (m)	Chart	Lithology and Alteration	Mineralization	Depth (m)	D.L. (m)	Au (g/t)	Ag (g/t)	Cu (%)	Pb (%)	Zn (%)
	V HT V	Pillow lavas and pillow breccia places, green to dark green. Hematized, chloritized and weakly brecciated. Hematite in matrix and a few calcite stringers.								
	Δ V	105.50 - 109.00 More chloritized pillow breccia.								
110	V									
	V									
120	V									
	Δ V	121.90 - 123.20 Pillow breccia.	121.90 - 135.50 Gypsum films along fractures with minor pyrite.							
	V									
	Δ V	127.50 - 129.00 Pillow breccia								
130	V									
	Δ V	130.50 - 131.70 Pillow breccia.								
	V									
135.50	V									
	V	Pillow lavas and pillow breccia in places, dark green, with mineralization. Chloritized and brecciated with no hematite. Vesicles and fractures filled with quartz and quartz stringers.	Very weak pyrite disseminations and stringers. 136.00 Fine-grained pyrite stringer. 137.05-137.30, 137.80-138.00 Matrix: silicified and with pyrite. 140.30 Gypsum veinlet 0.01m. 141.10, 141.20 Gypsum stringers.	137.00 138.00	1.00	Tr	Tr	0.04	—	0.02
140	Gp. V									
	V									
150	V									

Hole No. MJO - B 9 (From 150.00 m to 167.75 m)

Depth (m)	Chart	Lithology and Alteration	Mineralization	Depth (m)	D.L. (m)	Au (g/t)	Ag (g/t)	Cu (%)	Pb (%)	Zn (%)
155.00 - 156.10		155.00 - 156.10 Brecciated zone. Strongly silicified matrix with fine-grained pyrite.		155.00						
				156.10	1.10	Tr	Tr	0.04	—	0.01
158.10 - 158.20		158.10 - 158.20 Silicified zone with pyrite dissemination.								
161.00 - 163.60		161.00 - 163.60 Dominant vesicles filled with quartz.								
166.75 - 167.00		166.75 - 167.00 Silicified zone with fine-grained pyrite.								
167.75		167.75 ■ End of hole.								
170										
180										
190										
200										

Hole No. MJO-B 10 (From 0.00 m to 50.00 m)

Depth (m)	Chart	Lithology and Alteration	Mineralization	Depth (m)	D.L. (m)	Au (g/t)	Ag (g/t)	Cu (%)	Pb (%)	Zn (%)
0.60		Overburden.								
4.70		Brecciated pillow lavas, light yellowish green to light brown, epidotized. Matrix filled with hematite. Calcite stringers.								
10.35		Massive lavas, light greenish gray, medium-grained. Minor fractures filled with hematite.								
10.35		Pillow lavas, light greenish brown, hematized. Fractures filled with quartz-hematite, quartz and calcite. Matrix filled with hematite. Vesicles filled with quartz. Matrix of pillows very thin.								
10.35 - 10.70		Strongly hematized.								
12.70 - 12.85		Quartz-hematite veinlet zone								
14.80 - 15.30		Pillow breccia.								
21.55		21.55 - 22.00 Argillized sheared zone, strongly hematized.								
24.85		24.85 Quartz-calcite veinlet 0.02m.								
25.20 - 25.40		25.20 - 25.40 Quartz-calcite irregular vein.								
25.50		25.50 Quartz-hematite veinlet 0.02m.								
28.25		28.25 Pillow lavas, green to dark green, chloritized. Dominant fractures filled with quartz-hematite and calcite stringers.								
29.50 - 29.55		29.50 - 29.55 Calcite veinlets.								
33.00 - 34.10		33.00 - 34.10 Dominant calcite stringers. Sheared zone with many hematite and calcite stringers.								
35.50		35.50 Pillow lavas and subordinate pillow breccia, dark green, chloritized and weakly brecciated. Fractures filled with Quartz-hematite, calcite and hematite. Matrix filled with hematite.								
36.90 - 37.60		36.90 - 37.60 Weakly sheared zone with dominant calcite and hematite stringers.								
37.60 - 38.50		37.60 - 38.50 Pillow breccia, hematized.								
41.90 - 43.20		41.90 - 43.20 Pillow breccia, hematized.								
42.20 - 42.30		42.20 - 42.30 Quartz stringers.								
43.40 - 64.30		43.40 - 64.30 Closely packed pillows.								
50										

Hole No. MJO-B 10 (From 50.00 m to 100.00m)

Depth (m)	Chart	Lithology and Alteration	Mineralization	Depth (m)	D.L. (m)	Au (g/t)	Ag (g/t)	Cu (%)	Pb (%)	Zn (%)
50.60 - 67.60	V	Fewer fractures.								
54.80 - 55.20	V	Quartz-hematite stringers.								
63.70, 63.95	V	Quartz-calcite stringers.								
64.30 - 67.60	V, Δ	Pillow breccia, hematized.								
67.60	V, Δ	Brecciated pillow lavas, dark green, strongly chloritized. Hematized at the pillow margin. Many fractures filled with calcite, quartz and hematite.	Trace pyrite disseminations.							
67.60 - 68.20	V	Pillow breccia.								
68.75	V	Quartz stringers 0.04m.								
73.00	V	Calcite-hematite veinlet 0.04m.								
73.20 - 73.30	V	Quartz-calcite-hematite vein.								
80.00	V	Reduced the size to BX.								
85.90	V	Quartz-hematite vein 0.05m.								
85.85 - 87.50	V, Δ	More brecciated.								
87.50 - 89.35	V, Δ	Strongly brecciated zone, light green, with calcite and quartz stringers.	Pyrite disseminations.	87.50		1.85	Tr	Tr	0.03	<0.01
89.35 - 91.00	V	Brecciated zone with variole like texture.	Trace pyrite disseminations.	89.35						
91.00 - 91.30	V, Δ	Metalliferous sediments with dominant hematite.								
91.30 - 94.30	V, Δ	Pillow breccia.	Minor pyrite disseminations.							
94.30	V	Pillow lavas, green to dark green, chloritized, hematized and weakly brecciated.								
96.70	V	Calcite stringer.								
97.80	V	Quartz-hematite veinlet 0.03m.								
98.70 - 99.10	V	Metalliferous sediments with hematite.								
100	V									











Hole No. MJO-B 10 (From 100.00 m to 150.00 m)

Depth (m)	Chart	Lithology and Alteration	Mineralization	Depth (m)	D.L. (m)	Au (g/t)	Ag (g/t)	Cu (%)	Pb (%)	Zn (%)
	v	101.50 Quartz-chlorite veinlet.	No pyrite disseminations.							
	v	104.50, 106.20 Quartz stringers.								
	v	106.90 Quartz veinlets 0.02m.								
	v	107.80 Quartz-chlorite vein 0.06m.								
110	v	109.90 - 110.00 Quartz vein.								
110.70	v	110.20 - 110.40 Quartz stringers and veinlet.								
	v	Massive lavas, light green to green, chloritized. Lower part brecciated.								
	v									
117.00	v									
117.35	v	Metalliferous sediments with dominant hematite. Gypsum along fractures.								
120	v	Pillow lavas, dark green, chloritized and weakly brecciated. Matrix filled with hematite. A few quartz stringer.								
	v									
	v									
	v									
130	v	130.30 - 131.10 Several quartz stringers.								
131.10	v	131.10 - 131.50 Strongly sheared zone, chloritized and hematized.								
131.60	v									
	v	134.20, 135.20 Calcite veinlets.								
	v	134.90 - 135.10 Quartz veinlets.								
137.10	v	137.10 - 137.40								
137.40	v	Metalliferous sediments, hematite at the top and bottom.	137.40 - 138.80 Pyrite disseminations.	137.40						
138.80	v	137.55 - 137.60 Hematite.	Matrix of breccia filled with fine-grained pyrite.	138.80	1.40	Tr	Tr	0.03	—	0.02
139.50	v	Pillow lavas, light green to green, fine-grained, weakly brecciated and chloritized.								
140	v	Pillow breccia. Matrix: hematized.								
	v	Pillow lavas, green, medium-grained, chloritized and weakly brecciated. Hematite in matrix and fractures.								
	v									
	v	147.00 Quartz-hematite veinlet 0.02m.								
	v	149.50 - 150.00 Hematized. Minor vesicles filled with calcite.								
150	v									

Hole No. MJO-B 10 (From 150.00 m to 181.40 m)

Depth (m)	Chart	Lithology and Alteration	Mineralization	Depth (m)	D.L. (m)	Au (g/t)	Ag (g/t)	Cu (%)	Pb (%)	Zn (%)
	V									
	V									
	V	153.50 - 153.90 Hematized.								
	V									
160	V									
	V									
	V	161.70 - 165.80 Hematized and more brecciated.								
	V									
	V									
	V	165.80 - 166.05 Sheared zone, dark green, with quartz veinlet.	Pyrite disseminations.							
	V	Same pillow lavas as above.								
	V	168.20 Quartz stringers.								
169.50	V	169.50 - 170.00 Strongly sheared zone with quartz and hematite veins.								
170	V	170.00 - 171.80 Hematized.								
	V									
	V									
	V	173.90 - 174.10 Small quartz breccia in lavas.								
	V	174.50 - 175.60 Brecciated.								
	V									
	V									
	V	180.40 - 180.50 Metalliferous sediments, thin hematite layers at the top and bottom.								
180	V									
180.40	V									
180.50	V									
181.40	V	181.40 m End of hole.								
190										
200										

Hole No. MJO-B 11 (From 0.00 m to 50.00 m)

Depth (m)	Chart	Lithology and Alteration	Mineralization	Depth (m)	D.L. (m)	Au (g/t)	Ag (g/t)	Cu (%)	Pb (%)	Zn (%)
	V	Pillow lavas, medium-grained, yellowish green. Brecciated and a few calcite stringers. Matrix filled with hematite.								
		3.50 - 4.60 Brecciated and strongly argillized zone.								
	V									
		7.80-9.60, 12.30-14.90 Strongly brecciated.								
10	V									
		11.60 - 14.90 Several quartz-hematite stringers.								
14.90	V									
		Doleritic brecciated lavas (pillow lava ?), light green to green. Matrix filled with calcite and quartz. Quartz and calcite stringers.								
20	V									
		25.80 - 27.20 Hematized.								
27.20	V									
		Pillow lavas and pillow breccia with hyaloclastite, dark green. Hematized, chloritized and brecciated. Matrix filled with hematite. Quartz-hematite-calcite stringers.								
30	V									
										
										
40	V									
										
		49.30 Quartz-hematite-calcite veinlets 0.01m.								
50	V									

Hole No. MJO-B 11 (From 50.00 m to 100.00m)

Depth (m)	Chart	Lithology and Alteration	Mineralization	Depth (m)	D.L. (m)	Au (g/t)	Ag (g/t)	Cu (%)	Pb (%)	Zn (%)
55.00 - 55.80		55.00 - 55.80 Matrix of breccia filled with calcite.								
66.20 - 66.60		66.20 - 66.60 Hematite-quartz-calcite veins 0.15m.								
68.50		68.50 Quartz-hematite veinlet 0.02m.								
73.30		73.30 Chloritized and sheared zone 0.02m.								
79.30 - 115.90		79.30 - 115.90 Variole like texture at pillow margin.								
91.50		91.50 Quartz-hematite veinlet.								
94.30 - 94.70		94.30 - 94.70 Fractures filled with calcite.								

Hole No. MJO-B 11 (From 100.00 m to 150.00 m)

Depth (m)	Chart	Lithology and Alteration	Mineralization	Depth (m)	D.L. (m)	Au (g/t)	Ag (g/t)	Cu (%)	Pb (%)	Zn (%)
103.30 - 114.80		Stronger chloritization and limited hematization.								
104.80		Calcite veinlet.								
110.10		Calcite in fractures.								
114.80 - 115.90		Hematite dominant.								
116.20		Strongly chloritized sheared zone, dark green.	Weak pyrite disseminations.	116.20	2.00	1.6	1.4	0.52	—	<0.01
118.20		Chloritized, silicified and brecciated mineralized zone, dark greenish gray.	Pyrite-chalcopyrite stringers and veinlets.	118.20	2.00	Tr	Tr	0.26	—	0.01
120.20		Quartz stockwork veinlets.	Pyrite disseminations and stringers. (Stockwork ore).	120.20	2.00	0.2	1.1	0.34	—	<0.01
122.20		Strongly brecciated.		122.20	2.00	Tr	Tr	0.04	—	0.21
124.20				124.20	2.00	Tr	Tr	0.43	—	0.10
125.40 - 125.60			Chalcopyrite-pyrite breccia.	126.20	2.00	0.1	0.8	0.03	—	<0.01
128.20				128.20	2.00	0.2	1.3	0.03	—	0.01
130.20			133.30 - 135.10 Sphalerite-chalcopyrite-pyrite and sphalerite-pyrite stringers.	130.20	2.00	0.3	1.4	0.50	—	1.45
132.20				132.20	2.00	0.1	1.2	0.29	—	1.24
133.35			Pyrite-sphalerite veinlet.	134.20	2.00	Tr	Tr	0.59	—	0.41
134.50			Chalcopyrite-sphalerite-quartz vein.	136.20	1.70	1.5	0.6	1.57	—	0.01
135.55		Reduced the size to BX.		137.90						
137.90		Brecciated and sheared zone with quartz stringers.		137.90						
138.20		Pillow lavas and pillow breccia, dark green to dark greenish gray, silicified and chloritized.	Weak pyrite disseminations.							
140.00		Fractures filled with hematite and quartz.								
144.00		Pillow lavas, light green to green, fine-grained, brecciated, chloritized and silicified. Matrix filled with hematite. Quartz stringers.								
149.40 - 149.65		Quartz-hematite vein zone, sheared.								

Hole No. MJO-B 11 (From 150.00 m to 201.00 m)

Depth (m)	Chart	Lithology and Alteration	Mineralization	Depth (m)	D.L. (m)	Au (g/t)	Ag (g/t)	Cu (%)	Pb (%)	Zn (%)
160	v	Pillow lavas, bluish green, silicified and chloritized. Fractures filled with hematite and quartz. Vesicles filled with calcite and quartz.	Trace pyrite disseminations.							
161.20	v	Quartz stringer 0.01m.								
163.60	v	Pillow lavas, light greenish gray, chloritized and strongly silicified.	Pyrite disseminations. Fine-grained pyrite.							
170	v	169.90 - 170.30 Quartz stringers.								
	v	171.70 Calcite stringer.								
	v	175.80 Calcite veinlet.								
180	v	180.00 - 182.40 Quartz and minor quartz-hematite veinlet dominant zone.								
183.75	v	Pillow lavas, deep green, chloritized. Fractured and brecciated. Fractures filled with quartz, calcite and hematite.								
	v	Hematite and quartz-hematite in matrix.								
190	v	184.25-184.35 Quartz-hematite vein.								
	v	184.90-185.00 vein.								
	v	185.95-186.05 vein.								
	v	Dominant quartz-hematite veins and veinlets.								
200	v	201.00 End of hole.								
201.00	v									


Appendix 14

Photographs of polished sections

Introduction


Background and Motivation

The following text is a placeholder for the main content of the document.



(1) MJO-A1 (92.30 m)


Minor occurrence of chalcopyrite (cp) - Sphalerite (sp) veinlets in partly fractured pyrite (py).



(2) MJO-A1 (92.30 m)


Occurrence of supergene sulphide minerals, bornite (bn), chalcocite (cc), and covellite (cv) in disseminated ore.

py: pyrite



(3) MJO-A2 (36.70 m)


Brecciated pyrite (py) ore.



(4) MJO-A2 (51.70 m)


Bornite (bn) - rich part of secondary sulfide enrichment zone of disseminated pyrite - chalcopyrite ore.

py: pyrite




(5) MJO-A2 (51.70 m)

Replacement remnants of chalcopyrite (cp) in bornite (bn). Chalcocite (cc) replaces bornite (bn) in lamellae.




(6) MJO-A3 (40.80 m)

Fractured pyrite (py) veined by chalcopyrite (cp) and later supergene chalcocite (cc).




(7) MJO-A3 (40.80 m)

Fractures in pyrite (py) infilled by chalcopyrite (cp) and chalcocite (cc).




(8) HS-17 (61.55 m)

Partly brecciated chalcopyrite (cp) - pyrite (py) ore. Chalcopyrite (cp) occurring in brecciated pyrite (py).




(9) HS-17

Massive chalcopyrite (cp) - pyrite (py) - sphalerite (sp) ore.
Sphalerite (sp) replacing chalcopyrite (cp) along grain boundaries.




(10) MJO-B1 (34.70 m)

Fractures in pyrite (py) infilled by chalcocite (cc) and covellite (cv).




(11) MJO-B1 (37.50 m)

Matrix of pyrite (py) infilled by covellite (cv).




(12) MJO-B1 (41.10 m)

Fragments of colloform pyrite (py) in massive pyrite ore.




(13) MJO-B1 (48.00 m)

Veinlets of chalcopyrite (cp), later covellite (cv) and chalcocite (cc) in brecciated pyrite ore.



(14) MJO-B1 (48.10 m)


Fragments of colloform pyrite, and framboidal pyrite.



(15) MJO-B2 (101.45 m)


Sphalerite (sp) veinlet and later chalcocite (cc) veinlet in chalcopyrite (cp).

py: pyrite




(16) MJO-B2 (111.90 m)

Pyrite (py) - chalcopyrite (cp) - quartz - calcite (cal) veinlet in chloritized pillow lava.



(17) MJO-B4 (77.40 m)


Veinlet of pyrite (py), chalcopyrite (cp) and sphalerite (sp) in chloritized (?) pillow lava. Sphalerite contains chalcopyrite blebs and diseases.



(18) MJO-B4 (77.40 m)


Chalcopyrite diseases (cp dis.) in sphalerite (sp).

py: pyrite



(19) MJO-B6 (42.10 m)


Veinlet of chalcopyrite (cp), sphalerite (sp), pyrite (py), quartz (Q), and calcite (cal) in chloritized pillow lava.



(20) MJO-B6 (57.60 m)

Native gold (Au) in chalcopyrite (cp).

py: pyrite




(21) MJO-B6 (57.60 m)

Subhedral to euhedral transparent unknown minerals (gray in color).

cp: chalcopyrite
py: pyrite

0 0.05mm




(22) MJO-B6 (57.60 m)


Veinlet of pyrite (py), chalcopyrite (cp), and sphalerite (sp). Sphalerite (sp) replacing chalcopyrite (cp) along grain boundaries and fractures.

0 0.3mm

Appendix 15

SEM and microprobe images of ore samples






(1) SEM image

HS-17 (61.55 m)

Mineral: sphalerite (Sp)

(quantitative analysis)




(2) SEM image

HS-17 (61.55 m)

Mineral: chalcopyrite (Cp)

(qualitative analysis)




(3) SEM image

MJO-B4 (56.00 m)

Mineral: sphalerite (Sp)

(quantitative analysis)




(4) SEM image

MJO-B4 (56.00 m)

Mineral: chalcopyrite (Cp)


(qualitative analysis)



(5) SEM image

MJO-B4 (77.40 m)


Mineral: sphalerite (Sp)
(quantitative analysis)



(6) SEM image

MJO-B4 (77.40 m)


Mineral: chalcopyrite (Cp)
(qualitative analysis)



(7) SEM image

MJO-B6 (42.10 m)


Mineral: sphalerite (Sp)
(quantitative analysis)



(8) SEM image

MJO-B6 (57.60 m)


Mineral: native gold (Au)
(area analysis)



(9) Microprobe image (Au La)

MJO-B6 (57.60 m)


Mineral: native gold (Au)



(10) Microprobe image (Ag La)

MJO-B6 (57.60 m)

Mineral: native gold (Au)




(11) SEM image

MJO-B6 (57.60 m)

Mineral: sphalerite (Sp)

(quantitative analysis)




(12) SEM image

MJO-B6 (57.60 m)

Mineral: chalcopyrite (Cp)

(qualitative analysis)



Appendix 16

Basic assay data used for the ore reserve calculation

Introduction

The following text is a placeholder for the main content of the document.

=====
 AREA : A HOLE NAME : MJO-A1
 =====

EAST (X) : 453.434
 NORTH (Y) : 2618.737
 ELEVATION : 691.000
 INCLINATION: -50.000
 BEARING : 270.000
 HANGING WALL: 77.750

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	0.85	77.75	78.60	2.00	2.60	1.08	0.06	3.06
2	2.00	78.60	80.60	2.20	5.10	0.68	0.07	3.00
3	2.00	80.60	82.60	1.90	8.00	0.64	0.29	2.99
4	2.00	82.60	84.60	1.10	8.50	0.76	0.50	3.01
5	2.00	84.60	86.60	1.00	3.10	0.33	0.27	2.95
6	2.00	86.60	88.60	0.10	0.70	0.40	0.06	2.96
7	2.00	88.60	90.60	0.00	1.10	0.53	0.40	2.98
8	2.00	90.60	92.60	0.10	1.20	0.90	0.27	3.03
9	2.00	92.60	94.60	0.00	0.00	0.89	0.15	3.03
10	2.00	94.60	96.60	0.00	0.00	0.69	0.13	3.00
11	2.00	96.60	98.60	0.00	0.00	0.36	0.18	2.95
12	2.00	98.60	100.60	0.00	0.00	0.38	0.10	2.96
13	2.00	100.60	102.60	0.00	0.00	0.51	0.11	2.97
14	2.00	102.60	104.60	0.00	0.00	0.66	0.14	3.00
15	2.00	104.60	106.60	0.00	0.30	0.36	0.18	2.95
16	2.00	106.60	108.60	0.00	0.00	0.41	0.16	2.96
17	2.00	108.60	110.60	0.80	1.60	0.52	0.30	2.98
18	2.00	110.60	112.60	0.20	4.10	0.29	0.68	2.94
19	2.00	112.60	114.60	0.90	2.30	0.51	0.66	2.97
20	2.00	114.60	116.60	0.60	3.10	1.38	0.69	3.10
21	2.00	116.60	118.60	0.30	3.30	0.37	1.20	2.95
22	2.00	118.60	120.60	0.30	1.60	0.41	0.14	2.96
23	2.00	120.60	122.60	0.10	1.80	0.64	0.21	2.99
24	2.00	122.60	124.60	0.50	1.70	0.75	0.56	3.01
25	2.00	124.60	126.60	0.60	3.50	0.69	0.73	3.00
26	2.00	126.60	128.60	1.10	3.00	0.63	1.36	2.99
27	1.55	128.60	130.15	0.80	4.30	1.00	1.08	3.05
28	2.15	130.15	132.30	0.00	0.00	0.00	0.00	2.80
29	0.90	132.30	133.20	1.90	3.20	0.49	0.95	2.97

=====
 AREA : A HOLE NAME : MJO-A2
 =====

EAST (X) : 453.373
 NORTH (Y) : 2618.698
 ELEVATION : 695.800
 INCLINATION: -90.000
 BEARING : 0.000
 HANGING WALL: 30.000

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	2.00	30.00	32.00	1.50	8.40	0.55	0.04	2.98
2	2.00	32.00	34.00	2.90	7.70	1.13	0.03	3.06
3	1.50	34.00	35.50	2.00	8.80	0.17	0.02	2.92
4	2.00	35.50	37.50	1.10	4.30	0.42	0.02	2.96
5	1.90	37.50	39.40	2.50	10.50	1.11	0.07	3.06
6	2.00	39.40	41.40	1.20	11.00	0.77	0.38	3.01
7	2.00	41.40	43.40	0.60	4.00	0.33	0.28	2.95
8	2.00	43.40	45.40	0.00	0.00	0.24	0.29	2.94
9	2.00	45.40	47.40	0.70	3.50	0.25	0.21	2.94
10	2.00	47.40	49.40	0.70	2.00	0.63	0.21	2.99
11	2.00	49.40	51.40	0.50	1.80	1.03	0.06	3.05
12	2.00	51.40	53.40	0.00	0.00	1.09	0.13	3.06
13	2.00	53.40	55.40	0.20	1.00	1.36	0.18	3.10
14	2.00	55.40	57.40	0.40	0.70	0.72	0.09	3.01

=====
 AREA : A HOLE NAME : MJO-A3
 =====

EAST (X) : 453.371
 NORTH (Y) : 2618.698
 ELEVATION : 695.800
 INCLINATION: -50.000
 BEARING : 270.000
 HANGING WALL: 36.200

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
15	2.00	57.40	59.40	0.40	1.80	2.12	0.14	3.21
16	2.00	59.40	61.40	0.10	1.30	0.97	0.09	3.04
17	2.00	61.40	63.40	0.20	1.50	0.77	0.26	3.01
18	2.00	63.40	65.40	0.20	2.00	0.67	0.35	3.00
19	2.00	65.40	67.40	0.10	1.50	0.60	0.18	2.99
20	2.00	67.40	69.40	0.30	1.20	0.77	0.28	3.01
21	2.00	69.40	71.40	0.10	1.50	0.46	0.15	2.97
22	2.00	71.40	73.40	0.00	0.00	0.33	0.11	2.95
23	2.00	73.40	75.40	0.20	0.90	0.38	0.07	2.96
24	2.00	75.40	77.40	0.00	0.00	0.35	0.05	2.95
25	2.00	77.40	79.40	0.20	0.60	0.56	0.20	2.98
26	2.00	79.40	81.40	0.30	0.60	0.40	0.06	2.96
27	2.00	81.40	83.40	0.00	0.00	0.42	0.08	2.96
28	2.00	83.40	85.40	0.50	2.10	0.76	0.19	3.01
29	2.00	85.40	87.40	0.60	3.60	4.92	0.33	3.62
30	2.00	87.40	89.40	0.30	2.60	1.08	0.50	3.06
31	2.00	89.40	91.40	0.30	1.80	0.71	0.65	3.00
32	2.00	91.40	93.40	0.20	1.80	1.15	0.43	3.07
33	2.00	93.40	95.40	0.00	0.00	0.24	0.17	2.94
34	0.80	95.40	96.20	0.00	0.00	0.08	0.10	2.91

=====
 AREA : A HOLE NAME : MJO-A3
 =====

EAST (X) : 453.371
 NORTH (Y) : 2618.698
 ELEVATION : 695.800
 INCLINATION: -50.000
 BEARING : 270.000
 HANGING WALL: 36.200

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	1.70	36.20	37.90	5.20	18.20	1.89	0.06	3.18
2	1.60	37.90	39.50	1.80	20.30	9.44	0.03	4.20
3	1.60	39.50	41.10	1.10	17.10	12.44	0.05	4.20
4	1.90	41.10	43.00	0.00	0.00	0.00	0.00	2.80
5	2.00	43.00	45.00	1.00	8.10	2.37	0.04	3.25
6	2.00	45.00	47.00	0.30	8.50	2.24	0.04	3.23
7	2.00	47.00	49.00	0.90	11.10	2.80	0.04	3.31
8	2.00	49.00	51.00	2.40	12.10	2.43	0.04	3.25
9	2.00	51.00	53.00	1.10	17.40	3.39	0.05	3.39
10	2.00	53.00	55.00	0.40	10.60	3.04	0.06	3.34
11	2.00	55.00	57.00	0.50	8.90	1.69	0.05	3.15
12	2.00	57.00	59.00	0.30	4.90	1.58	0.06	3.13
13	2.00	59.00	61.00	0.50	6.50	1.26	0.14	3.08
14	2.00	61.00	63.00	0.40	8.50	0.33	0.21	2.95
15	2.00	63.00	65.00	0.20	8.80	3.26	0.09	3.38
16	2.00	65.00	67.00	0.80	8.60	2.97	0.08	3.33
17	2.00	67.00	69.00	0.60	5.60	1.61	0.12	3.14
18	2.00	69.00	71.00	0.30	4.80	1.75	0.19	3.16
19	2.00	71.00	73.00	0.40	6.00	1.00	0.42	3.05
20	2.00	73.00	75.00	2.10	7.70	1.14	0.79	3.07
21	2.10	75.00	77.10	1.00	20.70	4.37	0.18	3.54
22	1.80	77.10	78.90	2.40	12.40	0.43	0.02	2.96
23	1.70	78.90	80.60	2.80	4.40	0.82	0.01	3.02
24	2.00	80.60	82.60	0.70	11.50	1.98	0.29	3.19
25	2.00	82.60	84.60	1.00	3.40	0.65	0.11	2.99
26	1.30	84.60	85.90	0.70	4.80	0.34	0.14	2.95

AREA : A HOLE NAME : MJO-A4

EAST (X) : 453.458
NORTH (Y) : 2618.673
ELEVATION : 695.500
INCLINATION: -90.000
BEARING : 0.000
HANGING WALL: 80.750

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	1.55	80.75	82.30	1.20	4.50	3.24	0.34	3.37
2	0.90	82.30	83.20	2.20	11.60	3.81	0.54	3.46
3	1.80	83.20	85.00	0.10	2.60	0.60	0.55	2.99
4	1.90	85.00	86.90	0.40	5.80	1.67	0.27	3.14
5	1.60	86.90	88.50	0.00	0.00	0.00	0.00	2.80
6	1.80	88.50	90.30	0.20	5.20	1.19	0.28	3.07
7	1.70	90.30	92.00	0.10	2.80	1.17	0.09	3.07

AREA : A HOLE NAME : MJO-A5

EAST (X) : 453.295
NORTH (Y) : 2618.793
ELEVATION : 704.100
INCLINATION: -90.000
BEARING : 0.000
HANGING WALL: 34.200

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	2.00	34.20	36.20	0.30	3.70	0.78	0.01	3.01
2	2.00	36.20	38.20	0.40	1.40	0.68	0.00	3.00
3	2.00	38.20	40.20	0.30	1.60	0.51	0.06	2.97
4	2.00	40.20	42.20	2.20	1.80	0.19	0.35	2.93
5	2.00	42.20	44.20	0.00	0.00	0.83	0.19	3.02
6	2.00	44.20	46.20	1.90	2.60	2.23	0.01	3.23
7	2.50	46.20	48.70	1.80	6.90	5.37	0.01	3.68
8	1.50	48.70	50.20	1.80	14.10	10.53	0.06	4.20
9	1.50	50.20	51.70	1.30	8.90	9.56	0.04	4.20
10	1.70	51.70	53.40	1.50	4.60	2.08	0.02	3.20
11	3.30	53.40	56.70	0.00	0.00	0.00	0.00	2.80
12	3.50	56.70	60.20	0.80	1.10	0.29	0.01	2.94
13	3.75	60.20	63.95	1.60	4.50	0.64	0.01	2.99
14	2.05	63.95	66.00	1.10	17.00	3.06	0.01	3.35
15	2.00	66.00	68.00	1.40	37.20	3.90	0.04	3.47
16	2.00	68.00	70.00	0.60	12.90	0.98	0.03	3.04
17	2.00	70.00	72.00	1.50	10.00	0.36	0.06	2.95
18	2.00	72.00	74.00	2.20	11.80	0.79	0.05	3.02
19	2.00	74.00	76.00	2.90	16.10	0.65	0.12	2.99
20	2.00	76.00	78.00	0.40	2.60	0.44	0.09	2.96
21	2.00	78.00	80.00	0.30	2.20	0.16	0.08	2.92
22	2.00	80.00	82.00	0.10	2.00	0.98	0.48	3.04
23	2.00	82.00	84.00	0.40	3.30	0.13	0.67	2.92
24	2.00	84.00	86.00	0.20	3.10	0.66	0.53	3.00
25	2.00	86.00	88.00	0.40	4.50	0.68	0.99	3.00
26	2.00	88.00	90.00	0.40	1.60	0.31	0.43	2.95
27	2.30	90.00	92.30	0.40	0.80	0.10	0.07	2.91

AREA : A HOLE NAME : MJO-A6

EAST (X) : 453.294
NORTH (Y) : 2618.794
ELEVATION : 704.100
INCLINATION: -50.000
BEARING : 0.000
HANGING WALL: 52.000

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	2.00	52.00	54.00	0.70	2.30	0.54	0.41	2.98
2	2.00	54.00	56.00	0.30	3.70	0.44	0.22	2.96
3	2.00	56.00	58.00	0.30	2.10	0.42	0.24	2.96
4	2.00	58.00	60.00	0.40	1.80	0.44	0.38	2.96
5	2.00	60.00	62.00	0.30	1.90	0.37	0.37	2.95
6	2.00	62.00	64.00	0.70	2.20	1.14	0.15	3.07
7	2.00	64.00	66.00	0.80	2.30	0.91	0.31	3.03
8	2.00	66.00	68.00	0.10	1.70	0.74	0.13	3.01
9	2.00	68.00	70.00	0.00	0.00	0.58	0.11	2.98
10	2.65	70.00	72.65	0.00	0.00	0.36	0.08	2.95
11	2.00	72.65	74.65	0.10	1.00	0.43	0.05	2.96
12	2.00	74.65	76.65	0.10	0.70	0.31	0.06	2.95
13	2.65	76.65	79.30	0.00	0.00	0.37	0.06	2.95

AREA : A HOLE NAME : MJO-A8

EAST (X) : 453.563
NORTH (Y) : 2618.831
ELEVATION : 705.800
INCLINATION: -90.000
BEARING : 0.000
HANGING WALL: 184.850

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	2.00	184.85	186.85	-9.00	-9.00	0.07	0.05	2.91
2	2.00	186.85	188.85	-9.00	-9.00	0.24	0.02	2.94
3	2.00	188.85	190.85	-9.00	-9.00	0.12	0.02	2.92
4	2.00	190.85	192.85	-9.00	-9.00	0.20	0.02	2.93
5	2.00	192.85	194.85	0.20	1.20	0.67	0.05	3.00
6	2.00	194.85	196.85	0.20	0.50	0.68	0.02	3.00
7	2.00	196.85	198.85	1.00	0.70	0.61	0.16	2.99
8	2.00	198.85	200.85	0.20	1.00	1.15	0.10	3.07
9	2.00	200.85	202.85	0.10	1.00	1.03	0.03	3.05
10	2.00	202.85	204.85	-9.00	-9.00	0.65	0.02	2.99
11	2.00	204.85	206.85	-9.00	-9.00	0.50	0.26	2.97
12	2.00	206.85	208.85	-9.00	-9.00	0.67	0.10	3.00
13	0.85	208.85	209.70	-9.00	-9.00	0.08	0.05	2.91

AREA : A HOLE NAME : MJO-A11

EAST (X) : 453.241
NORTH (Y) : 2618.794
ELEVATION : 714.500
INCLINATION: -90.000
BEARING : 0.000
HANGING WALL: 42.300

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	2.00	42.30	44.30	-9.00	-9.00	3.10	0.01	3.35
2	2.00	44.30	46.30	0.30	2.70	0.66	0.01	3.00
3	2.00	46.30	48.30	0.30	12.70	1.06	0.01	3.05
4	2.00	48.30	50.30	0.40	5.80	1.19	0.03	3.07
5	2.00	50.30	52.30	0.10	3.30	0.89	0.01	3.03
6	1.05	52.30	53.35	0.10	3.20	1.39	0.01	3.10

=====
 AREA : A HOLE NAME : MJO-A12
 =====

EAST (X) : 453.637
 NORTH (Y) : 2618.690
 ELEVATION : 697.800
 INCLINATION: -90.000
 BEARING : 0.000
 HANGING WALL: 92.000

No	Length	From	To	Au	Ag	Cu	Zn	S. G.
1	1.00	92.00	93.00	3.90	26.10	2.95	0.26	3.33
2	1.00	93.00	94.00	3.70	21.40	4.79	0.36	3.60
3	1.30	94.00	95.30	3.30	42.60	6.29	2.28	3.82
4	0.40	95.30	95.70	0.30	2.30	0.26	0.41	2.94

=====
 AREA : A HOLE NAME : HS-05
 =====

EAST (X) : 453.451
 NORTH (Y) : 2618.781
 ELEVATION : 692.000
 INCLINATION: -54.000
 BEARING : 301.000
 HANGING WALL: 41.000

No	Length	From	To	Au	Ag	Cu	Zn	S. G.
1	2.00	41.00	43.00	0.00	0.00	0.01	0.12	2.90
2	1.00	43.00	44.00	0.00	0.00	0.03	0.06	2.90
3	1.00	44.00	45.00	0.90	4.00	0.54	0.20	2.98
4	2.00	45.00	47.00	0.00	0.00	0.04	0.07	2.91
5	2.00	47.00	49.00	0.00	0.00	0.02	0.03	2.90
6	4.00	49.00	53.00	0.00	0.00	0.01	0.01	2.90
7	4.00	53.00	57.00	0.00	0.00	0.01	0.01	2.90
8	4.00	57.00	61.00	0.00	0.00	0.01	0.01	2.90
9	4.00	61.00	65.00	0.00	0.00	0.01	0.02	2.90
10	4.00	65.00	69.00	0.00	0.00	0.01	0.01	2.90
11	4.00	69.00	73.00	0.00	0.00	0.01	0.02	2.90
12	4.00	73.00	77.00	0.00	0.00	0.02	0.01	2.90
13	2.00	77.00	79.00	0.00	0.00	0.01	0.02	2.90
14	2.00	79.00	81.00	0.00	0.00	0.01	0.01	2.90
15	2.00	81.00	83.00	0.00	0.00	0.01	0.01	2.90
16	2.00	83.00	85.00	0.00	0.00	0.34	0.02	2.95
17	2.00	85.00	87.00	0.00	0.00	0.47	0.03	2.97
18	2.00	87.00	89.00	0.00	0.00	0.49	0.02	2.97
19	2.00	89.00	91.00	0.00	0.00	0.41	0.02	2.96
20	2.00	91.00	93.00	0.00	0.00	0.41	0.02	2.96
21	2.00	93.00	95.00	0.00	0.00	0.58	0.02	2.98
22	2.00	95.00	97.00	0.00	0.00	0.60	0.02	2.99
23	2.00	97.00	99.00	0.00	1.00	0.88	0.04	3.03
24	2.00	99.00	101.00	0.00	0.50	0.94	0.05	3.04
25	2.00	101.00	103.00	0.00	0.00	0.75	0.04	3.01
26	2.00	103.00	105.00	0.00	0.00	0.50	0.04	2.97

=====
 AREA : A HOLE NAME : HS-06
 =====

EAST (X) : 453.509
 NORTH (Y) : 2618.737
 ELEVATION : 703.500
 INCLINATION: -50.000
 BEARING : 303.000
 HANGING WALL: 103.150

No	Length	From	To	Au	Ag	Cu	Zn	S. G.
1	1.00	103.15	104.15	0.35	8.00	0.55	0.12	2.98
2	1.00	104.15	105.15	0.45	10.50	1.09	0.12	3.06
3	1.00	105.15	106.15	0.40	12.00	1.77	0.22	3.16
4	1.00	106.15	107.15	2.90	8.00	0.35	0.23	2.95
5	1.00	107.15	108.15	0.93	6.50	0.28	0.05	2.94
6	1.00	108.15	109.15	0.00	0.00	0.01	0.03	2.90
7	1.00	109.15	110.15	0.17	6.50	0.13	0.05	2.92
8	1.00	110.15	111.15	1.20	10.50	0.08	0.07	2.91
9	1.00	111.15	112.15	0.35	0.50	0.02	0.02	2.90
10	1.00	112.15	113.15	1.40	6.00	0.25	0.08	2.94
11	1.00	113.15	114.15	2.50	20.50	1.65	0.24	3.14
12	1.00	114.15	115.15	1.40	13.50	2.73	0.14	3.30
13	1.00	115.15	116.15	1.40	16.00	2.34	0.27	3.24
14	1.00	116.15	117.15	1.50	11.00	2.39	0.15	3.25
15	0.70	117.15	117.85	0.50	16.00	5.00	0.10	3.63
16	40.55	117.85	158.40	0.00	0.00	0.00	0.00	2.80
17	1.00	158.40	159.40	0.52	2.00	3.50	0.04	3.41
18	1.00	159.40	160.40	0.00	0.00	0.15	0.03	2.92
19	1.00	160.40	161.40	0.50	0.00	1.49	0.01	3.12
20	1.00	161.40	162.40	0.23	0.50	0.62	0.02	2.99
21	1.00	162.40	163.40	0.00	0.00	0.70	0.04	3.00
22	1.00	163.40	164.40	0.19	0.50	1.64	0.02	3.14
23	1.00	164.40	165.40	0.20	1.00	0.53	0.14	2.98
24	2.00	165.40	167.40	0.00	0.00	0.19	0.08	2.93
25	2.00	167.40	169.40	0.00	0.00	0.04	0.22	2.91
26	2.00	169.40	171.40	0.00	0.00	0.22	0.02	2.93
27	1.00	171.40	172.40	0.20	3.00	0.22	0.03	2.93
28	1.00	172.40	173.40	0.85	3.00	0.59	0.04	2.99
29	1.00	173.40	174.40	0.34	0.00	0.32	0.09	2.95
30	1.00	174.40	175.40	0.30	0.00	1.09	0.07	3.06
31	1.00	175.40	176.40	0.25	3.00	0.53	0.07	2.98
32	1.20	176.40	177.60	0.22	0.00	1.33	0.08	3.09

AREA : A HOLE NAME : HS-08

EAST (X) : 453.494
 NORTH (Y) : 2618.980
 ELEVATION : 692.800
 INCLINATION: -90.000
 BEARING : 0.000
 HANGING WALL: 135.950

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	1.05	135.95	137.00	-9.00	-9.00	-9.00	-9.00	2.80
2	1.00	137.00	138.00	0.00	0.00	0.05	0.01	2.91
3	1.00	138.00	139.00	0.00	0.00	0.07	0.01	2.91
4	1.00	139.00	140.00	0.00	0.00	0.02	0.01	2.90
5	1.00	140.00	141.00	0.00	0.00	0.08	0.01	2.91
6	1.00	141.00	142.00	0.00	0.00	0.79	0.03	3.02
7	2.00	142.00	144.00	0.00	1.00	0.79	0.02	3.02
8	2.00	144.00	146.00	0.00	1.00	0.29	0.02	2.94
9	2.00	146.00	148.00	0.00	2.50	0.39	0.01	2.96
10	2.00	148.00	150.00	0.00	0.00	0.28	0.01	2.94
11	2.00	150.00	152.00	0.00	1.00	0.84	0.01	3.02
12	2.00	152.00	154.00	0.00	0.00	0.43	0.01	2.96
13	2.00	154.00	156.00	0.00	0.00	0.23	0.01	2.93
14	2.00	156.00	158.00	0.00	0.00	0.32	0.01	2.95
15	2.00	158.00	160.00	0.00	0.00	0.54	0.01	2.98
16	2.00	160.00	162.00	0.00	0.00	0.24	0.01	2.94
17	2.00	162.00	164.00	0.00	0.00	0.30	0.01	2.94
18	2.00	164.00	166.00	0.00	0.00	0.15	0.01	2.92
19	2.00	166.00	168.00	0.00	0.00	0.39	0.01	2.96
20	2.00	168.00	170.00	0.00	0.00	0.31	0.01	2.95
21	2.00	170.00	172.00	0.00	0.00	0.14	0.01	2.92
22	2.00	172.00	174.00	0.00	0.00	0.48	0.02	2.97
23	2.00	174.00	176.00	0.00	0.00	0.43	0.02	2.96
24	2.00	176.00	178.00	0.00	0.00	0.14	0.01	2.92
25	2.00	178.00	180.00	0.00	0.00	0.15	0.01	2.92
26	2.00	180.00	182.00	0.00	0.00	0.09	0.01	2.91
27	2.00	182.00	184.00	0.00	0.00	0.05	0.00	2.91
28	2.00	184.00	186.00	0.00	0.00	0.10	0.00	2.91
29	2.00	186.00	188.00	0.00	0.00	0.05	0.02	2.91
30	2.00	188.00	190.00	0.00	0.00	0.32	0.01	2.95
31	2.00	190.00	192.00	0.00	0.00	0.13	0.01	2.92
32	1.90	192.00	193.90	0.00	0.00	0.19	0.01	2.93

AREA : A HOLE NAME : HS-12

EAST (X) : 453.511
 NORTH (Y) : 2618.736
 ELEVATION : 703.500
 INCLINATION: -90.000
 BEARING : 0.000
 HANGING WALL: 109.000

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	0.50	109.00	109.50	0.09	0.50	1.75	0.21	3.16
2	30.55	109.50	140.05	0.00	0.00	0.00	0.00	2.80
3	1.35	140.05	141.40	0.20	1.20	1.60	0.17	3.13
4	2.00	141.40	143.40	0.15	1.10	1.55	0.10	3.13
5	2.00	143.40	145.40	0.10	0.60	1.44	0.07	3.11
6	2.00	145.40	147.40	0.18	0.70	0.95	0.06	3.04
7	2.00	147.40	149.40	0.06	0.50	0.38	0.10	2.96
8	2.00	149.40	151.40	0.20	1.30	1.22	0.14	3.08
9	2.00	151.40	153.40	0.18	0.50	0.22	0.10	2.93
10	2.00	153.40	155.40	0.09	0.30	0.13	0.03	2.92
11	2.90	155.40	158.30	0.10	1.00	0.16	0.05	2.92

AREA : A HOLE NAME : HS-13

EAST (X) : 453.514
 NORTH (Y) : 2618.787
 ELEVATION : 704.300
 INCLINATION: -90.000
 BEARING : 0.000
 HANGING WALL: 149.750

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	0.75	149.75	150.50	0.11	0.20	0.03	0.02	2.90
2	1.70	150.50	152.20	0.07	0.40	0.49	0.06	2.97
3	0.30	152.20	152.50	0.00	0.00	0.00	0.00	2.80
4	2.00	152.50	154.50	0.08	0.20	0.35	0.02	2.95
5	2.00	154.50	156.50	0.05	0.20	0.30	0.02	2.94
6	2.00	156.50	158.50	0.19	0.20	0.51	0.01	2.97
7	2.00	158.50	160.50	0.09	0.20	0.81	0.02	3.02
8	2.00	160.50	162.50	0.02	0.30	0.99	0.02	3.04
9	2.00	162.50	164.50	0.03	0.30	0.80	0.02	3.02
10	2.00	164.50	166.50	0.03	0.30	0.93	0.02	3.04
11	2.00	166.50	168.50	0.02	0.20	0.73	0.02	3.01
12	2.00	168.50	170.50	0.02	0.70	2.01	0.03	3.19
13	2.00	170.50	172.50	0.03	0.30	0.83	0.04	3.02
14	2.00	172.50	174.50	0.06	0.50	1.26	0.04	3.08
15	2.00	174.50	176.50	0.04	0.20	0.56	0.02	2.98
16	2.00	176.50	178.50	0.14	0.70	2.44	0.03	3.26
17	2.00	178.50	180.50	0.13	0.40	1.59	0.03	3.13
18	2.00	180.50	182.50	0.04	0.40	1.15	0.04	3.07
19	2.00	182.50	184.50	0.06	0.20	0.29	0.03	2.94
20	2.00	184.50	186.50	0.05	0.20	0.29	0.03	2.94
21	1.60	186.50	188.10	0.03	0.30	0.18	0.21	2.93

AREA : A HOLE NAME : HS-14

EAST (X) : 453.468
 NORTH (Y) : 2618.698
 ELEVATION : 696.500
 INCLINATION: -90.000
 BEARING : 0.000
 HANGING WALL: 95.650

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	0.75	95.65	96.40	1.61	7.90	0.17	0.11	2.92
2	1.00	96.40	97.40	2.03	14.60	1.08	0.17	3.06
3	1.00	97.40	98.40	3.94	13.60	0.98	0.14	3.04
4	1.00	98.40	99.40	7.29	17.20	0.77	0.19	3.01
5	1.00	99.40	100.40	2.64	13.30	0.85	0.18	3.02
6	1.00	100.40	101.40	2.91	13.80	0.71	0.17	3.00
7	1.00	101.40	102.40	2.81	12.80	3.17	0.20	3.36
8	1.00	102.40	103.40	3.59	11.00	1.67	0.14	3.14
9	1.00	103.40	104.40	2.71	15.10	2.92	0.15	3.33
10	1.00	104.40	105.40	2.64	20.80	4.28	0.20	3.52
11	1.00	105.40	106.40	2.22	23.60	8.48	0.20	4.14
12	0.50	106.40	106.90	2.02	23.60	8.24	0.26	4.10
13	1.00	106.90	107.90	0.33	0.80	1.02	0.20	3.05
14	1.00	107.90	108.90	0.17	1.10	0.67	0.36	3.00
15	1.10	108.90	110.00	0.50	0.90	0.13	0.10	2.92
16	1.00	110.00	111.00	0.53	1.40	0.88	0.53	3.03
17	1.00	111.00	112.00	0.42	1.80	4.03	0.26	3.49
18	1.00	112.00	113.00	0.70	4.80	3.06	1.35	3.35
19	1.00	113.00	114.00	0.49	2.90	3.70	0.86	3.44
20	1.00	114.00	115.00	0.23	2.20	3.30	0.52	3.38
21	1.00	115.00	116.00	0.21	1.60	2.50	0.43	3.26
22	1.00	116.00	117.00	0.45	2.40	3.10	0.86	3.35

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
23	1.00	117.00	118.00	0.63	4.20	2.27	2.70	3.23
24	1.00	118.00	119.00	0.27	1.80	3.97	0.53	3.48
25	1.00	119.00	120.00	0.27	0.50	2.26	0.26	3.23
26	1.00	120.00	121.00	0.30	1.60	2.99	0.20	3.34
27	1.00	121.00	122.00	0.44	2.20	4.89	0.32	3.61
28	1.00	122.00	123.00	0.15	0.90	2.52	0.25	3.27
29	1.00	123.00	124.00	0.29	4.80	2.14	0.28	3.21
30	1.00	124.00	125.00	0.47	7.20	2.97	0.53	3.33
31	1.00	125.00	126.00	0.31	1.60	2.03	0.08	3.20
32	0.30	126.00	126.30	0.32	0.90	2.36	0.02	3.24

=====
 AREA : A HOLE NAME : HS-15
 =====

EAST (X) : 453.449
 NORTH (Y) : 2618.648
 ELEVATION : 694.000
 INCLINATION: -90.000
 BEARING : 0.000
 HANGING WALL: 64.600

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	1.00	64.60	65.60	1.40	7.70	8.19	0.19	4.10
2	1.00	65.60	66.60	1.00	6.50	9.52	0.26	4.20
3	1.00	66.60	67.60	0.90	5.00	9.55	0.29	4.20
4	1.00	67.60	68.60	0.60	3.40	8.23	0.16	4.10
5	1.00	68.60	69.60	0.50	3.00	6.46	0.09	3.84
6	1.00	69.60	70.60	0.60	3.60	5.41	0.07	3.69
7	1.00	70.60	71.60	0.50	4.40	5.88	0.07	3.76
8	1.00	71.60	72.60	0.50	3.40	4.00	0.19	3.48
9	1.00	72.60	73.60	0.20	2.40	3.70	0.14	3.44
10	1.00	73.60	74.60	0.60	4.80	6.08	0.35	3.79
11	0.70	74.60	75.30	0.50	5.00	5.22	0.25	3.66
12	0.90	75.30	76.20	0.50	5.00	1.45	0.16	3.11

=====
 AREA : A HOLE NAME : HS-16
 =====

EAST (X) : 453.417
 NORTH (Y) : 2618.698
 ELEVATION : 690.500
 INCLINATION: -90.000
 BEARING : 0.000
 HANGING WALL: 45.000

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	0.50	45.00	45.50	0.60	2.30	0.17	0.02	2.92
2	0.50	45.50	46.00	1.00	18.40	2.35	0.05	3.24
3	1.00	46.00	47.00	4.40	35.60	0.68	0.14	3.00
4	1.00	47.00	48.00	0.80	13.60	0.46	0.11	2.97
5	1.00	48.00	49.00	1.70	11.10	0.51	0.21	2.97
6	1.00	49.00	50.00	1.10	13.90	0.56	0.14	2.98
7	1.00	50.00	51.00	1.30	12.00	0.40	0.20	2.96
8	1.00	51.00	52.00	0.90	11.40	0.41	0.01	2.96
9	1.00	52.00	53.00	1.00	10.20	0.63	0.16	2.99
10	1.00	53.00	54.00	2.40	14.50	1.13	0.18	3.06
11	1.00	54.00	55.00	1.10	7.90	0.71	0.34	3.00
12	1.00	55.00	56.00	1.20	11.40	1.11	0.51	3.06
13	1.00	56.00	57.00	1.50	12.70	0.83	0.34	3.02
14	1.00	57.00	58.00	1.90	11.60	0.72	0.66	3.01
15	1.00	58.00	59.00	1.70	10.50	2.24	0.96	3.23

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
16	1.00	59.00	60.00	2.10	9.30	2.71	0.45	3.30
17	1.00	60.00	61.00	2.50	17.90	2.25	0.22	3.23
18	1.00	61.00	62.00	2.80	18.70	2.53	0.37	3.27
19	1.00	62.00	63.00	1.60	13.60	5.67	0.49	3.73
20	1.00	63.00	64.00	0.70	10.90	4.31	0.08	3.53
21	1.00	64.00	65.00	0.40	5.40	3.49	0.10	3.41
22	1.00	65.00	66.00	0.30	3.10	1.78	0.22	3.16
23	1.00	66.00	67.00	0.40	4.00	0.97	0.22	3.04
24	1.00	67.00	68.00	0.30	3.40	1.05	0.14	3.06
25	1.00	68.00	69.00	0.50	3.40	1.47	0.20	3.11
26	1.00	69.00	70.00	0.50	3.90	1.50	0.21	3.12
27	1.00	70.00	71.00	0.30	3.90	2.71	0.49	3.30
28	1.00	71.00	72.00	0.30	2.70	1.14	0.13	3.07
29	1.00	72.00	73.00	0.30	3.40	2.20	0.21	3.22
30	1.00	73.00	74.00	0.30	3.20	1.97	0.22	3.19
31	1.00	74.00	75.00	0.20	5.70	2.56	0.11	3.27
32	1.00	75.00	76.00	0.10	1.70	3.17	0.15	3.36
33	1.00	76.00	77.00	0.00	0.90	1.93	0.03	3.18
34	1.00	77.00	78.00	0.00	0.00	0.57	0.04	2.98
35	1.00	78.00	79.00	0.00	0.40	0.63	0.15	2.99
36	1.00	79.00	80.00	0.00	1.60	1.13	0.12	3.06
37	0.85	80.00	80.85	0.00	0.90	0.48	0.05	2.97

=====
 AREA : A HOLE NAME : HS-17
 =====

EAST (X) : 453.398
 NORTH (Y) : 2618.649
 ELEVATION : 689.800
 INCLINATION: -90.000
 BEARING : 0.000
 HANGING WALL: 47.000

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	2.00	47.00	49.00	0.40	2.50	1.72	0.12	3.15
2	2.00	49.00	51.00	0.50	5.20	0.72	0.19	3.01
3	2.00	51.00	53.00	0.90	4.60	0.50	1.16	2.97
4	2.00	53.00	55.00	0.50	2.60	1.70	0.14	3.15
5	2.00	55.00	57.00	0.40	3.60	3.77	0.04	3.45
6	1.30	57.00	58.30	0.50	2.80	0.55	0.08	2.98
7	0.70	58.30	59.00	1.40	22.50	10.20	1.52	4.20
8	1.00	59.00	60.00	1.30	18.20	9.00	1.88	4.20
9	1.00	60.00	61.00	1.30	10.40	11.35	0.77	4.20
10	1.00	61.00	62.00	1.40	13.00	17.60	1.98	4.20
11	1.00	62.00	63.00	1.20	9.60	23.50	1.12	4.20
12	1.00	63.00	64.00	1.30	9.40	19.40	0.43	4.20
13	1.00	64.00	65.00	0.70	3.80	5.88	0.08	3.76

=====
 AREA : A HOLE NAME : HS-18
 =====

EAST (X) : 453.499
 NORTH (Y) : 2618.645
 ELEVATION : 702.900
 INCLINATION: -90.000
 BEARING : 0.000
 HANGING WALL: 89.350

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	0.25	89.35	89.60	1.10	1.40	0.27	0.12	2.94
2	1.00	89.60	90.60	2.30	29.20	5.79	0.45	3.75
3	1.00	90.60	91.60	3.00	28.80	4.38	0.57	3.54
4	1.00	91.60	92.60	1.80	5.40	0.67	0.23	3.00

=====
 AREA : A HOLE NAME : HS-21
 =====

EAST (X) : 453.416
 NORTH (Y) : 2618.698
 ELEVATION : 690.500
 INCLINATION: -42.000
 BEARING : 280.000
 HANGING WALL: 38.450

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	1.65	38.45	40.10	1.14	19.70	3.98	0.05	3.48
2	2.90	40.10	43.00	1.76	6.90	0.50	0.09	2.97
3	2.00	43.00	45.00	1.76	11.80	0.77	0.71	3.01
4	2.00	45.00	47.00	1.67	14.40	0.69	0.77	3.00
5	2.00	47.00	49.00	2.99	37.00	1.46	0.13	3.11
6	2.00	49.00	51.00	1.95	29.80	1.61	0.18	3.14
7	2.00	51.00	53.00	0.44	5.30	1.23	0.19	3.08
8	2.00	53.00	55.00	0.45	3.10	0.69	0.16	3.00
9	2.00	55.00	57.00	0.59	6.20	1.49	0.19	3.12
10	2.00	57.00	59.00	0.37	2.70	1.79	0.37	3.16
11	2.00	59.00	61.00	0.53	3.10	0.87	0.30	3.03
12	2.00	61.00	63.00	1.47	2.70	1.04	0.18	3.05
13	2.00	63.00	65.00	0.53	5.00	1.28	0.15	3.09
14	2.00	65.00	67.00	0.82	2.60	1.18	0.12	3.07
15	2.00	67.00	69.00	0.45	2.50	0.99	0.09	3.04
16	2.00	69.00	71.00	0.50	2.40	1.23	0.10	3.08
17	2.00	71.00	73.00	0.47	2.80	1.38	0.13	3.10
18	2.00	73.00	75.00	0.75	5.60	3.02	0.16	3.34
19	2.00	75.00	77.00	0.49	4.30	1.80	0.22	3.16
20	2.00	77.00	79.00	0.43	2.90	1.35	0.27	3.10
21	2.00	79.00	81.00	0.47	2.60	1.17	0.17	3.07
22	2.00	81.00	83.00	0.58	4.10	1.77	0.36	3.16
23	2.00	83.00	85.00	0.75	3.50	1.65	0.33	3.14
24	2.00	85.00	87.00	0.73	2.90	1.77	0.22	3.16
25	2.00	87.00	89.00	5.60	3.30	1.28	0.56	3.09
26	2.00	89.00	91.00	0.61	6.40	0.91	0.75	3.03
27	2.00	91.00	93.00	0.44	4.30	0.69	0.43	3.00
28	2.00	93.00	95.00	0.42	6.70	1.22	0.58	3.08
29	2.00	95.00	97.00	0.57	10.00	1.74	0.53	3.15
30	2.00	97.00	99.00	0.67	10.10	1.15	1.05	3.07
31	2.00	99.00	101.00	0.66	11.60	1.52	0.92	3.12
32	2.00	101.00	103.00	0.82	12.50	0.97	1.11	3.04
33	2.00	103.00	105.00	0.90	9.80	0.86	0.91	3.03
34	2.00	105.00	107.00	0.89	8.20	0.40	1.99	2.96
35	2.00	107.00	109.00	1.38	9.60	0.74	2.37	3.01
36	0.50	109.00	109.50	1.76	9.80	0.40	1.79	2.96
37	0.55	109.50	110.05	0.18	1.50	0.01	0.11	2.90
38	2.75	110.05	112.80	1.80	7.40	0.58	1.13	2.98

=====
 AREA : A HOLE NAME : HS-23
 =====

EAST (X) : 453.435
 NORTH (Y) : 2618.739
 ELEVATION : 691.000
 INCLINATION: -90.000
 BEARING : 0.000
 HANGING WALL: 75.500

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	1.00	75.50	76.50	1.46	1.50	0.60	0.03	2.99
2	1.00	76.50	77.50	1.46	2.50	0.30	0.03	2.94
3	1.00	77.50	78.50	0.95	4.00	0.61	0.03	2.99
4	1.00	78.50	79.50	0.88	3.70	0.27	0.05	2.94
5	1.00	79.50	80.50	1.82	6.50	0.58	0.09	2.98
6	1.00	80.50	81.50	1.67	6.40	0.27	0.16	2.94
7	1.00	81.50	82.50	1.59	10.60	0.32	0.15	2.95
8	1.00	82.50	83.50	1.05	8.20	0.40	0.21	2.98
9	1.00	83.50	84.50	1.18	5.90	0.50	0.19	2.99
10	1.00	84.50	85.50	1.01	4.80	0.41	0.21	2.96

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
11	1.00	85.50	86.50	1.13	6.70	0.40	0.20	2.96
12	1.00	86.50	87.50	0.86	5.50	0.38	0.18	2.96
13	1.00	87.50	88.50	1.62	7.00	0.70	0.18	3.00
14	1.00	88.50	89.50	1.51	6.20	0.39	0.11	2.96
15	1.00	89.50	90.50	1.03	5.50	0.45	0.11	2.97
16	1.00	90.50	91.50	1.06	4.80	0.74	0.15	3.01
17	1.00	91.50	92.50	0.56	4.10	0.55	0.10	2.98
18	1.00	92.50	93.50	1.37	7.90	0.56	0.10	2.98
19	1.00	93.50	94.50	1.00	7.60	0.75	0.18	3.01
20	1.00	94.50	95.50	1.14	5.40	0.65	0.21	2.99
21	1.00	95.50	96.50	0.92	6.60	0.72	0.33	3.01
22	1.00	96.50	97.50	1.06	7.60	1.34	0.26	3.10
23	1.00	97.50	98.50	1.22	13.30	3.37	0.25	3.39
24	1.00	98.50	99.50	0.52	8.00	2.17	0.25	3.22
25	0.80	99.50	100.30	0.22	2.60	0.99	0.08	3.04

=====
 AREA : A HOLE NAME : HS-24
 =====

EAST (X) : 453.501
 NORTH (Y) : 2618.690
 ELEVATION : 703.100
 INCLINATION: -90.000
 BEARING : 0.000
 HANGING WALL: 100.400

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	1.00	100.40	101.40	2.38	11.70	0.88	0.17	3.03
2	1.00	101.40	102.40	3.33	13.20	1.28	0.33	3.09
3	1.00	102.40	103.40	5.32	10.80	2.42	0.21	3.25
4	1.00	103.40	104.40	3.41	16.90	4.30	0.10	3.53
5	1.00	104.40	105.40	3.13	23.60	11.40	0.27	4.20
6	1.00	105.40	106.40	3.29	31.00	16.25	0.24	4.20
7	0.70	106.40	107.10	4.88	42.30	8.43	0.38	4.13
8	13.90	107.10	121.00	0.00	0.00	0.00	0.00	2.80
9	2.00	121.00	123.00	0.46	1.20	1.03	0.04	3.05
10	2.00	123.00	125.00	0.44	1.10	0.85	0.04	3.02
11	2.00	125.00	127.00	0.32	1.00	1.07	0.04	3.06
12	2.00	127.00	129.00	0.39	1.80	0.95	0.04	3.04
13	3.05	129.00	132.05	0.29	0.50	0.39	0.07	2.96

=====
 AREA : A HOLE NAME : HS-25
 =====

EAST (X) : 453.475
 NORTH (Y) : 2618.830
 ELEVATION : 692.600
 INCLINATION: -90.000
 BEARING : 0.000
 HANGING WALL: 129.800

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	1.70	129.80	131.50	0.10	0.40	0.71	0.05	3.00
2	2.00	131.50	133.50	0.04	0.00	0.35	0.04	2.95
3	2.00	133.50	135.50	0.01	0.00	0.00	0.03	2.80
4	2.00	135.50	137.50	0.20	0.10	0.40	0.04	2.96
5	2.00	137.50	139.50	0.29	0.40	0.24	0.03	2.94
6	2.00	139.50	141.50	0.06	0.00	0.17	0.02	2.92
7	2.00	141.50	143.50	0.00	0.00	0.07	0.02	2.91
8	2.00	143.50	145.50	0.00	0.00	0.02	0.02	2.90
9	2.00	145.50	147.50	0.05	0.00	0.05	0.03	2.91
10	2.00	147.50	149.50	0.20	1.00	2.37	0.05	3.25
11	2.00	149.50	151.50	0.06	0.40	0.62	0.08	2.99
12	3.00	151.50	154.50	0.02	0.10	0.40	0.01	2.96
13	2.00	154.50	156.50	0.10	0.20	0.13	0.02	2.92
14	2.00	156.50	158.50	0.07	0.10	0.35	0.08	2.95
15	2.00	158.50	160.50	0.09	0.20	0.20	0.04	2.93
16	3.10	160.50	163.60	0.08	0.10	0.16	0.04	2.92

=====
 AREA : A HOLE NAME : HS-26
 =====

EAST (X) : 453.531
 NORTH (Y) : 2618.690
 ELEVATION : 702.200
 INCLINATION: -90.000
 BEARING : 0.000
 HANGING WALL: 99.300

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	1.00	99.30	100.30	1.07	4.80	0.41	0.14	2.96
2	1.00	100.30	101.30	2.98	13.70	1.19	0.17	3.07
3	1.00	101.30	102.30	3.80	14.90	1.07	0.17	3.06
4	1.00	102.30	103.30	2.56	12.20	0.83	0.15	3.02
5	1.00	103.30	104.30	3.10	16.80	3.49	0.14	3.41
6	1.00	104.30	105.30	2.81	21.60	5.97	0.36	3.77
7	1.00	105.30	106.30	4.43	25.50	7.76	0.79	4.03
8	1.00	106.30	107.30	4.80	21.40	5.97	1.04	3.77
9	1.20	107.30	108.50	2.93	22.60	4.82	0.18	3.60
10	0.70	108.50	109.20	0.99	0.50	0.29	0.17	2.94

=====
 AREA : A HOLE NAME : HS-28
 =====

EAST (X) : 453.537
 NORTH (Y) : 2618.656
 ELEVATION : 702.200
 INCLINATION: -90.000
 BEARING : 0.000
 HANGING WALL: 102.150

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	0.50	102.15	102.65	1.53	1.40	0.59	0.18	2.99
2	1.05	102.65	103.70	0.55	4.80	0.99	0.39	3.04
3	1.30	103.70	105.00	1.06	7.60	1.07	0.18	3.06
4	1.00	105.00	106.00	0.42	5.30	6.31	0.07	3.82
5	1.00	106.00	107.00	0.42	7.90	10.11	0.40	4.20
6	0.90	107.00	107.90	0.59	11.60	15.11	0.50	4.20
7	1.00	107.90	108.90	0.55	6.90	7.27	0.59	3.96

=====
 AREA : A HOLE NAME : HS-34
 =====

EAST (X) : 453.302
 NORTH (Y) : 2618.740
 ELEVATION : 697.800
 INCLINATION: -90.000
 BEARING : 0.000
 HANGING WALL: 34.200

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	5.00	34.20	39.20	0.00	0.10	0.14	0.06	2.92
2	3.00	39.20	42.20	0.03	1.10	0.73	0.02	3.01
3	3.70	42.20	45.90	0.00	1.10	0.06	0.01	2.91
4	3.40	45.90	49.30	1.37	8.20	2.51	0.06	3.27
5	3.05	49.30	52.35	1.40	9.50	2.06	0.09	3.20
6	1.00	52.35	53.35	1.45	16.50	5.74	0.08	3.74
7	1.00	53.35	54.35	1.05	12.80	1.98	0.04	3.19
8	1.00	54.35	55.35	1.14	18.30	2.01	0.07	3.19
9	1.00	55.35	56.35	1.33	14.90	1.69	0.05	3.15
10	1.00	56.35	57.35	1.30	10.90	2.90	0.04	3.32
11	1.00	57.35	58.35	1.17	13.80	2.53	0.05	3.27
12	0.85	58.35	59.20	1.02	8.80	2.89	0.05	3.32
13	2.30	59.20	61.50	0.56	2.30	0.57	0.04	2.98
14	1.90	61.50	63.40	0.60	2.20	0.33	0.06	2.95
15	1.35	63.40	64.75	0.74	2.50	0.24	0.08	2.94
16	1.50	64.75	66.25	0.74	2.00	0.34	0.14	2.95
17	1.50	66.25	67.75	0.60	2.40	0.21	0.20	2.93
18	1.00	67.75	68.75	0.35	2.50	0.32	0.15	2.95
19	2.00	68.75	70.75	0.30	2.50	0.46	0.19	2.97
20	2.00	70.75	72.75	0.20	2.20	0.54	0.35	2.98
21	2.00	72.75	74.75	0.20	1.70	0.93	0.17	3.04
22	2.35	74.75	77.10	0.20	1.90	0.26	0.20	2.94

=====
 AREA : A HOLE NAME : HS-35
 =====

EAST (X) : 453.366
 NORTH (Y) : 2618.797
 ELEVATION : 698.800
 INCLINATION: -90.000
 BEARING : 0.000
 HANGING WALL: 29.100

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	1.50	29.10	30.60	0.34	5.50	0.82	0.02	3.02
2	1.00	30.60	31.60	0.46	5.30	1.35	0.03	3.10
3	1.00	31.60	32.60	0.44	5.40	1.90	0.03	3.18
4	1.40	32.60	34.00	0.36	6.00	2.79	0.02	3.31
5	1.00	34.00	35.00	0.34	1.80	0.24	0.00	2.94
6	7.35	35.00	42.35	0.00	0.20	2.37	0.11	3.25
7	1.10	42.35	43.45	0.90	5.40	4.85	0.03	3.61
8	1.20	43.45	44.65	0.57	6.40	3.29	0.04	3.38
9	1.00	44.65	45.65	0.33	6.90	0.44	0.06	2.96
10	1.15	45.65	46.80	0.32	6.00	0.39	0.20	2.96
11	1.50	46.80	48.30	0.50	6.10	0.72	0.14	3.01
12	1.70	48.30	50.00	0.43	4.80	0.35	0.18	2.95
13	1.00	50.00	51.00	0.66	6.20	0.41	0.07	2.96
14	1.00	51.00	52.00	0.34	4.40	0.43	0.18	2.96
15	1.00	52.00	53.00	0.35	5.10	0.48	0.41	2.97
16	1.00	53.00	54.00	0.39	4.50	0.73	0.66	3.01
17	2.00	54.00	56.00	0.34	5.10	1.67	0.40	3.14
18	1.00	56.00	57.00	0.48	3.50	3.61	0.14	3.43
19	1.00	57.00	58.00	0.37	7.00	4.41	0.16	3.54
20	1.30	58.00	59.30	0.50	6.30	2.88	0.23	3.32
21	2.00	59.30	61.30	0.39	4.20	2.27	0.06	3.23
22	1.80	61.30	63.10	0.15	2.60	2.55	0.10	3.27
23	1.60	63.10	64.70	0.25	3.10	3.64	0.09	3.43
24	1.00	64.70	65.70	0.25	3.30	3.94	0.03	3.48
25	1.00	65.70	66.70	0.29	5.20	7.55	0.03	4.00
26	1.00	66.70	67.70	0.18	4.90	3.91	0.03	3.47
27	1.00	67.70	68.70	0.16	3.40	1.88	0.03	3.17
28	1.00	68.70	69.70	0.18	3.70	3.69	0.02	3.44
29	1.00	69.70	70.70	0.27	2.70	1.98	0.05	3.19
30	1.00	70.70	71.70	0.15	2.65	4.45	0.02	3.55
31	1.25	71.70	72.95	0.35	4.30	5.56	0.02	3.71
32	1.25	72.95	74.20	0.23	5.00	3.55	0.03	3.42
33	1.15	74.20	75.35	0.29	4.70	3.80	0.03	3.45
34	0.80	75.35	76.15	0.15	1.60	1.67	0.04	3.14
35	1.30	76.15	77.45	0.17	3.90	1.85	0.04	3.17
36	1.50	77.45	78.95	0.29	3.30	2.05	0.06	3.20
37	1.50	78.95	80.45	0.30	4.20	0.78	0.27	3.01
38	1.80	80.45	82.25	0.28	4.00	0.65	0.34	2.99
39	1.10	82.25	83.35	0.75	5.40	0.76	0.38	3.01
40	1.20	83.35	84.55	0.24	5.20	1.03	0.10	3.05
41	1.70	84.55	86.25	0.32	3.30	2.84	0.04	3.31
42	1.40	86.25	87.65	0.18	2.80	0.98	0.16	3.04
43	1.85	87.65	89.50	0.08	2.00	1.86	0.05	3.17
44	1.05	89.50	90.55	0.05	1.40	1.10	0.08	3.06
45	1.00	90.55	91.55	0.08	2.50	1.94	0.19	3.18
46	1.55	91.55	93.10	0.06	1.50	1.14	0.04	3.07
47	1.35	93.10	94.45	0.07	1.50	1.12	0.05	3.06
48	1.00	94.45	95.45	0.02	1.00	0.43	0.02	2.96
49	1.30	95.45	96.75	0.05	1.10	0.60	0.03	2.99
50	1.50	96.75	98.25	0.03	1.30	1.38	0.04	3.10
51	1.75	98.25	100.00	0.05	0.80	0.16	0.03	2.92
52	2.00	100.00	102.00	0.03	0.70	0.21	0.05	2.93
53	1.95	102.00	103.95	0.05	1.00	0.38	0.06	2.96
54	1.25	103.95	105.20	0.03	1.00	0.25	0.07	2.94
55	1.80	105.20	107.00	0.03	0.60	0.26	0.10	2.94
56	2.00	107.00	109.00	0.04	0.70	0.50	0.02	2.97
57	2.00	109.00	111.00	0.04	0.70	0.28	0.03	2.94
58	2.00	111.00	113.00	0.03	0.80	0.59	0.03	2.99
59	2.00	113.00	115.00	0.05	1.30	0.65	0.09	2.99
60	2.00	115.00	117.00	0.09	1.50	0.77	0.14	3.01
61	2.00	117.00	119.00	0.09	1.30	0.50	0.13	2.97
62	2.00	119.00	121.00	0.10	1.40	0.79	0.21	3.02

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
63	2.00	121.00	123.00	0.34	2.00	0.69	0.25	3.00
64	2.00	123.00	125.00	0.13	1.20	0.45	0.16	2.97
65	2.00	125.00	127.00	0.07	0.90	0.36	0.07	2.95
66	2.00	127.00	129.00	0.05	0.70	0.27	0.10	2.94
67	2.00	129.00	131.00	0.06	1.00	0.47	0.15	2.97
68	2.00	131.00	133.00	0.02	0.60	0.27	0.11	2.94
69	2.00	133.00	135.00	0.45	2.70	0.52	0.31	2.98
70	2.00	135.00	137.00	0.15	1.30	0.42	0.14	2.96
71	2.00	137.00	139.00	0.09	1.10	0.52	0.09	2.98
72	2.00	139.00	141.00	0.07	0.90	0.35	0.09	2.95
73	2.00	141.00	143.00	0.12	1.50	0.30	0.36	2.94
74	2.00	143.00	145.00	0.16	1.00	0.39	0.16	2.96
75	1.75	145.00	146.75	0.11	1.40	0.53	0.17	2.98

AREA : A HOLE NAME : HS-36

EAST (X) : 453.419
 NORTH (Y) : 2618.828
 ELEVATION : 700.000
 INCLINATION: -90.000
 BEARING : 0.000
 HANGING WALL: 59.000

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	2.00	59.00	61.00	-9.00	0.20	0.65	0.02	2.99
2	2.00	61.00	63.00	-9.00	0.04	0.36	0.01	2.95
3	2.00	63.00	65.00	-9.00	0.10	0.39	0.01	2.96
4	2.00	65.00	67.00	-9.00	-9.00	0.24	0.01	2.94
5	2.00	67.00	69.00	0.01	-9.00	0.49	0.01	2.97
6	1.70	69.00	70.70	-9.00	0.10	0.14	0.01	2.92
7	2.30	70.70	73.00	-9.00	0.02	0.45	0.01	2.97
8	2.00	73.00	75.00	-9.00	0.05	0.25	0.01	2.94
9	2.00	75.00	77.00	0.03	0.06	0.41	0.03	2.96
10	2.00	77.00	79.00	0.04	0.20	0.32	0.11	2.95
11	2.00	79.00	81.00	-9.00	0.05	0.31	0.02	2.95
12	2.00	81.00	83.00	-9.00	0.05	0.25	0.01	2.94
13	2.00	83.00	85.00	-9.00	0.05	0.19	0.01	2.93
14	2.00	85.00	87.00	0.01	0.10	0.58	0.03	2.98
15	2.00	87.00	89.00	-9.00	0.10	0.32	0.03	2.95
16	2.00	89.00	91.00	-9.00	0.10	0.76	0.02	3.01
17	2.00	91.00	93.00	-9.00	0.09	0.32	0.02	2.95
18	2.00	93.00	95.00	-9.00	0.05	0.24	0.03	2.94
19	2.00	95.00	97.00	-9.00	0.06	0.47	0.01	2.97
20	2.00	97.00	99.00	0.00	0.05	0.38	0.02	2.96
21	2.00	99.00	101.00	0.00	0.08	0.64	0.02	2.99
22	2.00	101.00	103.00	0.01	0.40	0.85	0.03	3.02
23	2.00	103.00	105.00	0.02	0.30	0.70	0.04	3.00
24	2.00	105.00	107.00	0.05	0.30	0.64	0.06	2.99
25	2.00	107.00	109.00	0.01	0.10	0.63	0.01	2.99
26	2.00	109.00	111.00	0.01	0.10	0.45	0.02	2.97
27	2.00	111.00	113.00	0.00	0.10	0.39	0.03	2.96
28	2.00	113.00	115.00	0.01	0.40	0.57	0.02	2.98
29	2.00	115.00	117.00	0.01	0.40	0.50	0.02	2.97
30	2.00	117.00	119.00	0.02	0.30	0.45	0.05	2.97
31	2.00	119.00	121.00	0.05	0.20	0.43	0.05	2.96
32	2.00	121.00	123.00	0.02	0.20	0.48	0.05	2.97
33	2.00	123.00	125.00	0.01	0.07	0.35	0.01	2.95
34	2.00	125.00	127.00	0.06	0.20	0.39	0.04	2.96
35	2.00	127.00	129.00	0.02	0.10	0.17	0.03	2.92
36	2.00	129.00	131.00	0.02	0.10	0.29	0.02	2.94
37	2.00	131.00	133.00	0.02	0.10	0.18	0.02	2.93
38	2.00	133.00	135.00	0.03	0.30	0.25	0.03	2.94
39	2.00	135.00	137.00	0.50	0.20	0.24	0.05	2.94
40	2.00	137.00	139.00	0.10	0.60	0.27	0.12	2.94

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
41	2.00	139.00	141.00	0.08	0.20	0.36	0.06	2.95
42	2.00	141.00	143.00	0.03	0.20	0.32	0.05	2.95
43	2.00	143.00	145.00	0.03	0.10	0.30	0.05	2.94
44	2.00	145.00	147.00	0.10	0.10	0.44	0.07	2.96
45	2.00	147.00	149.00	0.04	0.09	0.32	0.03	2.95
46	2.00	149.00	151.00	0.00	0.05	0.26	0.02	2.94
47	2.00	151.00	153.00	0.01	0.20	0.33	0.02	2.95
48	2.00	153.00	155.00	0.01	0.20	0.24	0.08	2.94
49	2.00	155.00	157.00	0.01	0.10	0.20	0.20	2.93
50	2.00	157.00	159.00	0.05	0.20	0.34	0.05	2.95
51	2.00	159.00	161.00	0.07	0.30	0.38	0.04	2.96
52	2.00	161.00	163.00	0.03	0.05	0.24	0.04	2.94
53	2.00	163.00	165.00	0.01	-9.00	0.16	0.02	2.92
54	2.00	165.00	167.00	0.03	0.03	0.13	0.04	2.92
55	2.00	167.00	169.00	0.20	0.10	0.31	0.05	2.95
56	2.00	169.00	171.00	0.00	0.04	0.20	0.02	2.93
57	2.00	171.00	173.00	0.01	0.10	0.42	0.01	2.96
58	2.00	173.00	175.00	0.00	-9.00	0.20	0.03	2.93
59	2.00	175.00	177.00	0.01	0.02	0.33	0.02	2.95
60	1.40	177.00	178.40	0.10	0.60	0.52	0.09	2.98

AREA : A HOLE NAME : HS-37

EAST (X) : 453.443
 NORTH (Y) : 2618.872
 ELEVATION : 699.200
 INCLINATION: -90.000
 BEARING : 0.000
 HANGING WALL: 116.000

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	2.00	116.00	118.00	0.01	0.30	0.24	0.01	2.94
2	2.00	118.00	120.00	0.01	0.07	0.71	0.02	3.00
3	2.00	120.00	122.00	-9.00	0.20	0.23	0.03	2.93
4	2.00	122.00	124.00	0.02	0.08	0.44	0.02	2.96
5	2.00	124.00	126.00	0.01	0.10	0.60	0.03	2.99
6	2.00	126.00	128.00	0.01	0.10	0.60	0.03	2.99
7	2.00	128.00	130.00	0.03	0.20	0.42	0.04	2.96
8	2.00	130.00	132.00	0.01	0.30	0.44	0.01	2.96
9	2.00	132.00	134.00	0.01	0.09	0.52	0.03	2.98
10	2.00	134.00	136.00	0.01	0.10	0.48	0.03	2.97
11	2.00	136.00	138.00	0.01	0.20	0.53	0.05	2.98
12	2.00	138.00	140.00	0.01	0.08	0.98	0.02	3.04
13	2.00	140.00	142.00	-9.00	0.10	0.72	0.05	3.01
14	2.00	142.00	144.00	0.02	0.40	1.15	0.16	3.07
15	2.00	144.00	146.00	0.01	0.10	0.70	0.11	3.00
16	2.00	146.00	148.00	0.01	0.10	0.65	0.04	2.99
17	2.00	148.00	150.00	0.01	0.10	0.77	0.04	3.01
18	2.00	150.00	152.00	0.01	0.20	0.54	0.02	2.98
19	2.00	152.00	154.00	0.01	0.40	0.52	0.02	2.98
20	2.00	154.00	156.00	0.01	0.20	0.24	0.02	2.94
21	2.00	156.00	158.00	0.01	0.10	0.37	0.01	2.95
22	2.00	158.00	160.00	-9.00	0.10	0.28	0.01	2.94
23	2.00	160.00	162.00	0.02	0.30	0.55	0.01	2.98
24	2.00	162.00	164.00	-9.00	0.10	0.25	0.01	2.94
25	2.00	164.00	166.00	-9.00	0.10	0.21	0.01	2.93
26	2.00	166.00	168.00	0.01	0.20	0.48	0.02	2.97
27	2.00	168.00	170.00	0.01	0.30	0.32	0.02	2.95
28	2.00	170.00	172.00	0.02	0.50	0.28	0.04	2.94
29	2.00	172.00	174.00	0.02	0.50	0.47	0.04	2.97
30	2.00	174.00	176.00	0.02	0.50	0.47	0.04	2.97
31	2.00	176.00	178.00	0.01	0.70	0.44	0.04	2.96
32	2.00	178.00	180.00	0.01	0.02	0.58	0.03	2.98

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
33	2.00	180.00	182.00	0.03	0.60	0.80	0.04	3.02
34	2.00	182.00	184.00	0.03	0.70	0.21	0.02	2.93
35	2.00	184.00	186.00	-9.00	0.20	0.21	0.01	2.93
36	2.00	186.00	188.00	0.03	0.30	0.37	0.01	2.95
37	2.00	188.00	190.00	0.02	0.40	0.80	0.04	3.02
38	1.30	190.00	191.30	-9.00	0.60	0.05	0.01	2.91

=====
 AREA : A HOLE NAME : HS-39
 =====

EAST (X) : 453.183
 NORTH (Y) : 2618.979
 ELEVATION : 697.100
 INCLINATION: -63.000
 BEARING : 72.000
 HANGING WALL: 132.800

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	2.00	132.80	134.80	0.06	1.20	0.17	0.10	2.92
2	2.00	134.80	136.80	0.11	1.20	0.18	0.08	2.93
3	2.00	136.80	138.80	0.46	4.60	0.42	0.07	2.96
4	1.65	138.80	140.45	1.10	11.70	0.62	0.10	2.99
5	1.70	140.45	142.15	0.46	4.30	0.44	0.12	2.96
6	1.45	142.15	143.60	0.78	6.00	0.77	0.26	3.01
7	1.65	143.60	145.25	0.34	3.10	0.43	0.12	2.96
8	1.55	145.25	146.80	0.21	1.90	0.99	0.10	3.04
9	1.60	146.80	148.40	0.20	2.00	0.52	0.09	2.98
10	2.00	148.40	150.40	0.35	3.50	0.85	0.09	3.02
11	2.00	150.40	152.40	0.43	4.40	0.89	0.11	3.03
12	2.10	152.40	154.50	0.50	4.60	0.59	0.11	2.99
13	2.00	154.50	156.50	0.28	2.70	0.34	0.10	2.95
14	1.50	156.50	158.00	0.66	3.50	0.65	0.11	2.99

=====
 AREA : A HOLE NAME : HS-40
 =====

EAST (X) : 453.378
 NORTH (Y) : 2618.871
 ELEVATION : 701.200
 INCLINATION: -90.000
 BEARING : 0.000
 HANGING WALL: 102.400

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	2.00	102.40	104.40	0.03	0.50	0.18	0.15	2.93
2	2.00	104.40	106.40	0.01	0.10	0.36	0.10	2.95
3	2.00	106.40	108.40	0.02	0.60	0.35	0.05	2.95
4	2.00	108.40	110.40	0.02	0.10	0.26	0.01	2.94
5	2.00	110.40	112.40	0.01	0.05	0.31	0.04	2.95
6	2.00	112.40	114.40	0.02	0.40	0.73	0.03	3.01
7	2.00	114.40	116.40	0.02	0.30	0.46	0.05	2.97
8	2.00	116.40	118.40	0.02	0.60	0.53	0.10	2.98
9	2.00	118.40	120.40	0.01	0.30	0.62	0.02	2.99
10	2.00	120.40	122.40	0.02	0.20	0.73	0.02	3.01
11	2.00	122.40	124.40	0.02	0.60	1.12	0.04	3.06
12	2.00	124.40	126.40	0.02	0.60	1.41	0.07	3.11
13	2.00	126.40	128.40	-9.00	0.20	0.60	0.05	2.99
14	2.00	128.40	130.40	-9.00	0.20	0.43	0.10	2.96
15	2.00	130.40	132.40	0.02	0.20	0.56	0.07	2.98
16	2.00	132.40	134.40	0.03	0.50	0.52	0.06	2.98
17	2.00	134.40	136.40	0.04	0.40	0.94	0.15	3.04
18	2.00	136.40	138.40	0.08	0.80	1.82	0.23	3.17
19	2.00	138.40	140.40	0.08	0.80	2.60	0.26	3.28
20	1.70	140.40	142.10	0.04	0.40	0.63	0.23	2.99

=====
 AREA : B HOLE NAME : 29-01
 =====

EAST (X) : 457.258
 NORTH (Y) : 2618.767
 ELEVATION : 683.000
 INCLINATION: -90.000
 BEARING : 0.000
 LENGTH : 91.440
 HANGING WALL: 22.250

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	0.92	22.25	23.17	1.87	-9.00	0.99	0.03	3.04
2	0.30	23.17	23.47	0.00	0.00	0.00	0.00	2.80
3	2.74	23.47	26.21	1.56	-9.00	1.52	0.13	3.12
4	0.12	26.21	26.33	4.35	9.02	3.10	0.28	3.35
5	2.01	26.33	28.34	5.60	6.53	3.80	0.07	3.45
6	3.05	28.34	31.39	4.98	6.84	4.30	0.06	3.53
7	0.91	31.39	32.30	3.73	6.53	7.45	0.04	3.99
8	1.23	32.30	33.53	3.73	5.29	3.76	0.03	3.45
9	3.66	33.53	37.19	2.49	4.98	4.17	0.04	3.51
10	0.96	37.19	38.15	0.00	0.00	0.00	0.00	2.80
11	2.20	38.15	40.35	1.87	3.42	3.64	0.03	3.43
12	2.00	40.35	42.35	1.87	3.11	4.48	0.05	3.55
13	0.62	42.35	42.97	1.87	3.73	4.79	0.07	3.60
14	0.76	42.97	43.73	3.73	3.73	2.26	0.10	3.23
15	1.64	43.73	45.37	2.49	4.67	3.79	0.17	3.45
16	1.26	45.37	46.63	-9.00	-9.00	1.23	0.12	3.08
17	1.83	46.63	48.46	-9.00	-9.00	1.05	0.10	3.05
18	4.88	48.46	53.34	-9.00	-9.00	1.82	0.09	3.17
19	2.43	53.34	55.77	-9.00	-9.00	0.44	0.14	2.96

=====
 AREA : B HOLE NAME : 29-02
 =====

EAST (X) : 457.214
 NORTH (Y) : 2618.736
 ELEVATION : 685.900
 INCLINATION: -90.000
 BEARING : 0.000
 LENGTH : 64.920
 HANGING WALL: 38.100

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	1.07	38.10	39.17	6.22	12.44	1.19	0.12	3.07

=====
 AREA : B HOLE NAME : 29-03
 =====

EAST (X) : 457.295
 NORTH (Y) : 2618.793
 ELEVATION : 685.000
 INCLINATION: -90.000
 BEARING : 0.000
 LENGTH : 98.760
 HANGING WALL: 51.630

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	3.11	51.63	54.74	1.87	-9.00	0.67	0.49	3.00
2	3.00	54.74	57.74	0.62	-9.00	1.14	0.42	3.07
3	3.00	57.74	60.74	0.00	3.73	1.73	0.20	3.15
4	1.96	60.74	62.70	1.24	3.11	1.45	0.19	3.11
5	2.53	62.70	65.23	1.56	-9.00	0.74	0.20	3.01
6	3.00	65.23	68.23	0.62	-9.00	0.43	0.35	2.96
7	2.68	68.23	70.91	0.00	-9.00	0.66	0.31	3.00

=====
 AREA : B HOLE NAME : 29-04
 =====

EAST (X) : 457.236
 NORTH (Y) : 2618.796
 ELEVATION : 690.800
 INCLINATION: -90.000
 BEARING : 0.000
 LENGTH : 126.800
 HANGING WALL: 68.820

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	0.54	68.82	69.36	4.98	13.37	2.65	0.11	3.29
2	16.14	69.36	85.50	0.00	0.00	0.00	0.00	2.80
3	1.98	85.50	87.48	-9.00	-9.00	0.26	0.14	2.94
4	3.00	87.48	90.48	-9.00	-9.00	0.24	0.13	2.94
5	2.85	90.48	93.33	-9.00	27.99	0.16	1.96	2.92

=====
 AREA : B HOLE NAME : 29-05
 =====

EAST (X) : 457.275
 NORTH (Y) : 2618.826
 ELEVATION : 683.800
 INCLINATION: -90.000
 BEARING : 0.000
 LENGTH : 128.930
 HANGING WALL: 66.250

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	2.17	66.25	68.42	0.62	-9.00	0.04	0.31	2.91
2	3.50	68.42	71.92	0.31	-9.00	0.02	0.22	2.90
3	3.11	71.92	75.03	0.31	-9.00	0.34	0.24	2.95
4	1.03	75.03	76.06	0.62	0.93	0.06	0.14	2.91
5	0.11	76.06	76.17	1.24	-9.00	0.32	0.05	2.95
6	0.17	76.17	76.34	0.62	-9.00	0.13	0.35	2.92
7	0.77	76.34	77.11	0.62	-9.00	0.52	1.22	2.98
8	0.58	77.11	77.69	0.93	-9.00	0.27	0.66	2.94
9	0.96	77.69	78.65	0.31	-9.00	0.15	0.27	2.92
10	1.21	78.65	79.86	1.87	-9.00	0.62	0.10	2.99
11	3.00	79.86	82.86	0.62	0.31	0.04	0.08	2.91
12	2.20	82.86	85.06	0.31	8.40	0.17	2.34	2.92
13	2.20	85.06	87.26	0.31	6.53	0.14	1.63	2.92
14	1.19	87.26	88.45	0.62	-9.00	0.13	0.30	2.92

=====
 AREA : B HOLE NAME : 29-07
 =====

EAST (X) : 457.335
 NORTH (Y) : 2618.804
 ELEVATION : 678.800
 INCLINATION: -90.000
 BEARING : 0.000
 LENGTH : 107.590
 HANGING WALL: 57.580

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	3.00	57.58	60.58	0.62	-9.00	0.09	0.26	2.91
2	3.00	60.58	63.58	3.11	-9.00	0.11	0.32	2.92
3	1.69	63.58	65.27	0.62	-9.00	0.18	0.24	2.93
4	3.00	65.27	68.27	0.62	-9.00	0.94	0.70	3.04
5	2.87	68.27	71.14	0.62	-9.00	0.66	0.41	3.00
6	3.00	71.14	74.14	0.31	-9.00	0.85	0.12	3.02
7	2.97	74.14	77.11	2.18	-9.00	0.31	0.18	2.95

=====
 AREA : B HOLE NAME : 29-08
 =====

EAST (X) : 457.287
 NORTH (Y) : 2618.727
 ELEVATION : 679.000
 INCLINATION: -90.000
 BEARING : 0.000
 LENGTH : 92.050
 HANGING WALL: 27.430

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	0.91	27.43	28.34	2.49	2.18	2.11	0.02	3.21
2	3.05	28.34	31.39	0.93	-9.00	0.30	0.02	2.94
3	3.05	31.39	34.44	0.62	-9.00	0.27	0.03	2.94
4	5.18	34.44	39.62	1.87	-9.00	0.39	0.04	2.96
5	3.05	39.62	42.67	0.31	-9.00	0.22	0.05	2.93
6	3.41	42.67	46.08	0.00	-9.00	0.54	0.06	2.98
7	0.28	46.08	46.36	0.62	2.80	1.65	0.10	3.14
8	2.11	46.36	48.47	0.62	-9.00	0.71	0.16	3.00
9	3.00	48.47	51.47	0.62	-9.00	0.26	0.16	2.94
10	3.00	51.47	54.47	0.00	-9.00	0.21	0.09	2.93
11	3.00	54.47	57.47	0.00	-9.00	0.01	0.02	2.90
12	2.27	57.47	59.74	0.00	-9.00	0.10	0.03	2.91
13	1.10	59.74	60.84	16.17	35.46	39.50	0.82	4.20
14	2.71	60.84	63.55	0.00	14.31	14.65	4.40	4.20

=====
 AREA : B HOLE NAME : 29-09
 =====

EAST (X) : 457.325
 NORTH (Y) : 2618.756
 ELEVATION : 686.700
 INCLINATION: -90.000
 BEARING : 0.000
 LENGTH : 123.140
 HANGING WALL: 61.870

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	2.59	61.87	64.56	0.00	-9.00	0.07	0.19	2.91
2	3.00	64.56	67.56	0.00	-9.00	0.07	0.17	2.91
3	3.00	67.56	70.56	0.00	-9.00	0.05	0.07	2.91
4	1.98	70.56	72.54	0.62	-9.00	0.32	0.08	2.95
5	3.29	72.54	75.83	0.31	-9.00	0.27	0.17	2.94
6	2.93	75.83	78.76	0.31	-9.00	0.83	0.17	3.02
7	3.00	78.76	81.76	0.00	-9.00	0.61	0.05	2.99
8	3.00	81.76	84.76	0.00	-9.00	0.77	0.07	3.01
9	3.00	84.76	87.76	0.00	-9.00	0.16	0.05	2.92
10	1.42	87.76	89.18	0.00	-9.00	0.10	0.05	2.91
11	2.00	89.18	91.18	0.00	-9.00	0.11	0.11	2.92
12	2.52	91.18	93.70	0.31	-9.00	0.32	0.19	2.95
13	1.82	93.70	95.52	0.00	-9.00	0.32	0.19	2.95

=====
 AREA : B HOLE NAME : 29-10
 =====

EAST (X) : 457.309
 NORTH (Y) : 2618.741
 ELEVATION : 680.100
 INCLINATION: -90.000
 BEARING : 0.000
 LENGTH : 106.980
 HANGING WALL: 39.410

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	2.35	39.41	41.76	0.31	-9.00	1.68	0.11	3.15
2	1.09	41.76	42.85	1.87	-9.00	5.02	0.22	3.63
3	3.00	42.85	45.85	0.93	-9.00	0.94	0.12	3.04
4	3.47	45.85	49.32	0.31	-9.00	1.26	0.18	3.08
5	2.00	49.32	51.32	0.00	-9.00	1.00	0.15	3.05

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
6	2.20	61.32	63.52	0.31	-9.00	1.57	0.14	3.13
7	3.00	63.52	66.52	0.31	-9.00	1.29	0.11	3.09
8	3.00	66.52	69.52	0.31	-9.00	0.87	0.14	3.03
9	2.67	69.52	72.19	0.00	-9.00	0.28	0.13	2.94
10	3.00	72.19	75.19	0.00	-9.00	0.47	0.10	2.97
11	1.87	75.19	77.06	0.00	-9.00	0.35	0.08	2.95
12	3.00	77.06	80.06	0.00	-9.00	0.07	0.05	2.91
13	2.00	80.06	82.06	0.00	-9.00	0.08	0.05	2.91
14	2.19	82.06	84.25	0.00	-9.00	0.58	0.09	2.98
15	3.00	84.25	87.25	0.00	-9.00	0.02	0.14	2.90
16	2.00	87.25	89.25	0.00	-9.00	0.01	0.03	2.90
17	1.82	89.25	91.07	0.00	-9.00	0.04	0.03	2.91
18	3.05	91.07	94.12	2.49	-9.00	1.25	0.09	3.08

=====
 AREA : B HOLE NAME : 29-11
 =====

EAST (X) : 457.286
 NORTH (Y) : 2618.727
 ELEVATION : 679.000
 INCLINATION: -70.000
 BEARING : 235.000
 LENGTH : 101.190
 HANGING WALL: 30.480

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	1.98	30.48	32.46	0.62	-9.00	0.49	0.04	2.97
2	2.90	32.46	35.36	0.62	-9.00	1.09	0.07	3.06
3	2.53	35.36	37.89	0.62	-9.00	1.14	0.13	3.07
4	2.34	37.89	40.23	0.31	-9.00	0.02	0.13	2.90

=====
 AREA : B HOLE NAME : 29-12
 =====

EAST (X) : 457.268
 NORTH (Y) : 2618.749
 ELEVATION : 681.000
 INCLINATION: -90.000
 BEARING : 0.000
 LENGTH : 91.440
 HANGING WALL: 32.000

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	2.74	32.00	34.74	2.49	-9.00	1.55	0.04	3.13
2	2.44	34.74	37.18	2.49	-9.00	1.91	0.02	3.18
3	3.05	37.18	40.23	2.49	-9.00	2.22	0.04	3.22
4	2.96	40.23	43.19	5.29	-9.00	3.00	0.02	3.34
5	1.46	43.19	44.65	0.93	-9.00	3.73	0.02	3.44
6	2.23	44.65	46.88	0.93	-9.00	3.03	0.06	3.34
7	2.07	46.88	48.95	1.24	-9.00	3.12	0.13	3.36
8	2.74	48.95	51.69	0.31	-9.00	0.91	0.14	3.03
9	1.40	51.69	53.09	0.93	-9.00	2.01	0.19	3.19
10	2.69	53.09	55.78	0.31	-9.00	0.16	0.15	2.92
11	3.05	55.78	58.83	0.93	-9.00	0.05	0.09	2.91
12	1.95	58.83	60.78	0.31	-9.00	0.33	0.19	2.95
13	0.54	60.78	61.32	2.49	-9.00	0.39	4.05	2.96
14	1.28	61.32	62.60	0.31	-9.00	0.32	0.18	2.95
15	1.53	62.60	64.13	0.00	-9.00	0.01	0.12	2.90

=====
 AREA : B HOLE NAME : 29-13
 =====

EAST (X) : 457.302
 NORTH (Y) : 2618.707
 ELEVATION : 677.900
 INCLINATION: -90.000
 BEARING : 0.000
 LENGTH : 89.000
 HANGING WALL: 13.410

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	2.74	13.41	16.15	0.93	-9.00	0.49	0.02	2.97
2	10.37	16.15	26.52	0.62	-9.00	0.35	0.01	2.95
3	2.43	26.52	28.95	0.62	-9.00	1.80	0.05	3.16
4	2.75	28.95	31.70	0.62	-9.00	0.89	0.07	3.03
5	2.59	31.70	34.29	0.62	-9.00	0.43	0.28	2.96
6	2.89	34.29	37.18	0.93	-9.00	0.62	1.02	2.99
7	3.17	37.18	40.35	0.62	-9.00	0.48	0.10	2.97
8	2.26	40.35	42.61	0.62	-9.00	0.71	0.17	3.00
9	3.47	42.61	46.08	0.00	-9.00	2.41	0.12	3.25
10	3.45	46.08	49.53	0.00	-9.00	0.33	0.10	2.95

=====
 AREA : B HOLE NAME : 29-14
 =====

EAST (X) : 457.344
 NORTH (Y) : 2618.773
 ELEVATION : 679.900
 INCLINATION: -90.000
 BEARING : 0.000
 LENGTH : 126.790
 HANGING WALL: 64.460

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	1.80	64.46	66.26	0.00	-9.00	0.21	0.12	2.93
2	2.62	66.26	68.88	0.00	-9.00	0.21	0.06	2.93
3	2.35	68.88	71.23	0.00	-9.00	0.21	0.30	2.93
4	3.08	71.23	74.31	0.31	-9.00	0.19	0.16	2.93
5	2.19	74.31	76.50	0.62	-9.00	0.27	0.25	2.94
6	2.29	76.50	78.79	0.31	-9.00	0.31	0.34	2.95
7	2.74	78.79	81.53	0.00	-9.00	0.83	0.11	3.02
8	4.11	81.53	85.64	0.00	-9.00	1.24	0.13	3.08
9	3.51	85.64	89.15	0.00	-9.00	1.57	0.09	3.13
10	3.81	89.15	92.96	0.00	-9.00	0.07	0.08	2.91
11	1.04	92.96	94.00	4.35	-9.00	0.84	0.08	3.02

=====
 AREA : B HOLE NAME : 29-15
 =====

EAST (X) : 457.366
 NORTH (Y) : 2618.790
 ELEVATION : 679.600
 INCLINATION: -90.000
 BEARING : 0.000
 LENGTH : 131.980
 HANGING WALL: 92.510

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	2.59	92.51	95.10	0.00	-9.00	0.68	0.17	3.00
2	4.26	95.10	99.36	0.62	-9.00	0.76	0.16	3.01
3	0.77	99.36	100.13	0.62	-9.00	1.49	0.17	3.12
4	3.35	100.13	103.48	0.00	-9.00	0.75	0.06	3.01
5	2.44	103.48	105.92	0.00	-9.00	0.17	0.05	2.92
6	2.89	105.92	108.81	0.00	-9.00	0.26	0.04	2.94
7	3.66	108.81	112.47	0.00	-9.00	0.08	0.08	2.91
8	2.74	112.47	115.21	0.00	-9.00	0.08	0.11	2.91
9	2.75	115.21	117.96	0.00	-9.00	0.08	0.21	2.91
10	1.83	117.96	119.79	0.00	-9.00	0.02	0.02	2.90

=====
 AREA : B HOLE NAME : 29-16
 =====

EAST (X) : 457.380
 NORTH (Y) : 2618.808
 ELEVATION : 681.400
 INCLINATION: -90.000
 BEARING : 0.000
 LENGTH : 152.400
 HANGING WALL: 100.280

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	3.87	100.28	104.15	0.62	-9.00	0.04	0.05	2.91
2	3.23	104.15	107.38	0.62	-9.00	1.55	0.27	3.13
3	4.42	107.38	111.80	1.24	-9.00	4.91	0.52	3.62
4	3.93	111.80	115.73	0.31	-9.00	1.12	0.26	3.06
5	2.99	115.73	118.72	0.00	-9.00	1.14	0.16	3.07
6	2.56	118.72	121.28	0.62	-9.00	1.09	0.07	3.06
7	4.30	121.28	125.58	0.00	-9.00	0.35	0.05	2.95
8	3.20	125.58	128.78	0.00	-9.00	0.13	0.08	2.92
9	2.89	128.78	131.67	0.00	-9.00	0.15	0.05	2.92
10	2.90	131.67	134.57	0.00	-9.00	0.09	0.04	2.91
11	3.81	134.57	138.38	0.00	-9.00	0.28	0.12	2.94
12	1.83	138.38	140.21	0.00	-9.00	0.05	0.14	2.91
13	3.11	140.21	143.32	0.00	-9.00	0.00	0.02	2.80
14	2.07	143.32	145.39	0.00	-9.00	0.01	0.01	2.90

=====
 AREA : B HOLE NAME : 29-17
 =====

EAST (X) : 457.399
 NORTH (Y) : 2618.822
 ELEVATION : 679.800
 INCLINATION: -90.000
 BEARING : 0.000
 LENGTH : 156.360
 HANGING WALL: 113.990

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	2.75	113.99	116.74	3.11	-9.00	1.40	0.37	3.10
2	2.13	116.74	118.87	1.24	-9.00	0.06	0.13	2.91
3	2.14	118.87	121.01	0.62	-9.00	0.40	0.12	2.96
4	2.43	121.01	123.44	0.62	-9.00	0.51	0.12	2.97
5	2.44	123.44	125.88	3.73	-9.00	1.38	0.32	3.10
6	1.83	125.88	127.71	0.00	-9.00	0.49	0.15	2.97
7	1.83	127.71	129.54	1.87	-9.00	1.00	0.15	3.05
8	2.13	129.54	131.67	1.24	-9.00	0.61	0.10	2.99
9	2.14	131.67	133.81	0.62	-9.00	0.57	0.17	2.98
10	2.13	133.81	135.94	0.00	-9.00	0.25	0.10	2.94
11	2.13	135.94	138.07	0.00	-9.00	0.90	0.17	3.03
12	2.14	138.07	140.21	0.62	-9.00	0.92	0.12	3.03
13	2.13	140.21	142.34	0.00	-9.00	0.21	0.05	2.93
14	2.44	142.34	144.78	0.00	-9.00	0.14	0.08	2.92
15	0.61	144.78	145.39	0.00	-9.00	0.40	0.07	2.96
16	1.22	145.39	146.61	0.00	-9.00	0.24	0.08	2.94
17	1.52	146.61	148.13	0.00	-9.00	0.24	0.10	2.94

=====
 AREA : B HOLE NAME : 29-18
 =====

EAST (X) : 457.417
 NORTH (Y) : 2618.836
 ELEVATION : 678.300
 INCLINATION: -90.000
 BEARING : 0.000
 LENGTH : 238.960
 HANGING WALL: 135.640

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	1.82	135.64	137.46	1.24	-9.00	0.21	0.11	2.93
2	1.83	137.46	139.29	1.87	-9.00	0.30	0.05	2.94
3	0.92	139.29	140.21	4.35	-9.00	1.56	0.14	3.13
4	1.83	140.21	142.04	0.62	-9.00	0.44	0.04	2.96
5	1.83	142.04	143.87	0.62	-9.00	0.46	0.05	2.97
6	1.82	143.87	145.69	0.62	-9.00	0.56	0.04	2.98
7	2.14	145.69	147.83	1.24	-9.00	0.39	0.11	2.96
8	2.13	147.83	149.96	0.00	-9.00	0.35	0.06	2.95
9	2.14	149.96	152.10	0.00	-9.00	0.28	0.05	2.94
10	2.43	152.10	154.53	0.00	-9.00	0.17	0.08	2.92
11	2.44	154.53	156.97	0.00	-9.00	0.12	0.04	2.92
12	2.44	156.97	159.41	0.00	-9.00	0.11	0.03	2.92
13	1.22	159.41	160.63	0.00	-9.00	0.18	0.05	2.93
14	1.22	160.63	161.85	0.00	-9.00	0.07	0.04	2.91
15	2.13	161.85	163.98	0.00	-9.00	0.25	0.08	2.94
16	14.63	163.98	178.61	0.00	-9.00	0.01	0.01	2.90
17	1.53	178.61	180.14	0.00	-9.00	0.23	0.31	2.93
18	1.52	180.14	181.66	0.00	-9.00	1.19	0.03	3.07
19	1.52	181.66	183.18	0.00	-9.00	0.74	0.02	3.01
20	2.14	183.18	185.32	0.00	-9.00	0.33	0.02	2.95
21	2.13	185.32	187.45	0.00	-9.00	0.29	0.02	2.94
22	2.44	187.45	189.89	0.00	-9.00	0.84	0.03	3.02
23	2.13	189.89	192.02	0.00	-9.00	1.81	0.06	3.16
24	1.53	192.02	193.55	0.00	-9.00	0.07	0.01	2.91
25	1.22	193.55	194.77	0.00	-9.00	1.05	0.09	3.05
26	1.52	194.77	196.29	0.00	-9.00	0.04	0.01	2.91
27	1.22	196.29	197.51	0.00	-9.00	0.28	0.03	2.94
28	1.83	197.51	199.34	0.00	-9.00	0.50	0.03	2.97
29	1.83	199.34	201.17	0.00	-9.00	0.35	0.03	2.95
30	2.44	201.17	203.61	0.00	-9.00	0.24	0.02	2.94
31	2.43	203.61	206.04	0.00	-9.00	0.10	0.03	2.91
32	2.44	206.04	208.48	0.00	-9.00	0.24	0.04	2.94
33	2.44	208.48	210.92	0.00	-9.00	0.16	0.04	2.92
34	2.44	210.92	213.36	0.00	-9.00	0.10	0.05	2.91
35	2.74	213.36	216.10	0.00	-9.00	0.32	0.07	2.95
36	2.44	216.10	218.54	0.00	-9.00	0.45	0.04	2.97
37	2.44	218.54	220.98	0.00	-9.00	0.21	0.06	2.93
38	2.13	220.98	223.11	0.00	-9.00	0.39	0.05	2.96
39	2.44	223.11	225.55	0.00	-9.00	0.49	0.08	2.97
40	2.14	225.55	227.69	0.00	-9.00	0.16	0.09	2.92

=====
 AREA : B HOLE NAME : 29-19
 =====

EAST (X) : 457.457
 NORTH (Y) : 2618.871
 ELEVATION : 685.800
 INCLINATION: -90.000
 BEARING : 0.000
 LENGTH : 226.470
 HANGING WALL: 168.860

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	1.22	168.86	170.08	0.00	-9.00	0.01	0.02	2.90
2	1.52	170.08	171.60	0.62	-9.00	0.24	0.18	2.94
3	1.83	171.60	173.43	0.31	-9.00	0.37	0.30	2.95
4	0.92	173.43	174.35	0.31	-9.00	0.69	0.08	3.00
5	2.43	174.35	176.78	0.00	-9.00	0.83	0.05	3.02
6	0.92	176.78	177.70	0.00	-9.00	0.64	0.05	2.99
7	1.67	177.70	179.37	0.62	-9.00	1.95	0.06	3.18
8	1.68	179.37	181.05	0.00	-9.00	0.28	0.03	2.94
9	1.81	181.05	182.86	0.62	-9.00	0.74	0.06	3.01
10	1.85	182.86	184.71	0.00	-9.00	0.18	0.06	2.93
11	1.83	184.71	186.54	0.00	-9.00	0.27	0.04	2.94
12	1.83	186.54	188.37	0.00	-9.00	0.14	0.07	2.92
13	1.83	188.37	190.20	0.00	-9.00	0.11	0.04	2.92
14	1.82	190.20	192.02	0.00	-9.00	0.06	0.03	2.91
15	3.05	192.02	195.07	0.00	-9.00	0.11	0.06	2.92

=====
 AREA : B HOLE NAME : 29-20
 =====

EAST (X) : 457.316
 NORTH (Y) : 2618.686
 ELEVATION : 676.300
 INCLINATION: -90.000
 BEARING : 0.000
 LENGTH : 101.190
 HANGING WALL: 3.050

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	1.83	3.05	4.88	0.31	-9.00	0.12	0.01	2.92
2	1.52	4.88	6.40	0.31	-9.00	0.10	0.01	2.91
3	3.66	6.40	10.06	0.00	-9.00	0.13	0.01	2.92
4	2.74	10.06	12.80	0.00	-9.00	0.13	0.01	2.92
5	3.05	12.80	15.85	0.00	-9.00	0.14	0.01	2.92
6	2.44	15.85	18.29	0.00	0.00	0.00	0.00	2.80
7	3.66	18.29	21.95	0.00	-9.00	0.45	0.10	2.97
8	1.82	21.95	23.77	0.00	-9.00	2.19	0.79	3.22
9	1.83	23.77	25.60	0.93	-9.00	1.87	0.70	3.17
10	1.83	25.60	27.43	0.62	-9.00	0.89	0.18	3.03
11	1.83	27.43	29.26	0.93	-9.00	0.73	1.05	3.01
12	2.13	29.26	31.39	0.31	-9.00	1.17	1.38	3.07
13	2.14	31.39	33.53	1.24	-9.00	0.58	0.69	2.98
14	2.44	33.53	35.97	1.56	-9.00	0.28	0.24	2.94
15	2.43	35.97	38.40	1.24	-9.00	0.52	0.09	2.98
16	2.44	38.40	40.84	1.24	-9.00	0.99	0.11	3.04
17	2.44	40.84	43.28	0.93	-9.00	0.81	0.10	3.02
18	2.74	43.28	46.02	0.00	-9.00	0.38	0.09	2.95
19	1.83	46.02	47.85	0.00	-9.00	0.01	0.05	2.90
20	30.48	47.85	78.33	0.00	0.00	0.00	0.00	2.80
21	1.83	78.33	80.16	0.00	-9.00	0.22	0.41	2.93
22	1.83	80.16	81.99	0.31	-9.00	0.39	0.33	2.95
23	1.83	81.99	83.82	0.00	-9.00	0.57	0.28	2.98
24	2.13	83.82	85.95	1.56	-9.00	0.23	0.30	2.93

AREA : B HOLE NAME : 29-21

EAST (X) : 457.373
 NORTH (Y) : 2618.729
 ELEVATION : 682.500
 INCLINATION: -90.000
 BEARING : 0.000
 LENGTH : 113.390
 HANGING WALL: 46.940

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	1.22	46.94	48.16	0.00	-9.00	0.01	0.03	2.90
2	2.44	48.16	50.60	0.00	-9.00	0.01	0.08	2.90
3	1.83	50.60	52.43	0.00	-9.00	0.02	0.28	2.90
4	1.82	52.43	54.25	0.00	-9.00	0.02	0.34	2.90
5	1.83	54.25	56.08	0.31	-9.00	0.05	0.13	2.91
6	1.83	56.08	57.91	0.31	-9.00	0.05	0.10	2.91
7	1.83	57.91	59.74	0.62	-9.00	0.67	0.13	3.00
8	1.83	59.74	61.57	1.24	-9.00	1.32	0.12	3.09
9	1.83	61.57	63.40	1.24	-9.00	0.99	0.11	3.04
10	1.83	63.40	65.23	0.31	-9.00	1.34	0.22	3.10
11	1.83	65.23	67.06	-9.00	-9.00	1.80	0.13	3.16
12	1.82	67.06	68.88	-9.00	-9.00	1.42	0.20	3.11
13	1.83	68.88	70.71	-9.00	-9.00	1.42	0.27	3.11
14	1.83	70.71	72.54	-9.00	-9.00	0.83	0.37	3.02
15	1.83	72.54	74.37	-9.00	-9.00	1.60	0.41	3.13
16	1.83	74.37	76.20	-9.00	-9.00	1.33	0.33	3.09
17	1.83	76.20	78.03	-9.00	-9.00	0.66	0.44	3.00
18	1.83	78.03	79.86	-9.00	-9.00	1.14	0.46	3.07
19	1.83	79.86	81.69	-9.00	-9.00	1.39	1.37	3.10
20	1.83	81.69	83.52	-9.00	-9.00	0.71	0.95	3.00
21	1.21	83.52	84.73	-9.00	-9.00	1.43	0.41	3.11
22	1.83	84.73	86.56	-9.00	-9.00	0.72	0.75	3.01
23	1.53	86.56	88.09	-9.00	-9.00	1.03	0.48	3.05
24	1.52	88.09	89.61	-9.00	-9.00	2.22	0.22	3.22
25	2.74	89.61	92.35	-9.00	-9.00	1.83	0.20	3.17
26	1.83	92.35	94.18	-9.00	-9.00	0.10	0.07	2.91
27	1.83	94.18	96.01	-9.00	-9.00	0.39	0.07	2.96
28	1.53	96.01	97.54	-9.00	-9.00	0.65	0.11	2.99
29	3.04	97.54	100.58	-9.00	-9.00	0.96	0.12	3.04

AREA : B HOLE NAME : 29-22

EAST (X) : 457.413
 NORTH (Y) : 2618.760
 ELEVATION : 677.400
 INCLINATION: -90.000
 BEARING : 0.000
 LENGTH : 144.170
 HANGING WALL: 100.890

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	1.52	100.89	102.41	-9.00	-9.00	0.01	0.02	2.90
2	0.92	102.41	103.33	-9.00	-9.00	0.03	0.32	2.90
3	1.83	103.33	105.16	-9.00	-9.00	0.12	0.13	2.92
4	1.82	105.16	108.98	-9.00	-9.00	0.38	0.17	2.96
5	1.22	106.98	108.20	-9.00	-9.00	2.40	0.52	3.25
6	1.53	108.20	109.73	-9.00	-9.00	2.31	0.70	3.24
7	1.52	109.73	111.25	-9.00	-9.00	2.20	0.83	3.22
8	1.83	111.25	113.08	-9.00	-9.00	1.23	0.23	3.08
9	2.74	113.08	115.82	-9.00	-9.00	0.18	0.06	2.93
10	1.53	115.82	117.35	-9.00	-9.00	0.27	0.07	2.94
11	1.83	117.35	119.18	-9.00	-9.00	0.01	0.02	2.90
12	1.83	119.18	121.01	-9.00	-9.00	0.02	0.02	2.90
13	1.52	121.01	122.53	-9.00	-9.00	0.01	0.02	2.90
14	1.52	122.53	124.05	-9.00	-9.00	0.01	0.01	2.90
15	2.44	124.05	126.49	-9.00	-9.00	0.01	0.01	2.90
16	2.75	126.49	129.24	-9.00	-9.00	0.01	0.01	2.90

AREA : B HOLE NAME : 29-23

EAST (X) : 457.452
 NORTH (Y) : 2618.792
 ELEVATION : 677.800
 INCLINATION: -90.000
 BEARING : 0.000
 LENGTH : 168.550
 HANGING WALL: 113.690

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	1.52	113.69	115.21	-9.00	-9.00	0.16	0.15	2.92
2	1.52	115.21	116.73	-9.00	-9.00	1.11	0.16	3.06
3	1.53	116.73	118.26	-9.00	-9.00	1.14	0.08	3.07
4	1.52	118.26	119.78	-9.00	-9.00	0.75	0.04	3.01
5	1.53	119.78	121.31	-9.00	-9.00	0.75	0.07	3.01
6	1.52	121.31	122.83	-9.00	-9.00	0.08	0.28	2.91
7	1.52	122.83	124.35	-9.00	-9.00	0.07	0.29	2.91
8	1.53	124.35	125.88	-9.00	-9.00	0.07	0.21	2.91
9	1.52	125.88	127.40	-9.00	-9.00	0.16	0.32	2.92
10	1.53	127.40	128.93	-9.00	-9.00	0.08	0.37	2.91
11	1.52	128.93	130.45	-9.00	-9.00	0.72	0.65	3.01
12	1.52	130.45	131.97	-9.00	-9.00	0.57	0.08	2.98
13	1.53	131.97	133.50	-9.00	-9.00	0.28	0.08	2.94
14	1.52	133.50	135.02	-9.00	-9.00	0.49	0.10	2.97
15	1.53	135.02	136.55	-9.00	-9.00	0.65	0.05	2.99
16	1.52	136.55	138.07	-9.00	-9.00	2.05	0.04	3.20
17	1.52	138.07	139.59	-9.00	-9.00	1.14	0.04	3.07
18	1.53	139.59	141.12	-9.00	-9.00	0.51	0.05	2.97
19	1.52	141.12	142.64	-9.00	-9.00	0.63	0.04	2.99
20	1.53	142.64	144.17	-9.00	-9.00	0.63	0.04	2.99
21	1.52	144.17	145.69	-9.00	-9.00	0.13	0.02	2.92
22	1.52	145.69	147.21	-9.00	-9.00	0.18	0.03	2.93
23	1.53	147.21	148.74	-9.00	-9.00	0.38	0.05	2.96
24	1.52	148.74	150.26	-9.00	-9.00	0.64	0.02	2.99
25	0.92	150.26	151.18	-9.00	-9.00	0.31	0.02	2.95

AREA : B HOLE NAME : 29-24

EAST (X) : 457.492
 NORTH (Y) : 2618.822
 ELEVATION : 679.000
 INCLINATION: -90.000
 BEARING : 0.000
 LENGTH : 198.720
 HANGING WALL: 113.690

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	1.52	113.69	115.21	-9.00	-9.00	1.72	0.08	3.15
2	1.52	115.21	116.73	-9.00	-9.00	3.70	0.04	3.44
3	1.53	116.73	118.26	-9.00	-9.00	0.76	0.03	3.01
4	1.52	118.26	119.78	-9.00	-9.00	0.78	0.04	3.01
5	1.53	119.78	121.31	-9.00	-9.00	0.89	0.03	3.03
6	1.52	121.31	122.83	-9.00	-9.00	0.29	0.02	2.94
7	1.52	122.83	124.35	-9.00	-9.00	0.96	0.03	3.04
8	1.53	124.35	125.88	-9.00	-9.00	0.55	0.04	2.98
9	1.52	125.88	127.40	-9.00	-9.00	2.42	0.05	3.25
10	1.53	127.40	128.93	-9.00	-9.00	0.78	0.04	3.01
11	1.52	128.93	130.45	-9.00	-9.00	0.23	0.02	2.93
12	1.52	130.45	131.97	-9.00	-9.00	1.21	0.03	3.08
13	1.53	131.97	133.50	-9.00	-9.00	0.44	0.03	2.96
14	1.52	133.50	135.02	-9.00	-9.00	0.39	0.04	2.96
15	1.53	135.02	136.55	-9.00	-9.00	1.22	0.19	3.08
16	1.52	136.55	138.07	-9.00	-9.00	0.93	0.19	3.04
17	1.52	138.07	139.59	-9.00	-9.00	0.69	0.09	3.00
18	1.53	139.59	141.12	-9.00	-9.00	2.17	0.07	3.22
19	1.52	141.12	142.64	-9.00	-9.00	0.42	0.07	2.96
20	1.53	142.64	144.17	-9.00	-9.00	3.17	0.05	3.36

No	Length	From	To	Au	Ag	Cu	Zn	S.G.	No	Length	From	To	Au	Ag	Cu	Zn	S.G.
21	1.52	144.17	146.69	-9.00	-9.00	0.85	0.03	3.02	6	3.05	46.63	49.68	-9.00	-9.00	2.34	0.31	3.24
22	1.52	145.69	147.21	-9.00	-9.00	0.59	0.03	2.99	7	3.05	49.68	52.73	-9.00	-9.00	2.82	0.18	3.31
23	1.53	147.21	148.74	-9.00	-9.00	0.53	0.09	2.98	8	3.04	52.73	55.77	-9.00	-9.00	2.06	0.13	3.20
24	1.52	148.74	150.26	-9.00	-9.00	0.88	0.03	3.03	9	3.05	55.77	58.82	-9.00	-9.00	2.60	0.42	3.28
25	1.53	150.26	151.79	-9.00	-9.00	0.61	0.03	2.99	10	3.05	58.82	61.87	-9.00	-9.00	1.92	0.19	3.18
26	1.52	151.79	153.31	-9.00	-9.00	1.59	0.04	3.13	11	1.52	61.87	63.39	-9.00	-9.00	0.55	0.09	2.98
27	1.52	153.31	154.83	-9.00	-9.00	1.46	0.05	3.11	12	1.53	63.39	64.92	-9.00	-9.00	0.08	0.18	2.91
28	1.53	154.83	156.36	-9.00	-9.00	0.88	0.07	3.03	13	16.76	64.92	81.68	0.00	0.00	0.00	0.00	2.80
29	1.52	156.36	157.88	-9.00	-9.00	0.44	0.05	2.96	14	1.53	81.68	83.21	-9.00	-9.00	0.09	0.30	2.91
30	1.53	157.88	159.41	-9.00	-9.00	0.57	0.06	2.98	15	3.04	83.21	86.25	-9.00	-9.00	0.29	0.50	2.94
31	1.52	159.41	160.93	-9.00	-9.00	0.88	0.05	3.03	16	3.05	86.25	89.30	-9.00	-9.00	0.28	0.30	2.94
32	1.52	160.93	162.45	-9.00	-9.00	1.91	0.08	3.18	17	3.05	89.30	92.35	-9.00	-9.00	0.37	0.30	2.95
33	1.53	162.45	163.98	-9.00	-9.00	0.31	0.06	2.95	18	3.05	92.35	95.40	-9.00	-9.00	0.39	0.05	2.96
34	1.52	163.98	165.50	-9.00	-9.00	0.35	0.06	2.95	19	3.05	95.40	98.45	-9.00	-9.00	0.47	0.01	2.97
35	1.53	165.50	167.03	-9.00	-9.00	0.35	0.07	2.95	20	3.04	98.45	101.49	-9.00	-9.00	0.30	0.28	2.94
36	1.52	167.03	168.55	-9.00	-9.00	0.28	0.17	2.94	21	3.05	101.49	104.54	-9.00	-9.00	0.37	0.41	2.95
37	1.52	168.55	170.07	-9.00	-9.00	0.66	0.12	3.00	22	3.05	104.54	107.59	-9.00	-9.00	0.73	0.05	3.01
38	1.53	170.07	171.60	-9.00	-9.00	0.54	0.05	2.98	23	3.05	107.59	110.64	-9.00	-9.00	0.27	0.30	2.94
39	1.52	171.60	173.12	-9.00	-9.00	0.19	0.02	2.93	24	1.52	110.64	112.16	-9.00	-9.00	0.94	0.19	3.04
40	1.53	173.12	174.65	-9.00	-9.00	0.50	0.63	2.97									
41	1.52	174.65	176.17	-9.00	-9.00	1.00	0.10	3.05									
42	1.52	176.17	177.69	-9.00	-9.00	0.54	0.04	2.98									
43	1.53	177.69	179.22	-9.00	-9.00	0.49	0.19	2.97									
44	1.52	179.22	180.74	-9.00	-9.00	0.97	0.82	3.04									
45	1.53	180.74	182.27	-9.00	-9.00	0.19	0.10	2.93									
46	1.52	182.27	183.79	-9.00	-9.00	0.01	0.02	2.90									
47	1.52	183.79	185.31	-9.00	-9.00	0.02	0.02	2.90									
48	1.53	185.31	186.84	-9.00	-9.00	0.04	0.12	2.91									
49	1.52	186.84	188.36	-9.00	-9.00	0.04	0.03	2.91									
50	1.53	188.36	189.89	-9.00	-9.00	0.63	0.11	2.99									

=====
AREA : B HOLE NAME : 29-28
=====

=====
AREA : B HOLE NAME : 29-25
=====

EAST (X) : 457.280
NORTH (Y) : 2618.657
ELEVATION : 678.200
INCLINATION: -90.000
BEARING : 0.000
LENGTH : 101.490
HANGING WALL: 12.800

EAST (X) : 457.422
NORTH (Y) : 2618.712
ELEVATION : 675.200
INCLINATION: -90.000
BEARING : 0.000
LENGTH : 159.110
HANGING WALL: 41.140

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	0.91	12.80	13.71	-9.00	-9.00	0.22	0.05	2.93
2	2.13	13.71	15.84	-9.00	-9.00	0.51	0.12	2.97
3	2.44	15.84	18.28	-9.00	-9.00	0.05	0.03	2.91
4	1.53	18.28	19.81	-9.00	-9.00	0.24	0.06	2.94

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	3.00	41.14	44.14	-9.00	-9.00	0.19	0.14	2.93
2	3.00	44.14	47.14	-9.00	-9.00	0.67	0.08	3.00
3	3.00	47.14	50.14	-9.00	-9.00	0.44	0.08	2.96
4	3.00	50.14	53.14	-9.00	-9.00	0.65	0.12	2.99
5	3.00	53.14	56.14	-9.00	-9.00	0.60	0.10	2.99
6	3.00	56.14	59.14	-9.00	-9.00	0.48	0.11	2.97
7	3.00	59.14	62.14	-9.00	-9.00	0.29	0.12	2.94
8	1.86	62.14	64.00	-9.00	-9.00	0.92	0.14	3.03
9	3.00	64.00	67.00	-9.00	-9.00	1.58	0.15	3.13
10	3.00	67.00	70.00	-9.00	-9.00	5.46	0.14	3.70
11	3.15	70.00	73.15	-9.00	-9.00	3.00	0.07	3.34
12	33.35	73.15	106.50	0.00	0.00	0.00	0.00	2.80
13	2.90	106.50	109.40	-9.00	-9.00	0.05	0.03	2.91
14	0.90	109.40	110.30	-9.00	-9.00	0.02	0.02	2.90
15	2.90	110.30	113.20	-9.00	-9.00	0.61	0.05	2.99
16	2.86	113.20	116.06	-9.00	-9.00	0.64	0.19	2.99
17	3.00	116.06	119.06	-9.00	-9.00	0.71	0.04	3.00
18	3.00	119.06	122.06	-9.00	-9.00	0.28	0.12	2.94
19	3.00	122.06	125.06	-9.00	-9.00	0.42	0.11	2.96
20	3.00	125.06	128.06	-9.00	-9.00	0.13	0.14	2.92
21	3.00	128.06	131.06	-9.00	-9.00	0.20	0.09	2.93
22	2.44	131.06	133.50	-9.00	-9.00	0.08	0.07	2.91
23	2.01	133.50	135.51	-9.00	-9.00	0.82	0.12	3.02
24	3.00	135.51	138.51	-9.00	-9.00	0.17	0.02	2.92

=====
AREA : B HOLE NAME : 29-27
=====

EAST (X) : 457.386
NORTH (Y) : 2618.677
ELEVATION : 673.700
INCLINATION: -90.000
BEARING : 0.000
LENGTH : 122.830
HANGING WALL: 31.390

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	3.05	31.39	34.44	-9.00	-9.00	0.89	0.07	3.03
2	3.05	34.44	37.49	-9.00	-9.00	0.76	0.09	3.01
3	3.04	37.49	40.53	-9.00	-9.00	1.58	0.28	3.13
4	3.05	40.53	43.58	-9.00	-9.00	1.03	0.17	3.05
5	3.05	43.58	46.63	-9.00	-9.00	1.87	0.32	3.17

=====
 AREA : B HOLE NAME : 29-30
 =====

EAST (X) :		457.478							
NORTH (Y) :		2618.759							
ELEVATION :		679.000							
INCLINATION :		-90.000							
BEARING :		0.000							
LENGTH :		147.220							
HANGING WALL :		97.410							
No	Length	From	To	Au	Ag	Cu	Zn	S. G.	
1	3.00	97.41	100.41	-9.00	-9.00	0.53	0.04	2.98	
2	3.00	100.41	103.41	-9.00	-9.00	1.34	0.03	3.10	
3	3.00	103.41	106.41	-9.00	-9.00	0.73	0.05	3.01	
4	3.00	106.41	109.41	-9.00	-9.00	0.75	0.02	3.01	
5	3.00	109.41	112.41	-9.00	-9.00	0.59	0.02	2.99	
6	2.00	112.41	114.41	-9.00	-9.00	1.00	0.02	3.05	
7	2.33	114.41	116.74	-9.00	-9.00	0.36	0.03	2.95	
8	3.00	116.74	119.74	-9.00	-9.00	0.30	0.06	2.94	
9	3.00	119.74	122.74	-9.00	-9.00	0.13	0.07	2.92	
10	3.00	122.74	125.74	-9.00	-9.00	0.07	0.10	2.91	
11	3.00	125.74	128.74	-9.00	-9.00	0.25	0.09	2.94	
12	1.81	128.74	130.55	-9.00	-9.00	0.81	0.85	3.02	

=====
 AREA : B HOLE NAME : 29-32
 =====

EAST (X) :		457.378							
NORTH (Y) :		2618.606							
ELEVATION :		670.800							
INCLINATION :		-90.000							
BEARING :		0.000							
LENGTH :		94.790							
HANGING WALL :		51.210							
No	Length	From	To	Au	Ag	Cu	Zn	S. G.	
1	3.00	51.21	54.21	-9.00	-9.00	1.50	0.33	3.12	
2	3.15	54.21	57.36	-9.00	-9.00	1.25	0.08	3.08	
3	3.00	57.36	60.36	-9.00	-9.00	0.95	0.02	3.04	
4	3.00	60.36	63.36	-9.00	-9.00	0.65	0.02	2.99	
5	3.00	63.36	66.36	-9.00	-9.00	1.32	0.03	3.09	
6	3.00	66.36	69.36	-9.00	-9.00	0.56	0.07	2.98	
7	2.00	69.36	71.36	-9.00	-9.00	1.23	0.29	3.08	
8	1.82	71.36	73.18	-9.00	-9.00	0.84	0.22	3.02	

=====
 AREA : B HOLE NAME : 29-33
 =====

EAST (X) :		457.505							
NORTH (Y) :		2618.718							
ELEVATION :		680.600							
INCLINATION :		-90.000							
BEARING :		0.000							
LENGTH :		180.440							
HANGING WALL :		49.070							
No	Length	From	To	Au	Ag	Cu	Zn	S. G.	
1	3.00	49.07	52.07	-9.00	-9.00	0.01	0.04	2.90	
2	2.64	52.07	54.71	-9.00	-9.00	0.02	0.09	2.90	
3	2.00	54.71	56.71	-9.00	-9.00	0.02	0.04	2.90	
4	1.81	56.71	58.52	-9.00	-9.00	0.01	0.04	2.90	
5	1.68	58.52	60.20	-9.00	-9.00	0.12	0.04	2.92	
6	1.61	60.20	61.81	-9.00	-9.00	0.02	0.06	2.90	
7	3.54	61.81	65.35	-9.00	-9.00	0.05	0.03	2.91	
8	2.38	65.35	67.73	-9.00	-9.00	0.01	0.02	2.90	
9	17.92	67.73	85.65	0.00	0.00	0.00	0.00	2.80	
10	3.00	85.65	88.65	-9.00	-9.00	0.01	0.01	2.90	
11	3.00	88.65	91.65	-9.00	-9.00	0.01	0.01	2.90	
12	2.20	91.65	93.85	-9.00	-9.00	0.02	0.01	2.90	
13	13.23	93.85	107.08	0.00	0.00	0.00	0.00	2.80	
14	3.00	107.08	110.08	-9.00	-9.00	0.10	0.04	2.91	
15	3.00	110.08	113.08	-9.00	-9.00	0.05	0.05	2.91	
16	3.00	113.08	116.08	-9.00	-9.00	0.06	0.04	2.91	
17	3.00	116.08	119.08	-9.00	-9.00	0.16	0.05	2.92	
18	3.00	119.08	122.08	-9.00	-9.00	0.06	0.06	2.91	
19	3.00	122.08	125.08	-9.00	-9.00	0.12	0.15	2.92	
20	2.63	125.08	127.71	-9.00	-9.00	0.06	0.15	2.91	
21	3.00	127.71	130.71	-9.00	-9.00	0.02	0.06	2.90	
22	3.00	130.71	133.71	-9.00	-9.00	0.01	0.02	2.90	
23	2.00	133.71	135.71	-9.00	-9.00	0.01	0.02	2.90	
24	1.82	135.71	137.53	-9.00	-9.00	0.01	0.01	2.90	

=====
 AREA : B HOLE NAME : 29-34
 =====

EAST (X) :		457.417							
NORTH (Y) :		2618.643							
ELEVATION :		673.700							
INCLINATION :		-90.000							
BEARING :		0.000							
LENGTH :		104.540							
HANGING WALL :		23.620							
No	Length	From	To	Au	Ag	Cu	Zn	S. G.	
1	3.00	23.62	26.62	-9.00	-9.00	4.25	0.17	3.52	
2	3.00	26.62	29.62	-9.00	-9.00	4.03	0.41	3.49	
3	1.77	29.62	31.39	-9.00	-9.00	6.51	0.86	3.85	
4	3.00	31.39	34.39	-9.00	-9.00	0.49	0.13	2.97	
5	3.10	34.39	37.49	-9.00	-9.00	1.61	0.15	3.14	
6	1.98	37.49	39.47	-9.00	-9.00	2.02	0.18	3.19	
7	1.04	39.47	40.51	-9.00	-9.00	32.50	0.18	4.20	
8	2.65	40.51	43.16	-9.00	-9.00	0.13	0.10	2.92	
9	3.00	43.16	46.16	-9.00	-9.00	0.03	0.02	2.90	
10	3.00	46.16	49.16	-9.00	-9.00	0.01	0.01	2.90	
11	3.00	49.16	52.16	-9.00	-9.00	0.08	0.23	2.91	
12	3.00	52.16	55.16	-9.00	-9.00	0.14	0.35	2.92	
13	3.00	55.16	58.16	-9.00	-9.00	0.18	0.24	2.93	
14	3.00	58.16	61.16	-9.00	-9.00	0.95	0.04	3.04	
15	3.00	61.16	64.16	-9.00	-9.00	1.51	0.11	3.12	
16	3.00	64.16	67.16	-9.00	-9.00	1.86	0.07	3.17	
17	3.00	67.16	70.16	-9.00	-9.00	0.20	0.03	2.93	
18	3.00	70.16	73.16	-9.00	-9.00	0.09	0.03	2.91	
19	3.00	73.16	76.16	-9.00	-9.00	1.18	0.05	3.07	
20	1.87	76.16	78.03	-9.00	-9.00	1.09	0.03	3.06	
21	3.00	78.03	81.03	-9.00	-9.00	0.19	0.02	2.93	
22	3.00	81.03	84.03	-9.00	-9.00	0.39	0.04	2.96	

=====
AREA : B HOLE NAME : 29-35
=====

EAST (X) : 457.452
NORTH (Y) : 2618.673
ELEVATION : 674.800
INCLINATION: -90.000
BEARING : 0.000
LENGTH : 124.050
HANGING WALL: 34.450

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	3.05	34.45	37.50	-9.00	-9.00	1.92	0.28	3.18
2	3.05	37.50	40.55	-9.00	-9.00	0.40	0.14	2.96
3	3.04	40.55	43.59	-9.00	-9.00	1.72	0.25	3.15
4	3.04	43.59	46.63	-9.00	-9.00	0.07	0.23	2.91
5	3.05	46.63	49.68	-9.00	-9.00	0.77	0.74	3.01
6	3.05	49.68	52.73	-9.00	-9.00	1.25	0.09	3.08
7	2.13	52.73	54.86	-9.00	-9.00	0.64	0.04	2.99
8	1.52	54.86	56.38	-9.00	-9.00	0.02	0.02	2.90
9	9.15	56.38	65.53	0.00	0.00	0.00	0.00	2.80
10	1.52	65.53	67.05	-9.00	-9.00	0.01	0.01	2.90
11	2.13	67.05	69.18	-9.00	-9.00	0.02	0.01	2.90
12	3.05	69.18	72.23	-9.00	-9.00	0.00	0.01	2.80
13	2.29	72.23	74.52	-9.00	-9.00	0.01	0.01	2.90
14	2.59	74.52	77.11	-9.00	-9.00	0.02	0.03	2.90
15	3.05	77.11	80.16	-9.00	-9.00	0.10	0.32	2.91
16	3.05	80.16	83.21	-9.00	-9.00	0.58	0.17	2.98
17	3.04	83.21	86.25	-9.00	-9.00	0.60	0.34	2.99
18	3.05	86.25	89.30	-9.00	-9.00	0.32	0.69	2.95
19	3.05	89.30	92.35	-9.00	-9.00	0.26	0.78	2.94
20	3.05	92.35	95.40	-9.00	-9.00	0.11	0.55	2.92
21	3.05	95.40	98.45	-9.00	-9.00	0.34	0.33	2.95
22	3.04	98.45	101.49	-9.00	-9.00	0.20	0.03	2.93
23	3.05	101.49	104.54	-9.00	-9.00	0.15	0.02	2.92
24	3.05	104.54	107.59	-9.00	-9.00	0.53	0.04	2.98

=====
AREA : B HOLE NAME : 29-36
=====

EAST (X) : 457.487
NORTH (Y) : 2618.700
ELEVATION : 680.900
INCLINATION: -90.000
BEARING : 0.000
LENGTH : 150.250
HANGING WALL: 49.070

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	3.66	49.07	52.73	-9.00	-9.00	0.26	0.06	2.94
2	3.04	52.73	55.77	-9.00	-9.00	0.07	0.05	2.91
3	1.83	55.77	57.60	-9.00	-9.00	1.58	0.01	3.13
4	3.05	57.60	60.65	-9.00	-9.00	0.00	-9.00	2.80
5	16.46	60.65	77.11	-9.00	-9.00	0.00	0.00	2.80
6	3.05	77.11	80.16	-9.00	-9.00	0.02	0.08	2.90
7	6.09	80.16	86.25	-9.00	-9.00	0.00	0.00	2.80
8	1.83	86.25	88.08	-9.00	-9.00	0.33	0.08	2.95
9	4.27	88.08	92.35	-9.00	-9.00	0.46	0.05	2.97
10	3.05	92.35	95.40	-9.00	-9.00	0.25	0.03	2.94
11	3.05	95.40	98.45	-9.00	-9.00	0.48	0.04	2.97
12	3.04	98.45	101.49	-9.00	-9.00	0.20	0.03	2.93
13	3.05	101.49	104.54	-9.00	-9.00	0.23	0.03	2.93
14	3.05	104.54	107.59	-9.00	-9.00	0.17	0.03	2.92
15	3.05	107.59	110.64	-9.00	-9.00	0.22	0.04	2.93
16	3.05	110.64	113.69	-9.00	-9.00	0.04	0.02	2.91
17	3.04	113.69	116.73	-9.00	-9.00	4.18	0.12	3.51
18	3.05	116.73	119.78	-9.00	-9.00	0.65	0.08	2.99
19	3.05	119.78	122.83	-9.00	-9.00	0.06	0.05	2.91
20	3.05	122.83	125.88	-9.00	-9.00	0.04	0.06	2.91
21	3.05	125.88	128.93	-9.00	-9.00	0.04	0.08	2.91
22	3.04	128.93	131.97	-9.00	-9.00	0.11	0.08	2.92
23	3.05	131.97	135.02	-9.00	-9.00	0.06	0.05	2.91

=====
AREA : B HOLE NAME : 29-37
=====

EAST (X) : 457.409
NORTH (Y) : 2618.571
ELEVATION : 669.700
INCLINATION: -90.000
BEARING : 0.000
LENGTH : 98.450
HANGING WALL: 11.880

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	1.22	11.88	13.10	-9.00	-9.00	0.38	0.05	2.96
2	1.37	13.10	14.47	-9.00	-9.00	0.43	0.04	2.96
3	4.73	14.47	19.20	-9.00	-9.00	0.30	0.06	2.94
4	3.05	19.20	22.25	-9.00	-9.00	0.02	0.04	2.90
5	3.04	22.25	25.29	-9.00	-9.00	0.11	0.04	2.92
6	10.00	25.29	35.29	0.00	0.00	0.00	0.00	2.80
7	5.24	35.29	40.53	0.00	0.00	0.00	0.00	2.80
8	1.83	40.53	42.36	-9.00	-9.00	0.03	0.13	2.90
9	4.27	42.36	46.63	-9.00	-9.00	0.06	0.34	2.91
10	3.05	46.63	49.68	-9.00	-9.00	0.02	0.06	2.90

=====
AREA : B HOLE NAME : 29-38
=====

EAST (X) : 457.448
NORTH (Y) : 2618.603
ELEVATION : 671.400
INCLINATION: -90.000
BEARING : 0.000
LENGTH : 107.590
HANGING WALL: 14.630

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	1.52	14.63	16.15	-9.00	-9.00	0.15	0.08	2.92
2	1.52	16.15	17.67	-9.00	-9.00	0.02	0.02	2.90
3	16.77	17.67	34.44	0.00	0.00	0.00	0.00	2.80
4	1.52	34.44	35.96	-9.00	-9.00	0.02	0.07	2.90
5	1.53	35.96	37.49	-9.00	-9.00	0.02	0.06	2.90
6	1.52	37.49	39.01	-9.00	-9.00	0.00	0.01	2.80
7	21.03	39.01	60.04	0.00	0.00	0.00	0.00	2.80
8	1.83	60.04	61.87	-9.00	-9.00	0.03	0.07	2.90
9	2.44	61.87	64.31	-9.00	-9.00	0.04	0.05	2.91

=====
AREA : B HOLE NAME : 29-39
=====

EAST (X) : 457.486
NORTH (Y) : 2618.634
ELEVATION : 673.500
INCLINATION: -90.000
BEARING : 0.000
LENGTH : 122.830
HANGING WALL: 21.480

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	0.46	21.48	21.94	-9.00	-9.00	0.09	0.01	2.91
2	0.92	21.94	22.86	-9.00	-9.00	0.03	0.01	2.90
3	67.66	22.86	90.52	0.00	0.00	0.00	0.00	2.80
4	0.92	90.52	91.44	-9.00	-9.00	0.04	0.03	2.91
5	1.21	91.44	92.65	-9.00	-9.00	0.20	0.22	2.93
6	0.92	92.65	93.57	-9.00	-9.00	0.00	0.02	2.80

=====
 AREA : B HOLE NAME : 29-42
 =====

EAST (X) : 457.187
 NORTH (Y) : 2618.777
 ELEVATION : 703.700
 INCLINATION: -90.000
 BEARING : 0.000
 LENGTH : 165.500
 HANGING WALL: 86.350

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	1.13	86.35	87.48	-9.00	-9.00	3.60	2.58	3.43
2	0.66	87.48	88.14	-9.00	-9.00	0.03	0.13	2.90
3	3.72	88.14	91.86	-9.00	-9.00	0.00	0.01	2.80
4	0.49	91.86	92.35	-9.00	-9.00	2.50	0.00	3.26
5	2.90	92.35	95.25	-9.00	-9.00	0.04	0.02	2.91
6	0.33	95.25	95.58	-9.00	-9.00	0.01	0.01	2.90
7	1.59	95.58	97.17	-9.00	-9.00	0.04	0.02	2.91
8	0.91	97.17	98.08	-9.00	-9.00	0.04	0.02	2.91
9	0.55	98.08	98.63	-9.00	-9.00	0.27	0.03	2.94
10	2.26	98.63	100.89	-9.00	-9.00	0.07	0.02	2.91
11	19.20	100.89	120.09	0.00	0.00	0.00	0.00	2.80
12	2.74	120.09	122.83	-9.00	-9.00	0.07	0.06	2.91
13	0.67	122.83	123.50	-9.00	-9.00	0.48	0.20	2.97
14	1.62	123.50	125.12	-9.00	-9.00	0.01	0.11	2.90

=====
 AREA : B HOLE NAME : RA-1
 =====

EAST (X) : 457.218
 NORTH (Y) : 2618.770
 ELEVATION : 690.000
 INCLINATION: -90.000
 BEARING : 0.000
 LENGTH : 130.000
 HANGING WALL: 26.000

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	2.80	26.00	28.80	0.00	0.00	0.02	0.53	2.90
2	1.00	28.80	29.80	2.20	3.00	0.93	0.25	3.04
3	1.00	29.80	30.80	1.40	1.50	0.25	0.20	2.94
4	2.00	30.80	32.80	0.35	0.50	0.18	0.23	2.93
5	15.60	32.80	48.40	0.00	0.00	0.00	0.00	2.80
6	2.00	48.40	50.40	0.00	0.00	0.07	0.37	2.91
7	9.20	50.40	59.60	0.00	0.00	0.00	0.00	2.80
8	2.00	59.60	61.60	0.00	0.00	0.01	0.01	2.90
9	14.45	61.60	76.05	0.00	0.00	0.00	0.00	2.80
10	1.00	76.05	77.05	0.00	0.00	0.03	0.02	2.90
11	2.95	77.05	80.00	0.00	0.00	0.00	0.00	2.80
12	1.00	80.00	81.00	0.18	0.00	0.05	0.10	2.91
13	1.00	81.00	82.00	14.20	27.00	0.81	0.17	3.02
14	1.00	82.00	83.00	14.40	30.00	0.64	0.24	2.99
15	1.00	83.00	84.00	12.00	22.50	0.30	0.07	2.94
16	1.00	84.00	85.00	9.20	17.00	0.26	0.08	2.94
17	1.00	85.00	86.00	7.20	14.50	0.18	0.07	2.93
18	1.00	86.00	87.00	7.40	18.00	1.66	0.04	3.14
19	1.00	87.00	88.00	7.50	18.00	0.25	0.05	2.94
20	1.00	88.00	89.00	4.90	12.00	0.33	0.04	2.95
21	2.00	89.00	91.00	0.00	0.00	0.03	0.02	2.90
22	2.00	91.00	93.00	0.00	0.00	0.02	0.02	2.90
23	25.40	93.00	118.40	0.00	0.00	0.00	0.00	2.80
24	2.00	118.40	120.40	0.00	0.00	0.02	0.01	2.90

=====
 AREA : B HOLE NAME : MJO-B1
 =====

EAST (X) : 457.276
 NORTH (Y) : 2618.780
 ELEVATION : 687.000
 INCLINATION: -90.000
 BEARING : 0.000
 LENGTH : 100.350
 HANGING WALL: 26.600

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	2.00	26.60	28.60	0.30	1.80	0.87	0.04	3.03
2	2.00	28.60	30.60	0.40	1.70	0.67	0.03	3.00
3	2.00	30.60	32.60	0.30	5.60	0.62	0.03	2.99
4	2.00	32.60	34.60	0.90	12.50	3.12	0.11	3.36
5	2.00	34.60	36.60	6.50	16.00	1.85	0.07	3.17
6	1.20	36.60	37.80	8.70	25.90	1.10	0.13	3.06
7	1.00	37.80	38.80	9.00	24.10	0.96	0.11	3.04
8	1.00	38.80	39.80	16.80	35.80	3.32	0.12	3.38
9	1.00	39.80	40.80	8.90	29.90	0.59	0.10	2.99
10	1.00	40.80	41.80	13.20	14.90	2.45	0.06	3.26
11	1.00	41.80	42.80	13.00	3.70	1.69	0.04	3.15
12	1.00	42.80	43.80	7.10	8.00	1.86	0.07	3.17
13	1.00	43.80	44.80	9.30	5.50	1.67	0.05	3.14
14	1.00	44.80	45.80	12.20	12.30	0.89	0.29	3.03
15	1.10	45.80	46.90	10.40	7.50	2.06	0.24	3.20
16	2.00	46.90	48.90	11.40	5.80	0.74	0.13	3.01
17	2.00	48.90	50.90	6.60	8.40	1.95	0.18	3.18
18	2.00	50.90	52.90	1.80	5.20	0.61	0.78	2.99
19	2.30	52.90	55.20	1.00	4.10	0.59	0.36	2.99

=====
 AREA : B HOLE NAME : MJO-B2
 =====

EAST (X) : 457.381
 NORTH (Y) : 2618.770
 ELEVATION : 677.100
 INCLINATION: -90.000
 BEARING : 0.000
 LENGTH : 157.250
 HANGING WALL: 93.100

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	2.00	93.10	95.10	0.20	1.20	0.13	0.22	2.92
2	2.00	95.10	97.10	0.60	1.30	0.86	0.42	3.03
3	2.00	97.10	99.10	0.60	2.30	0.91	0.57	3.03
4	2.00	99.10	101.10	1.00	1.20	0.62	0.44	2.99
5	2.00	101.10	103.10	0.50	1.10	0.88	0.16	3.03
6	2.00	103.10	105.10	0.10	1.40	0.97	0.24	3.04
7	2.00	105.10	107.10	0.00	0.00	0.22	0.14	2.93
8	2.00	107.10	109.10	0.40	1.50	0.37	0.04	2.95
9	2.00	109.10	111.10	0.00	0.00	0.25	0.07	2.94
10	2.00	111.10	113.10	0.00	0.00	0.26	0.04	2.94
11	2.00	113.10	115.10	0.00	0.10	0.09	0.06	2.91
12	2.00	115.10	117.10	0.20	0.10	0.55	0.12	2.98
13	2.00	117.10	119.10	0.00	0.00	0.25	0.04	2.94
14	2.00	119.10	121.10	0.00	0.00	0.07	0.04	2.91
15	2.00	121.10	123.10	0.00	0.00	0.03	0.06	2.90
16	2.00	123.10	125.10	0.10	0.50	0.03	0.18	2.90
17	1.50	125.10	126.60	1.10	2.00	0.72	0.40	3.01
18	16.30	126.60	142.90	0.00	0.00	0.00	0.00	2.80
19	2.00	142.90	144.90	0.20	0.30	0.65	0.05	2.99
20	2.00	144.90	146.90	0.00	0.00	0.29	0.03	2.94
21	2.00	146.90	148.90	0.60	1.10	1.39	0.05	3.10
22	2.00	148.90	150.90	0.00	0.00	0.29	0.11	2.94
23	2.00	150.90	152.90	0.00	0.00	0.33	0.02	2.95
24	2.00	152.90	154.90	0.10	0.30	0.12	0.06	2.92
25	1.30	154.90	156.20	0.00	0.00	0.04	0.21	2.91

AREA : B HOLE NAME : MJO-B3

EAST (X) : 457.522
 NORTH (Y) : 2618.787
 ELEVATION : 672.600
 INCLINATION: -90.000
 BEARING : 0.000
 LENGTH : 201.700
 HANGING WALL: 77.400

No	Length	From	To	Au	Ag	Cu	Zn	S. G.
1	2.00	77.40	79.40	0.20	1.70	0.02	0.01	2.90
2	2.00	79.40	81.40	0.00	0.00	0.01	0.00	2.90
3	28.30	81.40	109.70	0.00	0.00	0.00	0.00	2.80
4	2.00	109.70	111.70	0.00	0.00	0.04	0.45	2.91
5	2.10	111.70	113.80	0.00	0.00	0.01	0.01	2.90
6	5.20	113.80	119.00	0.00	0.00	0.00	0.00	2.80
7	2.00	119.00	121.00	0.00	0.00	0.01	0.00	2.90
8	5.00	121.00	126.00	0.00	0.00	0.00	0.00	2.80
9	2.10	126.00	128.10	0.00	0.00	0.01	0.00	2.90
10	4.20	128.10	132.30	0.00	0.00	0.00	0.00	2.80
11	2.50	132.30	134.80	0.00	0.00	0.01	0.00	2.90
12	2.40	134.80	137.20	0.00	0.00	0.01	0.00	2.90

AREA : B HOLE NAME : MJO-B4

EAST (X) : 457.356
 NORTH (Y) : 2618.717
 ELEVATION : 685.000
 INCLINATION: -90.000
 BEARING : 0.000
 LENGTH : 101.300
 HANGING WALL: 39.700

No	Length	From	To	Au	Ag	Cu	Zn	S. G.
1	2.00	39.70	41.70	0.10	0.80	0.24	0.12	2.94
2	2.00	41.70	43.70	0.10	1.60	0.66	0.18	3.00
3	2.00	43.70	45.70	0.40	0.70	0.56	0.19	2.98
4	2.00	45.70	47.70	0.10	1.20	0.44	0.17	2.96
5	2.00	47.70	49.70	0.10	0.90	0.27	0.19	2.94
6	2.00	49.70	51.70	0.10	1.80	0.87	0.31	3.03
7	2.00	51.70	53.70	0.30	1.10	0.63	0.10	2.99
8	2.00	53.70	55.70	0.10	2.50	0.82	0.13	3.02
9	2.00	55.70	57.70	0.10	1.60	0.75	0.17	3.01
10	2.00	57.70	59.70	0.20	1.60	1.03	0.08	3.05
11	2.00	59.70	61.70	1.20	0.80	1.08	0.18	3.06
12	2.00	61.70	63.70	0.10	2.70	1.23	0.26	3.08
13	2.00	63.70	65.70	0.90	4.80	2.27	0.22	3.23
14	2.00	65.70	67.70	0.20	1.70	0.44	0.35	2.96
15	2.00	67.70	69.70	0.60	2.90	0.84	0.47	3.02
16	2.00	69.70	71.70	1.20	2.10	0.72	0.61	3.01
17	2.00	71.70	73.70	0.50	1.40	0.78	0.28	3.01
18	2.00	73.70	75.70	0.60	1.80	0.82	0.45	3.02
19	2.00	75.70	77.70	0.80	1.10	0.64	0.60	2.99
20	2.00	77.70	79.70	0.70	1.00	0.57	0.48	2.98
21	2.00	79.70	81.70	0.00	0.10	0.77	0.34	3.01
22	2.00	81.70	83.70	0.50	2.20	1.27	0.37	3.09
23	2.00	83.70	85.70	0.70	1.80	1.33	0.35	3.09
24	2.00	85.70	87.70	0.50	1.40	0.91	0.18	3.03
25	2.10	87.70	89.80	0.30	0.90	0.79	0.18	3.02

AREA : B HOLE NAME : MJO-B5

EAST (X) : 457.406
 NORTH (Y) : 2618.695
 ELEVATION : 675.000
 INCLINATION: -90.000
 BEARING : 0.000
 LENGTH : 150.000
 HANGING WALL: 28.700

No	Length	From	To	Au	Ag	Cu	Zn	S. G.
1	2.00	28.70	30.70	0.00	0.00	0.11	0.41	2.92
2	7.00	30.70	37.70	0.00	0.00	0.00	0.00	2.80
3	2.00	37.70	39.70	0.00	0.00	0.51	0.04	2.97
4	3.70	39.70	43.40	0.00	0.00	0.00	0.00	2.80
5	2.00	43.40	45.40	0.00	0.00	0.39	0.07	2.96
6	2.00	45.40	47.40	0.00	0.00	0.35	0.16	2.95
7	2.00	47.40	49.40	0.10	1.10	1.17	0.19	3.07
8	2.00	49.40	51.40	0.00	0.00	1.38	0.18	3.10
9	2.00	51.40	53.40	0.40	1.50	1.36	0.06	3.10
10	2.00	53.40	55.40	0.20	1.50	0.98	0.06	3.04
11	2.00	55.40	57.40	0.40	1.20	0.71	0.04	3.00
12	2.00	57.40	59.40	0.10	2.10	1.60	0.05	3.13
13	2.00	59.40	61.40	0.60	1.80	1.66	0.14	3.14
14	1.50	61.40	62.90	0.20	0.80	0.72	0.08	3.01
15	2.00	62.90	64.90	0.70	1.70	3.54	0.16	3.42
16	2.00	64.90	66.90	0.00	0.00	2.25	0.06	3.23
17	2.00	66.90	68.90	0.10	0.60	1.81	0.06	3.16
18	2.10	68.90	71.00	0.00	0.00	0.82	0.06	3.02
19	17.90	71.00	88.90	0.00	0.00	0.00	0.00	2.80
20	2.00	88.90	90.90	0.00	0.00	0.01	0.01	2.90
21	2.00	90.90	92.90	0.00	0.00	0.01	0.01	2.90
22	2.00	92.90	94.90	0.00	0.00	0.01	0.01	2.90
23	11.40	94.90	106.30	0.00	0.00	0.00	0.00	2.80
24	2.00	106.30	108.30	0.10	1.30	2.07	0.04	3.20
25	2.00	108.30	110.30	0.00	0.00	0.37	0.03	2.95
26	2.00	110.30	112.30	1.00	1.10	1.91	0.09	3.18
27	2.00	112.30	114.30	0.50	0.80	1.16	0.03	3.07
28	2.00	114.30	116.30	0.50	0.50	0.76	0.03	3.01
29	2.00	116.30	118.30	0.10	0.70	0.39	0.03	2.96
30	2.00	118.30	120.30	0.00	0.00	0.50	0.04	2.97
31	2.00	120.30	122.30	0.00	0.00	1.25	0.04	3.08
32	2.30	122.30	124.60	0.00	0.00	1.42	0.04	3.11

AREA : B HOLE NAME : MJO-B6

EAST (X) : 457.398
 NORTH (Y) : 2618.627
 ELEVATION : 672.800
 INCLINATION: -90.000
 BEARING : 0.000
 LENGTH : 100.850
 HANGING WALL: 11.200

No	Length	From	To	Au	Ag	Cu	Zn	S. G.
1	2.00	11.20	13.20	0.00	2.00	1.48	0.19	3.12
2	2.00	13.20	15.20	0.00	1.20	2.69	0.07	3.29
3	2.00	15.20	17.20	0.00	0.00	3.17	0.07	3.36
4	2.00	17.20	19.20	0.70	2.20	2.96	0.12	3.33
5	2.00	19.20	21.20	1.00	3.60	2.15	0.22	3.21
6	2.00	21.20	23.20	1.30	3.00	5.48	0.18	3.70
7	2.10	23.20	25.30	0.70	3.80	6.51	0.20	3.85
8	14.05	25.30	39.35	0.00	0.00	0.00	0.00	2.80
9	2.00	39.35	41.35	0.00	0.00	0.02	0.10	2.90
10	2.00	41.35	43.35	0.00	0.00	0.04	0.27	2.91

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
11	2.00	43.35	45.35	0.10	0.90	0.05	0.38	2.91
12	2.00	45.35	47.35	0.00	0.00	0.01	0.10	2.90
13	2.00	47.35	49.35	0.00	0.00	0.11	0.90	2.92
14	2.00	49.35	51.35	0.00	0.50	0.51	0.08	2.97
15	2.00	51.35	53.35	0.00	0.00	0.84	0.04	3.02
16	2.00	53.35	55.35	0.00	0.00	1.80	0.03	3.16
17	2.00	55.35	57.35	0.20	0.90	1.05	0.03	3.05
18	2.00	57.35	59.35	1.20	0.80	1.97	0.07	3.19
19	2.00	59.35	61.35	0.00	0.10	0.78	0.04	3.01
20	2.00	61.35	63.35	0.20	1.30	0.70	0.04	3.00
21	2.00	63.35	65.35	0.00	0.00	0.44	0.02	2.96
22	2.00	65.35	67.35	0.10	0.20	0.77	0.01	3.01
23	2.00	67.35	69.35	0.00	0.10	0.09	0.05	2.91
24	2.00	69.35	71.35	0.00	0.00	0.10	0.03	2.91
25	2.00	71.35	73.35	0.00	0.00	0.05	0.07	2.91
26	2.55	73.35	75.90	0.20	0.40	0.04	0.04	2.91

AREA : B HOLE NAME : MJO-B7

EAST (X) : 457.342
 NORTH (Y) : 2618.579
 ELEVATION : 678.000
 INCLINATION: -90.000
 BEARING : 0.000
 LENGTH : 120.800
 HANGING WALL: 50.650

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	2.00	50.65	52.65	-9.00	-9.00	0.37	0.31	2.95
2	2.00	52.65	54.65	-9.00	-9.00	0.47	0.52	2.97
3	2.00	54.65	56.65	0.50	2.40	1.02	0.67	3.05
4	2.00	56.65	58.65	0.50	3.00	0.09	0.52	2.91

AREA : B HOLE NAME : MJO-B8

EAST (X) : 457.239
 NORTH (Y) : 2618.754
 ELEVATION : 684.000
 INCLINATION: -90.000
 BEARING : 0.000
 LENGTH : 100.850
 HANGING WALL: 24.700

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	1.00	24.70	25.70	3.50	12.40	2.32	0.10	3.24
2	1.00	25.70	26.70	3.00	18.80	2.16	0.16	3.22
3	1.00	26.70	27.70	3.50	15.30	2.05	0.21	3.20
4	1.00	27.70	28.70	5.00	12.00	1.44	0.10	3.11
5	1.00	28.70	29.70	2.60	17.30	2.95	0.10	3.33
6	1.00	29.70	30.70	2.10	16.30	3.03	0.10	3.34
7	1.00	30.70	31.70	5.70	13.70	1.88	0.10	3.17
8	1.00	31.70	32.70	6.20	16.30	4.26	0.05	3.52
9	1.00	32.70	33.70	13.70	26.30	2.49	0.05	3.26
10	1.00	33.70	34.70	12.30	21.20	1.74	0.05	3.15
11	1.00	34.70	35.70	11.10	10.90	1.72	0.02	3.15
12	1.00	35.70	36.70	9.60	10.40	3.07	0.02	3.35
13	1.00	36.70	37.70	3.90	7.80	6.47	0.03	3.84
14	0.90	37.70	38.60	5.20	7.50	5.65	0.01	3.72
15	1.40	38.60	40.00	2.80	5.40	6.99	0.05	3.92
16	1.15	40.00	41.15	2.80	7.50	11.21	0.10	4.20
17	1.50	41.15	42.65	0.80	1.20	1.34	0.05	3.10
18	1.15	42.65	43.80	-9.00	-9.00	0.08	0.21	2.91

AREA : B HOLE NAME : MJO-B9

EAST (X) : 457.334
 NORTH (Y) : 2618.765
 ELEVATION : 682.800
 INCLINATION: -90.000
 BEARING : 0.000
 LENGTH : 167.750
 HANGING WALL: 62.200

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	2.00	62.20	64.20	-9.00	-9.00	0.12	0.21	2.92
2	2.00	64.20	66.20	0.10	1.40	0.10	0.16	2.91
3	2.00	66.20	68.20	0.10	1.50	1.05	0.10	3.05
4	2.00	68.20	70.20	-9.00	-9.00	0.37	0.10	2.95
5	2.00	70.20	72.20	-9.00	-9.00	0.18	0.10	2.93
6	2.00	72.20	74.20	0.10	1.10	0.85	0.16	3.02
7	2.00	74.20	76.20	0.10	1.50	2.28	0.21	3.23
8	2.00	76.20	78.20	-9.00	-9.00	0.45	0.10	2.97
9	2.00	78.20	80.20	0.10	2.10	0.86	0.10	3.03
10	2.30	80.20	82.50	1.10	4.50	4.16	0.36	3.51
11	2.00	82.50	84.50	0.20	1.60	1.01	0.10	3.05
12	2.00	84.50	86.50	-9.00	-9.00	0.66	0.05	3.00
13	2.00	86.50	88.50	-9.00	-9.00	0.34	0.05	2.95
14	1.60	88.50	90.10	-9.00	-9.00	0.11	0.10	2.92

AREA : B HOLE NAME : MJO-B11

EAST (X) : 457.432
 NORTH (Y) : 2618.776
 ELEVATION : 679.500
 INCLINATION: -90.000
 BEARING : 0.000
 LENGTH : 201.000
 HANGING WALL: 116.200

No	Length	From	To	Au	Ag	Cu	Zn	S.G.
1	2.00	116.20	118.20	1.60	1.40	0.52	0.01	2.98
2	2.00	118.20	120.20	-9.00	-9.00	0.26	0.01	2.94
3	2.00	120.20	122.20	0.20	1.10	0.34	0.01	2.95
4	2.00	122.20	124.20	-9.00	-9.00	0.04	0.21	2.91
5	2.00	124.20	126.20	-9.00	-9.00	0.43	0.10	2.96
6	2.00	126.20	128.20	0.10	0.80	0.03	0.01	2.90
7	2.00	128.20	130.20	0.20	1.30	0.03	0.01	2.90
8	2.00	130.20	132.20	0.30	1.40	0.50	1.45	2.97
9	2.00	132.20	134.20	0.30	1.40	0.50	1.45	2.97
10	2.00	134.20	136.20	0.10	1.20	0.29	1.24	2.94
11	2.00	136.20	138.20	-9.00	-9.00	0.59	0.41	2.99
12	1.70	138.20	139.90	1.50	0.60	1.57	0.01	3.13