



**TECHNICAL SPECIFICATION (AASHTO)**

- CONCRETE STRESS @ 28 DAYS 3000 PSI
- STEEL YIELD STRESS =36000 PSI
- CONCRETE COVER = 3inches
- MINIMUM STEEL LAP = 30 inches
- SOIL PRESSURE (MIN) =3000 PSI
- MIX RATIO 1: 1 1/2: 2
- COARSE AGGREGATE 1/4" - 1/2"
- BLINDING COARSE MIX RATIO 1:3:4




**TYPICAL ELEVATION**




**TYPICAL 1 1/2-LANE PLAN**


MINISTRY OF PUBLIC WORKS	
PROJECT	TYPICAL BRIDGE 3C-50'
LOCATION	FEEDER RC4ES
DESIGNED BY	L. SASAY Chief Engg /TSB
APPROVED BY	[Signature] 02/25/10



<b>MINISTRY OF PUBLIC WORKS</b>	
<b>PROJECT :</b>	<b>1 1/2 LANE BRIDGE</b>
<b>LOCATION :</b>	<b>FEEDER ROADS</b>
<b>DESIGNED BY:</b>	<b>L.SASAY Chief Eng./TSB</b>
<b>APPROVED BY:</b>	<b>Date 02/02/10</b>



TYPICAL ELEVATION




TYPICAL 1 1/2-LANE PLAN

**TECHNICAL SPECIFICATION (AASHTO)**

- CONCRETE STRESS @ 28 DAYS 3000 PSI
- STEEL YIELD STRESS =36000 PSI
- CONCRETE COVER = 3inches
- MINIMUM STEEL LAP = 30 inches
- SOIL PRESSURE (MIN.) =3000 PSI
- MIX RATIO 1:1 1/2:2
- COARSE AGGREGATE 1/4"- 1/2"
- BLINDING COARSE MIX RATIO 1:3:4

MINISTRY OF PUBLIC WORKS	
PROJECT :	TYPICAL BRIDGE 3C-3D
LOCATION :	FEDERA HIGHWAYS
DESIGNED BY :	SASAY Chief Engineer
APPROVED BY :	10/25/2016



<b>MINISTRY OF PUBLIC WORKS</b>	
<b>PROJECT :</b> 1 1/2 LANE BRIDGE	
<b>LOCATION :</b> FEEDER ROADS	
<b>DESIGNED BY:</b> L.SASAY Chief Eng./TSB	
<b>APPROVED BY:</b>	Date 02/02/10