



Page 1				1	2	1	3	1.5	Laterite	1	3.5	-	DBST	1	3.5	1	Laterite	1.5	3	5	2	1				
			PK 45+000	1	2	1	3	1.5	Laterite	1	3.5	_	DBST	1	3.5	1	Laterite	1.5	3	1	2	1				
DK 45±000				1	2	1	3	2.0	Laterite	-	3.5	_	DBST	1	3.5	1	Laterite	2.0	3	1	2	1				
			PK 35+000	1	2	5	3	1.0	Laterite	2	3.5	-	DBST	1	3.5	2	Laterite	1.0	3	5	2	1				
DK 35+000				1	2	1	3 (under constr.)	1.0	Laterite	3	3.5	-	DBST	-	3.5	3	Laterite	1.0	3	5	2	1				
			PK 25+000	1	2	9	3 (under constr.)	4.5	Laterite	2	3.3	_	DBST	-	3.3	2	Laterite	4.5	3 (under constr.)	9	2	1				
000+56 Ad				1	2	1	3	1.0	Laterite	2	3.0	-	DBST	1	3.0	2	Laterite	1.0	3	1	2	3				
	M. M		PK 15+000	1	2	1	3	1.5	Laterite	2	3.5	_	DBST	1	3.5	2	Laterite	1.5	3	1	2	1				
DK 15+000				1	2	1	3 (under constr.)	1.5	Laterite	2	3.5	-	DBST	-	3.5	2	Laterite	1.5	3 (under constr.)	5	2	1				
X 55+000)			PK 5+000	1	2	8	3	2.0	Laterite	2	3.5	-	DBST	1	3.5	2	Laterite	2.0	3	1	1	1				
National Road No. 31 (from PK 05+000 to PK 55+000) DK 5+000				1	2	1	1	1.2	SBST	2	4.0	-	DBST	1	4.0	2	SBST	1.2	1	8	2	1		RCDG	3	PK 37+450
National Road No. 31 (of road condition	hqsagoiodq		Terrain	Affect house	Land Use Type	Shoulder Condition	Shoulder Width (m)	Shoulder Type	Road Condition	Road Width (m)	Lane Number (no)	Road Pavement Type	Lane Number (no)	Road Width (m)	Road Condition	Shoulder Type	Shoulder Width (m)	Shoulder Condition	Land Use Type	Affect house	Теттаіп	Remark	Bridge Type	Span Number (no)	ogbird Po figuraph of Bridge notitiono
_								ppis :	idgi <i>S</i>	I							əpis	Left						əgb	'nЯ	

Page 2																								
	-																							
	-																							
	_																							
	_																							
	-																							
K 54+000)	000-15 X1	_	2		3	1.5	Laterite	-	3.5	1	DBST	1	3.5	1	Laterite	1.5	3	S	2	1				
National Road No. 31 (PK 54+000)	Photograph of road condition	Terrain	Affect house	Land Use Type	Shoulder Condition	Shoulder Width (m)	Shoulder Type	Road Condition	Road Width (m)	Lane Number (no)	Road Pavement Type	Lane Number (no)	Road Width (m)	Road Condition	Shoulder Type	Shoulder Width (m)	Shoulder Condition	Land Use Type	Affect house	Terrain	Remark	Bridge Type	Span Number (no)	əgbird io nçmgot noitibnos
~ L	<u> </u>		1			ppis :	nlgiA	[əpis	Left						əãp	ь'nЯ	



Teach Market broad Market broa	٠ ـــ		PK 1+000	(PK 5+000		PK 11+000		PK 21+000		PK 31+000		PK 41+000
Transistant	I	пова сопатиоп											
Transis President Presid		lo dqsigotodq											
Honey Continue 1				PK 3+000		PK 6+000		PK 16+000		PK 26+000		PK 36+000	
Michichone 2	Н	Terrain	-	1	_	_	1	1	_	1	-	-	_
Land Use Pype		Affect house	2	1	-	2	2	2	2	2	2	-	2
Shoulder Condition 2 4 (under connet) 3 4 (under connet) 3 3 3 (under connet) 3 3 4 (under connet) 3 3 4 (under connet) 3 4 (Land Use Type	-	1	-	8	5	5	9	5	5	-	v
Shoulder Wight (m) 17		Shoulder Condition	2	4 (under constr.)	4	3	4 (under constr.)	3 (under constr.)	3	3 (under constr.)	3	3 (under constr.)	3
Shoulde Type SBST Laterite		Shoulder Width (m)	1.7	2.5	2.0	2.0	4.0	4.0	2.5	3.0	2.0	2.5	2.0
Road Condition 1 4 (under contr.) 1 2 2 (under contr.) 3 2 1 2 3 (under contr.) Road Parwent Type 13 33 30 30 30 30 1 <td></td> <td>Shoulder Type</td> <td>SBST</td> <td>Laterite</td> <td>Laterite</td> <td>Laterite</td> <td>Laterite</td> <td>Laterite</td> <td>Laterite</td> <td>Laterite</td> <td>Laterite</td> <td>Laterite</td> <td>Gravel</td>		Shoulder Type	SBST	Laterite	Laterite	Laterite	Laterite	Laterite	Laterite	Laterite	Laterite	Laterite	Gravel
Road Width (m) 35 33 30 30 30 30 20 27 40 35 40 40 40 40 40 40 40 4		Road Condition	-	4 (under constr.)	_	2	2 (under constr.)	3	2	1	2	3 (under constr.)	3 (under constr.)
Lane Number (no) 1		Road Width (m)	3.5	3.3	3.0	3.0	3.0	2.0	2.7	4.0	3.5	4.0	4.0
Road Pavement Type DBST Laterine		Lane Number (no)	1	1	1	1	1	1	1	1	1	1	1
Lanc Number (no) 1		Road Pavement Type		DBST	DBST	DBST	DBST	DBST	DBST	DBST	DBST	Laterite	Gravel
Road Width (m) 3.5 3.0 3.0 3.0 3.0 4.0 3.5 4.0 Road Condition 1 4 (under constr.) 1 2 2 (under constr.) 3 2.0 2.0 2.0 1 2 3 (under constr.) Shoulder Vadition 1.7 2.5 2.0 2.0 4.0 2.5 1 2.5 3 (under constr.) Shoulder Condition 2 4 4 4 3 (under constr.) 3 3 (under constr.) 3 3 (under constr.) Shoulder Condition 2 1		Lane Number (no)	-	1			1	1	1	1	1	1	П
1 4 (under constr.) 1 2 2 (under constr.) 3 2 1 2 3 (under constr.) 4 2.5 3 (under constr.)		Road Width (m)	3.5	3.3	3.0	3.0	3.0	2.0	2.7	4.0	3.5	4.0	4.0
Shoulder Type SBST Laterite		Road Condition	1	4 (under constr.)	1	2	2 (under constr.)	3	2	1	2	3 (under constr.)	3 (under constr.)
Shoulder Width (m) 1.7 2.5 2.0 2.0 4.0 2.5 3.0 2.5 3.0 2.5 Shoulder Condition 2 4 1.0 3 4 (under constr.) 3 (under constr.) <td< td=""><td></td><td>Shoulder Type</td><td>SBST</td><td>Laterite</td><td>Laterite</td><td>Laterite</td><td>Laterite</td><td>Laterite</td><td>Laterite</td><td>Laterite</td><td>Laterite</td><td>Laterite</td><td>Gravel</td></td<>		Shoulder Type	SBST	Laterite	Laterite	Laterite	Laterite	Laterite	Laterite	Laterite	Laterite	Laterite	Gravel
Shoulder Condition 2 4 (under constr.) 3 4 (under constr.) 3 (under constr.)	пеп	Shoulder Width (m)	1.7	2.5	2.0	2.0	2.0	4.0	2.5	3.0	2.0	2.5	2.0
Famed Use Type Affect Name Affect Name		Shoulder Condition	2	4 (under constr.)	3	3	4 (under constr.)	3 (under constr.)	4	3 (under constr.)	3	3 (under constr.)	3 (under constr.)
Affect house 2 2 2 2 1 2 2 2 1 2 2 2 2 1 2 3 3 4 4 4 5 1 <t< td=""><td>_</td><td>Land Use Type</td><td>4</td><td>-</td><td>1</td><td>5</td><td>5</td><td>5</td><td>9</td><td>5</td><td>1</td><td>1</td><td>5</td></t<>	_	Land Use Type	4	-	1	5	5	5	9	5	1	1	5
Fermain		Affect house	2	1	1	2	2	2	2	2	1	2	2
Remark Bridge Type Span Number (no) Photograph of Bridge condition	_	Теттаіп	1	1	-	-	1	_	-	1	-	_	-
Bridge Type Span Number (no) Photograph of Bridge condition		Remark											
Span Number Photograph of Bridge condition		Bridge Type	RCDG										
condition	ь'nЯ	Span Number (no)	8										
AN ALTHI		Photograph of Bridge notitions	OCEAN										

	The state of the s	-	-					
		1/8						
		1						
		PK 51+000			4	-		
	-							
	2							
	1							
3 (und-	3 (under constr.)							
	2.0							
9	Gravel							
3 (und-	3 (under constr.)	3 (under constr.)						
	4.0							
	_							
S	SBST	Laterrite						
	1							
	4.0							
3 (und.	3 (under constr.)	3 (under constr.)						
5	Gravel							
	2.0							
3 (und	3 (under constr.)							
	1							
	2							
	_							



		FR 00+000		F.N. 10+000				A A & C C C C C C C C C C C C C C C C C		1 IX 40 : 000		200.00.00
	noitibnoэ bвот		But account							nia.		and the second
	To dqsrgotod4						Total Control of the					
			PK 05+000		PK 15+000		PK 25+000		PK 35+000		PK 45+000	
	Terrain	2	-	2	2	2	1	-	-	1	4	2
▼	Affect house	2	2	2	2	2	2	2	2	2	2	-
La	Land Use Type	7	1	1	7	7	5	7	8	7	5	1
	Shoulder Condition	1	3	2	1		2	1	3	1	1	1
Shou	Shoulder Width (m)	1.9	1.1	1.0	1.0	1.5	3.0	0.5	1.5	1.2	1.4	1.0
	Shoulder Type	laterite	DBST	DBST	DBST	DBST	laterite	DBST	laterite	DBST	SBST	SBST
	Road Condition	1	2	1	1		1	1	2	1	1	1
Ro	Road Width (m)	5.0	3.9	4.0	4.0	4.5	4.0	4.0	4.0	4.0	4.0	4.0
Lan	Lane Number (no)	-	_	-	1	-	1	1	-	1	-	_
Road	Road Pavement Type	DBST	DBST	DBST	DBST	DBST	DBST	DBST	DBST	DBST	DBST	DBST
Lan	Lane Number (no)	1	1	1	-		1	1	1	1	-	1
Ro	Road Width (m)		3.5	4.0	4.0	4.0	4.5	4.0	4.0	4.0	4.0	4.0
	Road Condition	-	2	1	1	1	1	1	2	1	1	1
spis	Shoulder Type	ı	DBST	DBST	DBST	DBST	DBST	DBST	DBST	DBST	SBST	SBST
	Shoulder Width (m)	1	1.5	1.0	1.0	1.3	1.5	1.0	1.5	1.1	1.5	1.0
Shor	Shoulder Condition	1	2	2	1	1	1	1	2	1	1	2
La	Land Use Type	7	1	1	7	7	5	1	S	9	5	1
A	Affect house	2	1	2	2	2	2	2	2	2	2	1
	Теттаіп	2	1	2	2	2	1	1	1	1	1	2
Rem	Remark	One Lane								Many Potholes fou	Many Potholes found along these PKs	
og b	Bridge Type			PCDG		RCS		RCS		RCS		
	Span Number (no)			14		5		9		4		
	agbir Bridge notition											
	sigotod ^c oo				de la companya de la						19-00-19-00	
]						September 1970				THE RESERVE THE PARTY NAMED IN COLUMN TWO IS NOT	

PK 55+000	Photograph of road condition		Terrain 1	Affect house 2	Land Use Type 7	Shoulder Condition 1	Shoulder Width (m)	Shoulder Type DBST	Road Condition	Road Width (m) 4.0	Lane Number (no)	Road Pavement Type DBST	Lane Number (no)	Road Width (m) 4.0	Road Condition	डें ज़ Shoulder Type DBST		Shoulder Condition 1	Land Use Type 7	Affect house 2	Terrain 1	Remark	Bridge Type	Opun 1 tunners (no.)	ogbh of Bridge notition
		PK 60+000	3	2	7	-	1.0	DBST	1	4.3	1	DBST	1	4.3	1	DBST	1.0	1	7	2	3				
PK 65+000			3	2	7	1	1.1	DBST	1	4.0	1	DBST	1	4.1	1	DBST	1.0	1	7	2	3				
		PK 70+000	3	2	7	1	0.8	DBST	1	4.0	1	DBST	1	4.0	1	DBST	8.0	1	7	2	8				
PK 75+000			3	2	7	-	6.0	DBST	1	4.0	1	DBST	1	4.0	1	DBST	6.0	1	7	2	3				
		PK 80+000	3	2	7	-	1.0	DBST	1	4.0	1	DBST	1	4.0	1	DBST	1.0	1	7	2	3				
PK 85+000			3	2	7	1	0.5	DBST	1	4.5	1	DBST	1	4.5	1	DBST	0.5	1	7	2	3				
		PK 90+000	3	2	1	1	8.0	DBST	1	4.5	1	DBST	1	4.5	1	DBST	1.0	1	1	2	3		PCDG	20.4	
PK 95+000			3	2	7	-1	0.7	DBST	1	4.0	1	DBST	1	4.0	1	DBST	1.1	1	7	2	3	Potholes alo			
	The state of the s	PK 100+000	3	2	7	1	1.0	DBST	1	4.0	1	DBST	1	4.0	1	DBST	1.2	1	7	2	3	Potholes along these PK			
PK 105+000			3	2	7	-	1.0	DBST	1	4.0	1	DBST	-	4.0	1	DBST	1.0	1	7	2	3			S.	