



Closing Ceremony and final Workshop for Project Completion
5th - 6th March 2014
Holiday Inn Hotel, Port Moresby, PNG



Applications of GIS and Remote Sensing for the Forest Resource Monitoring System including Carbon Stock

5th March 2014

Kiyoshi Suzuki

JICA Expert

Forest Inventory/Project Coordinator

JICA-PNGFA Project

05/03/2014

1



Contents

1. Necessity of Forest Monitoring
2. Project Activities for Forest Monitoring
3. Conceptual Structure of Forest Monitoring of PNGFA
4. Forest Area Change Analysis
5. Field Monitoring for Remote Sensing
6. Training and Trial of Forest Carbon Survey
7. Carbon analysis using airborne data
8. Forest carbon estimation for FRA2015
9. Summary

05/03/2014

2



1. Issues and Challenges in PNG

As-Is (Current)

1. National level Forest Basemap is not developed since 1972
2. Forest GIS (FIMS: Forest Inventory and Mapping System) is not updated since 1996
3. Existing forest related data is not sufficient for carbon estimation



Challenges:

- Vast forest area, but most are inaccessible to do forest survey for whole country
- Lack of funds to conduct full scale forest inventory
- 97% of PNG land is customary land
- Physical structure of land – mountainous, etc.

To-Be (Goals)


1. National level Forest Resource Basemap is developed and utilized
2. National level Forest Resource GIS/Database is developed and utilized
3. Forest Monitoring System including Carbon stock is designed/demonstrated



05/03/2014



Necessity of Forest Monitoring




05/03/2014



Project Activities for Forest Monitoring


Concept of Forest Monitoring for REDD+



Activities of JICA-PNGFA Project




Conceptual Structure of Forest Monitoring of PNGFA






Forest Area Change Analysis

Optical satellite image (RapidEye) 2010



Forest Area Change Analysis


Cloud free satellite image (ALOS/PALSAR) 2007





Field Verification for Remote Sensing

Concept of field verification




Training on field verification

Purpose	To develop the capacity of the relevant PNGFA officers to conduct field verification using GPS and GIS.
Period	March 2013
Participants	16 PNGFA officers - Area office - Plantation - Forest Research Institute (FRI)



Field Verification for Remote Sensing


Satellite image (RapidEye) with pictures captured by GPS





Field Verification for Remote Sensing

Satellite images and other data are ready for use




05/03/2014

13



Field Verification for Remote Sensing

Satellite image with Vegetation and 10m Interval Contour




05/03/2014

14



Field Verification for Remote Sensing

10m Interval Contour derived from Digital Elevation Model




05/03/2014

15



Field Verification for Remote Sensing

Slope analysis derived from Digital Elevation Model



05/03/2014

16



Training and Trial of Forest Carbon Survey

Training of forest carbon measurement

Purpose	To develop the capacity of the relevant PNGFA officers to conduct field measurement of above ground biomass, dead wood, litter and understory vegetation to estimate forest carbon.
Period	May 2012
Participants	16 PNGFA officers - HQ - Area office - Provincial office - FRI

Training of below ground biomass survey

Purpose	To develop the capacity of the officers of relevant organizations, especially FRI scientists, to conduct below ground biomass survey.
Period	September 2012
Participants	40 participants PNGFA - HQ - Area office - FRI Other organization - OCCD - UNITECH




05/03/2014

17



Training and Trial of Forest Carbon Survey



	Plot size	Measurement Object
Main plot (1ha)	40m x 250m	Live and dead standing wood, palms and vines
		Dead lying wood
Sub plot	5m x 5m	Live and dead standing wood
		Dead lying wood
	1m x 1m	Tree sapling
		Dead wood
1m x 1m	Understory vegetation	
		Litter

05/03/2014

18



Training and Trial of Forest Carbon Survey



05/03/2014

19




Carbon analysis using airborne data

Canopy Volume





Airborne Survey Data (GeoSAR & LiDAR)



$DSM - DTM = \text{Canopy Vol.}$

Correlation Analysis between Canopy Vol. and Stand Vol.



Carbon Stock Amount

Stand Volume



Field Survey




- ✓ Tree Species
- ✓ Tree Height
- ✓ DBH
- Allometric Model

L shape plot design in consideration of GeoSAR




Forest carbon estimation for FRA2015



Forest carbon estimation for FRA2015

- New Forest Base Map 2012 was developed using high resolution satellite imagery under JICA-PNGFA Project. Area of Forest types on Forest Base Map 2012 are calculated as in table below.

Forest Base Map 2012



Area of Forest types of Forest Base Map 2012

	Forest type	Area (ha)
P	Low Altitude Forest on Plains & Fans	5,044,831
H	Low Altitude Forest on Uplands	15,060,791
L	Lower Montane Forest	8,443,151
Mo	Montane Forest	811,434
D	Dry Seasonal Forest	960,685
B	Littoral Forest	86,343
Fri	Seral Forest	155,027
Fsw	Swamp Forest	2,199,899
M	Mangrove Forest	649,604
W	Woodland	2,952,213
Sa	Savanna	655,446
Sc	Scrub	394,500



Forest carbon estimation for FRA2015

Forest Base Map 2012 (PNGFA/JICA)	Total Living Biomass (Mt)	CF	Total forest biomass carbon (Mt)	
P	2,073.43	0.47	974.51	
H	6,189.99		2,909.29	
Fri	63.72		29.95	
Fsw	904.16		424.95	
D	214.42		100.78	
B	19.27		9.06	
W	491.25		230.89	
Sa	64.23		30.19	
Sc	38.66		18.17	
L	1,501.19		705.56	
Mo	144.27		67.81	
M	185.84		0.451	83.8
Total	11,890.43			5,592.22



Summary

1. Forest monitoring is necessary to address REDD+.
2. JICA-PNGFA Project contributed some parts of forest monitoring system through its activities.
3. Forest area change analysis were conducted on trial basis. This activity is very important for PNGFA to conduct both historical analysis and future monitoring.
4. Training on field verification were conducted. Data for field verification is ready for use.
5. Training and trial on forest carbon survey were conducted.
6. Carbon analysis using airborne data were conducted.
7. Basemap results assisted forest biomass carbon calculation for FAO FRA2015. *FRA: Forest resource assessment



Closing Ceremony and final Workshop for Project Completion
5th - 6th March 2014
Holiday Inn Hotel, Port Moresby, PNG



Major Achievement of Japan Grant Aid

05th March 2014

Masamichi HARAGUCHI

Team Leader of Grant Aid Technical Assistant
Kokusai Kogyo Co., Ltd (KKC)

2014/3/5

1



Contents

- Cooperation/Integration of JICA Project & Grant Aid Program
- Distribution Plan & Cooperation with Organizations
- Introduction of Procured Equipment (Data)
 - Satellite Imagery (Optical/Radar), Airborne Data
- List of Procured Equipment
- Equipment Delivery & Set-up
- Airborne Data Collection
- Data Sharing: Property/Right & MoA
- Data & User Management (Trial Operating)
- Technical Assistance
 - TA4: Topo Map Scan, Training Program for Universities & Institute
 - Current Situation and Potential for Future
 - TA3: Canopy Volume Estimation for Carbon Stock

2014/3/5

2



Full Cooperation of JICA Project & Grant Aid Program

JICA Technical Cooperation (T/C)

Objective:

To enhance the capacity of relevant institutions in PNG for monitoring of nation-wide forest resource including carbon stock to address climate change

Expected Output


1. Nation-wide forest base map
2. National level forest resource database
3. Monitoring system of forest resource including carbon stocks

Japan Grant Aid (JICS)

- Equipment
 - ✓ Remote Sensing GIS facility
 - ✓ Satellite Images
 - ✓ Airborne data
 - ✓ Field survey equipment
- Initial Training on installation & setting of equipment and data
- Technical Assistance (TA) for utilization of equipment and data
- On the Job Training (OJT) on RS/GIS software and data




Full Integration of JICA Technical Cooperation (TC) & Grant Aid Technical Assistance (TA)



- | | | |
|--|---|---|
| <ul style="list-style-type: none"> • Current situation analysis • User Needs & Assessment • Pilot/Demonstration Activity • Remote Sensing <ul style="list-style-type: none"> -Core-Analysis Design -Development Methodology • GIS Database <ul style="list-style-type: none"> -Current system Analysis -Basic System Design | <ul style="list-style-type: none"> • Expanding Area (Sub-National) • Remote Sensing <ul style="list-style-type: none"> -Processing Design -Mosaic/Standardization -Improvement Methodology • GIS Database <ul style="list-style-type: none"> -Detail System Design -Development System -Operational/Monitoring | <ul style="list-style-type: none"> • Expanding Area (National) • Remote Sensing <ul style="list-style-type: none"> -Mass Production -Compiling Data • GIS Database <ul style="list-style-type: none"> -Re-design System -Re-develop System |
|--|---|---|

Training in Japan



Grant Aid Equipment Procurement
 Remote Sensing/GIS-Database Facility
 Satellite Imagery/Airborne Data
 Field Survey Equipment



Contents of Technical Cooperation & Technical Assistance

TC3. Monitoring system of forest resource including carbon stocks

TA1: Creation of national forest base maps using remote sensing technologies

TC1: Nation-wide forest base map

TA2: Development/construction of a national-level forest GIS/Database

TC2: National level forest resource database

TA3: Estimation of carbon stock which would be essential information for the forest resource monitoring


Slide: 19-22

TA4: Formulation of a program to strengthen implementation capacity and to support educational institutions

Slide: 23-32




Distribution Plan & Cooperation with Organizations





Satellite Imagery (Optical): RapidEye




Orbit	620 km, sun synchronous
Number of Satellites	5
Spacecraft Mass	150 kg each
Image Data Downlink	>60 Mbps
Onboard Data Storage	>1500 km of image data
Max. Spacecraft Roll Angle	± 25 degrees
Payload Type	Push broom Optical Imager 5 Optical bands
Swath	78 km
Nadir Pixel Ground Sampling Distance	6.5 m
Global Revisit Time	1 day
Average Repeat Period (Europe and North America)	<5 days
DEM Generation Capability	Yes
Mission Life	7 Years

Ref. RapidEye Web



Comparison of RapidEye (5m) & Landsat (30m)




Landsat, 30 meters



RapidEye, 5 meters

logging trail







Satellite Imagery (Radar): ALOS/PALSAR (Japan)

ALOS: Advanced Land Observation Satellite


- ✓ Launch:
 - Jan. 24, 2006 by H-2A Rocket #8
 - > Stopped operation in Mar. 2011
- ✓ Objectives:
 - ① Cartography (1/25,000 scale)
 - ② Environmental Monitoring
 - ③ Disaster/**Forest Monitoring**
- ✓ Three mission instruments:
 - ①PRISM ②AVNIR-2 ③**PALSAR**




PRISM
Panchromatic Remote sensing Instrument for Stereo Mapping



AVNIR-2
Advanced Visible & Near-Infrared Radiometer type 2



PALSAR
Phased Array type L-band Synthetic Aperture Radar




ALOS-2 (SAR) and ALOS-3 (Optical)

- National Land Monitoring and Managements
- Resources Managements
- Disaster/**Forest Monitoring**
- ALOS-2 is planed to be launch in 2013-14, and ALOS-3 is hoped in 2014-15 (TBD)



ALOS-2: SAR Satellite




ALOS-3: Optical Satellite





Cloud Compensation & Change Detection

Cloud Compensation => **Forest Basemap**




Change Detection => **Forest Monitoring**








Airborne Data Collection & Application




Differences between Lidar and Radar Bands



Forest: leaves reflect X-band signals but not P-band which penetrates the canopy to probe the vertical trunk region of the foliage at a wavelength comparable to trunk dimensions.



Digital Canopy Volume derived from Airborne Data





List of Procured Equipment (1/2)

Item No.	Item	Item (detail)	Total	PNGFA HQ	FRI	Region Office	Province Office	OCCD	DEC	DAL	Unitech	UPNG RSC	
1	Desktop PC	Desktop PC	32	6	4	5	0	1	1	1	7	7	
2	Laptop	Laptop PC	18	5	4	5	4	0	0	0	0	0	
3	Potable GPS	Potable GPS	31	4	4	10	4	1	1	1	4	2	
4	A3 Printer (Color)	A3 Printer (Color)	8	1	1	5	0	0	0	0	1	0	
5	A3 Scanner	A3 Scanner	8	1	1	5	0	0	0	0	1	0	
6	A0 Scanner	A0 Scanner	1	0	0	0	0	0	0	0	0	1	
7	A0 Plotter	A0 Plotter & Scanner	3	1	1	0	0	0	0	0	1	0	
8	Data Server	Data Server	2	1	1	0	0	0	0	0	0	0	
Software/Satellite Imagery (to be installed)													
9	ERDAS	LPS	5	2	1	0	0	0	0	0	1	1	
		IMAGINE (Pro)	5	2	1	0	0	0	0	0	1	1	
		ATCOR	2	1	0	0	0	0	0	0	0	1	
		AutoSync	2	1	0	0	0	0	0	0	0	1	
		Radar Mapping Suite	2	1	0	0	0	0	0	0	0	0	1
		HEAK Core Level1(15 License/set)	2	0	0	0	0	0	0	0	0	1	15
HEAK Photo-Level1(15 License/set)	2	0	0	0	0	0	0	0	0	1	15		
10	eCognition	Architect	1	0	1	0	0	0	0	0	0	0	
		Developer	2	1	1	0	0	0	0	0	0	0	
		Server&Developer	1	1	0	0	0	0	0	0	0	0	
11	ArcGIS license	ArcInfo	5	2	1	0	0	0	0	0	1	1	
		ArcEditor	4	2	0	0	0	0	0	0	1	1	
		ArcView	15	2	1	5	0	1	1	1	2	2	
		Spatial Analyst	10	4	2	0	0	0	0	0	2	2	
		3D Analyst	10	4	2	0	0	0	0	0	2	2	
		ArcInfo Academic (30 License/set)	3	0	0	0	0	0	0	0	1	FD	1
		3D AnalystAcademic (30 License)	3	0	0	0	0	0	0	0	1	FD	1
Spatial Analyst Academic (30 License)	3	0	0	0	0	0	0	0	1	FD	1		
12	ArcGIS Server	ArcGIS Server	2	1	1	0	0	0	0	0	0	0	

2014/3/5

13



List of Procured Equipment (2/2)


Item No.	Item	Item (detail)	Total	PNGFA HQ	FRI	Region Office	Province Office	OCCD	DEC	DAL	Unitech	UPNG RSC
13	MS SQL Server	MS SQL Server	2	1	1	0	0	0	0	0	0	0
14	MS Visual Studio	MS Visual Studio	3	2	1	0	0	0	0	0	0	0
15	MapInfo	MapInfo	1	1	0	0	0	0	0	0	0	0
16	Satellite Imagery	ALOS/PALSAR 2010	1	1	0	0	0	0	0	0	0	0
17		RapidEye 2010	1	1	0	0	0	0	0	0	0	0
18		ALOS/PALSAR 2007	1	1	0	0	0	0	0	0	0	0
19	Compass	Compass	30	3	4	19	0	0	0	0	4	0
20	Clinometer	Clinometer	30	3	4	19	0	0	0	0	4	0
21	Diameter Tapes (10m)	Diameter Tapes (10m)	30	3	4	19	0	0	0	0	4	0
22	Distance Tape (100m)	Distance Tape (100m)	30	3	4	19	0	0	0	0	4	0
23	Distance Tape (50m)	Distance Tape (50m)	30	3	4	19	0	0	0	0	4	0
24	Digital Camera	Digital Camera	15	5	3	5	0	0	0	0	1	1
25	Wedge Prism (Angle Count) Factor 1 & 2	Wedge Prism (BAF 1)	30	3	4	19	0	0	0	0	4	0
		Wedge Prism (BAF 2)	30	3	4	19	0	0	0	0	4	0
26	Hypsometer	Hypsometer	30	3	4	19	0	0	0	0	4	0
27	Densimeter	Densimeter	16	3	4	5	0	0	0	0	2	2
28	Shelf Storage	Shelf Storage	8	4	4	0	0	0	0	0	0	0
29	Cabinet (Vertical)	Cabinet (Vertical)	8	4	4	0	0	0	0	0	0	0
30	Cabinet (Horizontal)	Cabinet (Horizontal)	12	6	6	0	0	0	0	0	0	0
31	Projector sets	Projector sets	2	1	1	0	0	0	0	0	0	0
32	Portable Generator	Portable Generator	2	1	1	0	0	0	0	0	0	0

2014/3/5

14



Equipment Delivery and Set-up, Training




• Training of GPS was conducted in JICA Workshop in March, 2012

• Delivery of most the equipment's including airborne data is completed
 • Set-up GIS in Area Office & Univ. is completed and training is started



Airborne Data Collection



• Data acquisition is successfully completed in December 2012 (AAM)

Kokoda (Montane, High Altitude) DEC GeoSAR Study

• Quality assessment has passed & product was delivered in Feb. 2013

Milne Bay, Central Suau (Lowland. Logged over) PNGFA REDD+ Pilot



Data Sharing: Property/Right & MoA

Org.	Item	PNGFA	FRI	Area Office	OCCD	DEC DAL	UPNG UNITECH	Other
PNGFA	FIMS (del. timber)	⊙	○	×	×	×	×	×
	FIPS	⊙	×	×	×	×	×	×
	PSP	×	⊙	×	×	×	×	×
Japan GrantAid	RapidEye	⊙	⊙	○	×	○	○	×
	thematic map	⊙	⊙	○	○	○	○	○
	PALSAR	⊙	○	×	×	×	×	×
	ortho & change	⊙	⊙	○	○	○	○	○
JICA	GeoEye & LiDAR	⊙	○	×	×	×	×	×
NMB (MRA)	GeoSAR	⊙	○	×	×	×	×	×
	processed data	⊙	○	○	×	×	×	×
	TopoMAP	⊙	⊙	○	×	×	×	×
Open Data	LANDSAT	○	○	○	△	△	△	△
	ASTER G-DEM	○	○	○	△	△	△	△
	SRTM	○	○	○	△	△	△	△
	PNGRIS, Geobook, etc	⊙	⊙	○	△	△	△	△

MOA focus

⊙ Main Data Owner ○ Licensed User × Not Share (not allowed/necessary) △ Possible to Share




Data & User Management (Trial Operating)



Server@HQ/FRI
D-Drive:WS@Area Office


- 01_Satellite
- 02_Airborne
- 03_DEM
- 04_TopoMAP
- 11_FieldSurvey
- 21_TopoAnalyst
- 22_SatelliteAnalysis
- 31_ForestMap
- 32_CarbonStock
- 41_Thematic
- 42_Boundary
- 43_Planning
- 51_Others
- 71_MapLayout
- 72_Output
- 89_FreeData
- 91_Documents





Topo Map Scanning: Using A0 Plotter/Scanner for GIS

Workflow



File Naming Rule

File	File Naming Rule
Scanned images	TOPOs+Sheet No.+Sheet Name
Georectified images	TOPOr+Sheet No.+Sheet Name
Edgecut images	TOPO+Sheet No.+Sheet Name

Index Map of Topographic Map





Enable to gain quick access to the maps



Training Program for Universities and Institute

Contents:

- Introduction to ArcGIS
- Map design
- GIS outputs
- File geodatabase
- Spatial data
- Digitizing
- Geoprocessing
- Spatial analysis
- Introduction to ArcGIS 3D Analyst
- Analyzing raster data
- Creating surface
- Analyzing topographic surface
- Analyzing distance
- Suitability analysis
- Hydrological analysis
- Ecotope mapping





Current Situation and Potential for Future: Group2

Organization	Division	Provision of TA	Current situation	Future possibility
UNITECH	Forestry	GIS/RS training program was implemented in Dec. 2012 (10 people)	Stagnation due to poor infrastructure conditions caused by delayed transfer to the facility as scheduled	Entry of graduates of the training program, cooperation and collaboration for mass production
	Surveying & Land Studies	Nothing in particular: Request for TA to the Forestry	The procured PCs, GIS & RS teaching materials are effectively utilized in their education and research activities	TA to the Dept. of Forestry & candidate subcontractor in mass production operation
UPNG	Remote Sensing Center	Nothing in particular: Advice on GIS/RS training program	The procured large plotter/scanner is effectively utilized	Technical exchange for past satellite data analysis and airborne data analysis
	Environmental Science & Geography	Formulation GIS/RS training program (4 people)	New classes were started, which are popular among the students.	Cooperate with graduates, subcontract for mass production



Current Situation and Potential for Future: Group1&3

Organization	Division	Provision of technical assistance	Current situation	Future possibility
PNGFA	Area Office	Mar. 2013 Ground Truth WS Oct. to Dec. 2013 Agriculture information development WS	Acquired basic skills for handling satellite data and GIS in the farmland information development WS. Expected to utilize the skills in the future	Practice of monitoring in coordination with local areas (ground truth, information collection)
OCCD		Nothing in particular: WS in 2012	The procured GIS is utilized some time because they have OSS equipment from UN-REDD/FAO.	Cross-validation of forest info necessary for international reports
DEC		Nothing in particular: WS in 2012	The equipment is not utilized due to lack of understanding but considered to utilize it after MTG with PNGFA	Management & planning, updating & sharing of info of protection areas & wetlands
DAL		Nothing in particular: WS in 2012	The equipment is not utilized due to the issue of command channel but considered to utilize it after MTG with PNGFA	Development of detailed agriculture info (crops, etc.), collection of info on plantations




Addressing Emission Factor with Airborne Data


ACTIVITY DATA

- ✓ Satellite Monitoring
- ✓ Area and area change

Optical Satellite



Radar/SAR Satellite




x

EMISSION FACTOR

- ✓ Inventory Survey
- ✓ Information on carbon stocks associated with each land category



- It is **very difficult to implement field survey for a large number/wide**
- It is **not easy to measure tree height accurately**
- We would like **some compensating method.**



Airborne LiDAR/SAR

LiDAR:
Light
Detection
And
Ranging




Overview of Demonstration of Carbon Stock Estimation



Airborne Survey (GeoSAR & LiDAR)



Canopy Volume



Correlation Analysis of Canopy Volume and Stand Volume



Carbon Stock Amount

Field Survey




Stand Volume

- ✓ Tree Species
- ✓ Tree Height
- ✓ DBH
- Allometric Model



Digital Canopy Volume derived from Airborne Radar




2014/3/5

25



Detail Plot Survey for Canopy Volume Estimation




2014/3/5

Geo-Eye Imagery and Ground-based Survey by PNGFA May 2012



26



Assessment of LiDAR & GeoSAR (Plain Area)




Correlation Analysis between Canopy Volume & Biomass






Assessment of LiDAR & GeoSAR (Montane Area)

LiDAR/LAS 3D Image



TreeHight_GeoSAR2012




2014/3/5

29



Estimated Carbon Stock by LiDAR Canopy Volume







2014/3/5

30



GeoSAR Terrain Illumination Correction



2014/3/5

31



Suggestions for Improving Canopy Volume Estimation

- Analyze with GeoSAR **Terrain Illumination Corrected** Data
- Analyze based on **Slope and Vegetation Type** Clusters
- Analyze with **Canopy Cover & Crown Density** Info by Ground Survey & Densiometer
- Analyze with **National Forest Inventory** Info in the Future
- Analyze with the Classification of Secondary Forest and Forest Degradation Level
- Improve the Pre-Processing of **Path/Swath Coordination** (by Data Provider)

2014/3/5

32



Summary

- JICA Project & Grant Aid Program are cooperated & Integrated
- Equipment were distributed as plan mostly (some changed)
- Satellite Image (Optical/Radar), Airborne Data were collected
- Equipment were distributed as plan mostly (some changed)
- Airborne Data was collected as planned (take time though)
- Data Sharing: Property/Right & MoA will be agreed later
- Data & User Management are on trial operation (with S.R.O)
- Technical Assistance was implemented and completed in Dec.
 - TA4: Topo Map Scanning was completed, Training Program for UPNG, UNITECH & FRI were conducted
 - TA3: Canopy Volume Estimation for Carbon Stock was demonstrated and recommendation are arranged

2014/3/5

33



Closing Ceremony and final Workshop for Project Completion
5th - 6th March 2014
Holiday Inn Hotel, Port Moresby, PNG



Tenkyu tru (Picture: setting Grant Aid equipment's)



2014/3/5

34



Closing Ceremony and final Workshop for Project Completion
5th - 6th March 2014
Holiday Inn Hotel, Port Moresby, PNG



Evaluation Outline of the Current Project and Concept of Next JICA T/C Project

Tatsuya Watanabe

Chief Advisor
JICA PNGFA Project

5 March, 2014

1



Contents


1. Sequence for terminal evaluation and new project formulation
2. Outline of the JICA Project Joint Evaluation
3. Evaluation comments taken account or incorporated into new project formulation
4. Overall Concept of the new Project

5 March, 2014

2



1. Sequence for terminal evaluation and new project formulation in the timeframe of JICA and relevant projects in 2011-2019



NFI: National Forest Inventory

5 March, 2014



2. Outline of the JICA Project Joint Evaluation

1. Objectives of terminal evaluation

To review whether objectives can be achieved by the time of termination of the project period and to give recommendations and lessons learned for a future relevant activities.

2. Members of Joint Evaluation Team

[Japanese side]

- Mr. Hiroki Miyazono, Leader of Japanese-side Review Team, Senior Advisor, JICA
- Mr. Toshihiro Shima, Forestry Agency, Ministry of Agriculture, Forestry and Fisheries
- Mr. Hiroyuki Miyazaki, Global Environment Department, JICA
- Ms. Asako Takimoto, Social Development Department, Global Link Management Inc.

[PNG side]

- Mr. Michael Gigmai, Leader of PNG-side Review Team, Foreign Aid Division (Bilateral), Department of National Planning and Monitoring
- Mr. Michael Ketava, Monitoring and Evaluation Division, Department of National Planning and Monitoring
- Mr. Wakai Digne, Infrastructure and Economic Division, Department of National Planning and Monitoring

✓ Schedule

- 3 October -23 October 2013

5 March, 2014



3. Evaluation comments taken account or incorporated into new project formulation



1. The next project can include activities necessary to enhance the current project activities → **Project Purpose**
2. More inputs needed to base map improvement and estimation of national level carbon stock change and reference emission level → **New Output 1**
3. Application of the project's products to forest management planning and other multipurpose usage → **New Output 2**
4. More field level C/P training and establishing data collection and exchange system with provincial offices → **New Output 2**
5. How to maximize the impact of the project achievement is still concern (Publicity issue) → **New activities**
6. Seamless transition to the next project → **Sorry, too late!**

5 March, 2014

5

4. Overall Concept of the new Project

Project Period: 5 years (from 2014 to 2019)



5 March, 2014

6




Closing Ceremony and final Workshop for Project Completion
5th - 6th March 2014
Holiday Inn Hotel, Port Moresby, PNG



**Thank you
Tenkyu tru
Arigatou gozaimashita**

5 March, 2014

7





Closing Ceremony and final Workshop for Project Completion
5th - 6th March 2014
Holiday Inn Hotel, Port Moresby, PNG



Forest definition and forest classification

Rabbie Inzing Lalo & Gewa Gamoga

PNG Forest Authority
Forest Policy & Planning Directorate

2014/3/6

1



Learning outcomes

After this presentation you will learn the basics about:

1. Forest definition
2. Land Cover / Land Use
3. Forest classification
4. Importance of forest definition
5. Challenges of forest definition

Questions, Answers & Comments


2014/3/6

2



Forest Definition

This landscape seen from above shows the tree crowns as green dots.



Narration: It is difficult to find just one definition of a forest. In nature there is a continuum of woody vegetation, from open woody vegetation on the left, to closed woody vegetation on the right. Where the forest starts and open woody vegetation, or savanna, ends is an arbitrary definition. This is illustrated with red lines in the graph.

(<http://www.cifor.cgiar.org/fctoolbox/download/Topic-4-Section-A.pdf>.)

2014/3/6

3



Forest Definition...

FAO's definition of a forest

- Minimum land area is 0.5 hectares
- Minimum canopy cover is 10%
- Minimum height is 5 metres

Land spanning more than 0.5 hectares with trees higher than 5 meters and a canopy cover of more than 10 percent, or trees able to reach these thresholds *in situ*. It does not include land that is predominantly under agricultural or urban land use.

Explanatory notes

1. Forest is determined both by the presence of trees and the absence of other predominant land uses. The trees should be able to reach a minimum height of 5 meters *in situ*.
2. Includes areas with young trees that have not yet reached but which are expected to reach a canopy cover of 10 percent and tree height of 5 meters. It also includes areas that are temporarily unstocked due to clear-cutting as part of a forest management practice or natural disasters, and which are expected to be regenerated within 5 years. Local conditions may, in exceptional cases, justify that a longer time frame is used.

<http://www.fao.org/docrep/014/am665e/am665e00.pdf>

2014/3/6

4




Forest Definition...

PNG NFITWG Committees & JICA Tech. Team have assisted in defining PNG 's Forest definition.

PNG's definition of a **forest** is a:

- “land spanning more than 1 hectare, with trees higher than 3 meters and the canopy cover of more than 10 percent (%)”.

- This does not include land that is predominantly under agricultural or urban **land use.**



2014/3/6

5



Land Cover / Land Use

Land cover indicates the physical land type & its area such as forest, other wooded land, grasslands, wetlands, open water, bare areas etc...

There are two primary methods for capturing information on **land cover**: field survey and analysis of remotely sensed imagery.

Land use is a description of how people utilize the land. Socio-economic activity - urban and agricultural land uses are two of the most commonly known land use classes



2014/3/6

6



Land Cover / Land Use...

Land Use Hierarchical rules was invented in order of preferences as follows (*Gamoga per.com. 2014*):

1. Settlement 10%
2. Cropland 20%
3. Forestland 30%
4. Grassland 30%
5. Wetland 30%

% assigned based on land use definition. For example a 1ha. forest/plot area with $\geq 10\%$ covered by settlement is considered settlement. Next option is cropland & so forth.

This is in consistent with our forest definition where land predominantly under agriculture or urban land use is excluded.



2014/3/6



7



Forest classification

• Arranging different forest types into their rightful classes

• Under the JICA/PNGFA project we classified 12 different forest types using GIS, RS technologies, human interpretation work and Ground truthing


- 1.Low Altitude Forest on Plains & Fans
- 2.Low Altitude Forest on Uplands
- 3.Lower Montane Forest
- 4.Montane Forest
- 5.Dry Seasonal Forest
- 6.Littoral Forest
- 7.Seral Forest
- 8.Swamp Forest
- 9.Mangrove Forest
- 10.Woodland
- 11.Savanna
- 12.Scrub

Vegetation Classification of Part of Milne Bay Province Papua New Guinea.


using e-Cognition

Classes	Certified Parameters	Threshold		Remark
		Min	Max	
Forests				
1 Mangrove Forest	Green Band	-	64,190	
	DTM	-	193	
2 Swamp Forest	Green Band	-	64,500	
	DTM	-	132	
3 Regrowth & Secondary Forest	NIR	-	132,000	
4 Low Altitude Forest on Plains & Fans	DTM	-	<500	
5 Low Altitude Forest with Araucaria common	DTM	>500	<1,000	
Non Forests				
1 Grassland & Herbland	NDVI	-	<0.3	In order to detect this class we change the parameters in the Bareland class (Brightness) (>4000 and (NIR) >1000)
Other Classes				
1 Bareland	NIR	-	17,000	
	Brightness	-	24,000	
	NDVI	-	1140	
2 Cloud	Green Band	-	15,700	
	Brightness	-	24,800	
3 Shadow	Brightness	-	13,040	
4 Waterbody 1	NDVI	-	0.1	Only big waterbody was classified. Cannot further classify.

- classes
- Bareland
 - cloud
 - Grassland & Herbland
 - Low Altitude Forest on Plains & Fans
 - Low Altitude Forest with Araucaria common
 - Mangrove Forest
 - Regrowth & Secondary Forest
 - Shadow
 - Swamp Forest
 - Water Body1



Object based classification (eCognition Software)



2014/3/6

8



Importance of forest definition

1. Foundation for any forestry related work;
2. Differentiate landuse and forest area;
3. Differentiate non-forest and forest area;
4. Consistency in reporting and research work;
5. Country specific & very useful for interested stakeholders' to use;
6. Assist and guide forestry projects and on-going donor projects.




Challenges of forest definition

1. Method of sampling and data analysis will vary according to forest types;
2. Natural forest versus planted forest;
3. Other wooded areas versus actual forest areas;
4. Some RS satellite imageries and GIS classification work cannot differentiate between certain forest types following the forest definition.



Closing Ceremony and final Workshop for Project Completion
5th - 6th March 2014
Holiday Inn Hotel, Port Moresby, PNG



Thank you for your attention!



Closing Ceremony and final Workshop for Project Completion
5th - 6th March 2014
Holiday Inn Hotel, Port Moresby, PNG



Applied Data and Technology to develop Forest Base Map

06th March 2014

Masamichi HARAGUCHI

Team Leader of JICA Short-term Consultants
Kokusai Kogyo Co., Ltd (KKC)

2014/3/6

1



Contents

- Classification Target by Satellite Remote Sensing
- Object-based Classification (compare with Pixel based)
- Object-based (eCognition) Classification Training (in Japan)
- Proposed Classification Flow Chart
- Applied Classification Procedure (Demonstration)
 - Segmentation & Vegetation Classification
- Applied Correction for Cloud Area (Demonstration)
- Interpretation Exercise for Classification/Assessment
- Assessment of Automatic Classification Result
- Mass Production based on Classification Flow & C/P Input

2014/3/6

2



Classification Target by Satellite Remote Sensing

IPCC 2006 GL AFOLU	FAO FRA2010 PNG CR	Forest and Non-forest in Forest Base Map 2010	No.	Vegetation type in Forest Base Map 2010	Condition	Code
Forest land	Forest	Forest	1	Low Altitude Forest on Plains and Fans	below 1,000m	P
			2	Low Altitude Forest on Uplands	below 1,000m	H
			3	Lower Montane Forest	above 1,000m	L
			4	Montane Forest	above 3,000m	Mo
			5	Dry Seasonal Forest	in Western Prov.	D
			6	Littoral Forest		B
			7	Seral Forest		Fri
			8	Swamp Forest		Fsw
			9	Woodland		W
			10	Savanna		Sa
			11	Scrub		Sc
Depending on national definition of forest and thresholds chosen	Other wooded land (Non Forest)					
Grassland	Other land	Non-forest	12	Grassland and Herbland		G
			13	Alpine grassland	above 3,200m	Ga
			14	Subalpine grassland	2,500m - 3,200m	Gi
Forest land	Forest	Forest	15	Mangrove		M
Cropland	Other land	Non-forest	16	Agricultural Land Use		O
Wetlands	Inland Water Bodies		17	Lakes and larger rivers		E
Other Land	Other land		18	Bare areas		Z
Settlements			19	Settlements and larger urban centres		U
Forest land	Forest	Forest	20	Forest Plantation		-
Depending on national definition of forest and thresholds chosen	Other land	Non-forest	21	Plantation other than forest plantation		-



Classification Target by Satellite Remote Sensing

2 Low Altitude Forest on Uplands	HI	Large crowned forest
	Hm	Medium crowned forest
	HmAr	Medium crowned forest with Araucaria common
	Hmd	Medium crowned depauperate/damaged forest
	Hme	Medium crowned forest with an even canopy
	Hs	Small crowned forest
	Hse	Small crowned forest with an even canopy
	HsAr	Small crowned forest with Araucaria common
	HsCa	Small crowned forest with Castanopsis
	HsCp	Small crowned forest with Casuarina papuana
	HsN	Small crowned forest with Nothofagus
	HsRt	Small crowned forest with Rhus taitensis

Remote sensing (Satellite)



Interpretation (Aerial photo)



HI
(Large crowned forest)





Hm
(Medium crowned forest)



Hs
(Small crowned forest)



Object-based Classification (compare with Pixel based)



Original Image

Pixel-Based Classification

Object-Based Classification



Object-based Classification (compare with Pixel based)



RapidEye image

eCognition segmentation

Pixel-based classification

1:25,000 Level




FIMS vegetation

Forest base map (Obj. based)

Forest base map (Pxl. based)



Object-based (eCognition) Classification Training (in Japan)



- Create classes
- Input data (images)
- Threshold of parameters
- Procedure of processing


2014/3/6

7



Proposed Classification Flow Chart

As of 21st December, 2012





2014/3/6

8





Proposed Classification Procedure (Demo)



Location : Western Highlands




Proposed Classification Procedure (Demo)





Proposed Classification Procedure (Demo)

1st : Vegetation area using NDVI





- High Veg.
- Low Veg.
- No Veg.



Proposed Classification Procedure (Demo)

2nd : Classification of No Vegetation area





- Cloud
- High Veg.
- Low Veg.
- No Veg.
- Shadow
- Waterbody



Proposed Classification Procedure (Demo)

3rd : Classification of Low Vegetation area





- Bareland
- Cloud
- Glassland and Harbland
- High Veg.
- Shadow
- Waterbody
- Woodland, Savanna, Scrub



Proposed Classification Procedure (Demo)

4th : Classification of High Vegetation area





- Bareland
- Cloud
- Glassland and Harbland
- High_DEM0500
- High_DEM1000
- High_DEM3000
- High_DEM5000
- Shadow
- Waterbody
- Woodland, Savanna, Scrub



Proposed Classification Procedure (Demo)

5th : Classification of High Vegetation area





- Bareland
- Cloud
- Dry Seasonal Forest
- Glassland and Harbland
- Littoral
- Low Alt. Forest Plains
- Low Alt. Forest Uplands
- Lower Montane Forest
- Mangrove
- Montane Forest
- Plantation
- Seral(Riverline)
- Shadow
- Swamp
- Waterbody
- Woodland, Savanna, Scrub



Proposed Classification Procedure (Demo)

6th : Classification of High Vegetation area



- Bareland
- Cloud
- Dry Seasonal Forest
- Glassland and Harbland
- Littoral
- Low Alt. Forest Plains
- Low Alt. Forest Uplands
- Lower Montane Forest
- Mangrove
- Montane Forest
- Plantation
- Seral(Riverline)
- Shadow
- Swamp
- Waterbody
- Woodland, Savanna, Scrub





Correction for Cloud Area (Demonstration)



PALSAR image



Dissolved image




Classification Result from RapidEye




Corrected image



Correction for Cloud Area (Demonstration)



Classification



Corrected cloud cover Classification



Interpretation Exercise for Classification

Structural formation	Grassland and Herbland "G"	
Vegetation type	Grassland	
Definition of FIMS	Grasses, sedges, herbs and very low woody shrubs. Generally less than 3m tall. Scattered trees may be present.	
Characteristics of RapidEye image	Shape (Crown)	
	Color	Reddish brown (RGB452)
	Shape	NA
	Size	NA
	Pattern	NA
	Texture	Matt
eCognition	Shade	Sign of settlement and gardening and areas. Often contains burnt patches.
	Circum-stance	
	1st condition	
	2nd condition	
	3rd condition	
RapidEye sample images	Rapid Eye (Color: B: G: R:)	Google Earth image
	Image ID: [Image]	Satellite [Image]
Comments	Rapid Eye (Color: B: G: R:)	Google Earth image
	Image ID: [Image]	Satellite [Image]


Rapid Eye (Color: B: G: R:)		Google Earth image	
Image ID: [Image]	Satellite [Image]	Image ID: [Image]	Satellite [Image]
Location X 1315447.47 Location Y 8865507.56	Location X 10°10'45.40"S Location Y 148°25'29.42"E	Location X 1315447.47 Location Y 8865507.56	Location X 10°10'45.40"S Location Y 148°25'29.42"E
Date: [Date] Scale: [Scale]	Date: 11/26/2003 Elevation: 3-20m asl	Date: 11/26/2003 Elevation: 3-20m asl	Date: 11/26/2003 Elevation: 3-20m asl
Rapid Eye (Color: B: G: R:)		Google Earth image	
Image ID: [Image]	Satellite [Image]	Image ID: [Image]	Satellite [Image]
Location X 1315447.47 Location Y 8865507.56	Location X 10°10'45.40"S Location Y 148°25'29.42"E	Location X 1315447.47 Location Y 8865507.56	Location X 10°10'45.40"S Location Y 148°25'29.42"E
Date: [Date] Scale: [Scale]	Date: 11/26/2003 Elevation: 3-20m asl	Date: 11/26/2003 Elevation: 3-20m asl	Date: 11/26/2003 Elevation: 3-20m asl

2014/3/6




Assesment of Automatic Classification Result

Title ID	5534626	Officer(s)	Elizabeth Kaidong
Province	Milne Bay	Region	Southern
Vegetation Type			
Acq. Date	02/03/2011	Doc. Date	30/11/2012
Classification Result		Rapid Eye image	
[Image]	[Image]	[Image]	[Image]
FIMS		Parameters	
[Image]	[Image]	[Image]	[Image]
Comments	This polygon (red) is classified as low alt. forest plains but it is grassland. The second polygon (yellow) is classified as low alt. forest plains but is mangrove forest. The third polygon (black) is classified as shadow but it is bare land.		



Classification before update parameters




Classification after update parameters

2014/3/6



Mass Production based on Classification Flow & CP Input

Forest classification by eCognition software



2014/3/6

21



Summary


- Classification Target by Satellite RS was identified
- Object-based Classification was applied for the project
- Object-based Classification Training was conducted in Japan
- Classification Flow Chart was developed and applied
- Classification Procedure was applied and demonstrated
 - Segmentation & Vegetation Classification (by eCognition)
- Cloud Area was corrected by using ALOS/PALSAR(Radar)
- Interpretation Capacity of C/Ps were improved (IC Card)
- Automatic Classification Results were assessed by C/P
- Mass Production for PNG Forest Basemap was conducted

2014/3/6

22



Closing Ceremony and final Workshop for Project Completion
5th - 6th March 2014
Holiday Inn Hotel, Port Moresby, PNG



Tenkyu tru
(Picture: 2nd WS in Mar. 2013)




Closing Ceremony and final Workshop for Project Completion
5th - 6th March 2014
Holiday Inn Hotel, Port Moresby, PNG



Ground Truth for Remote Sensing


Samuel Gibson

Officer – Forest Inventory
Forest Policy and Planning Directorate
PNG Forest Authority



Outline

- 1 What is Ground truthing(GT)?
- 2 Purpose - Importance to Remote Sensing.
- 3 Ground truth and PNG Forest Base Map development.
- 4 Workflow of GT work developed by JICA and KKC
- 5 Results - Comparison of Satellite data with
 - Field ground data – existing vegetation.
 - Field observation on Land use change.
- 6 Summary and future work






1. What is Ground Truthing (GT)?

Ground truthing is the act of authenticating or verifying a captured remotely sensed or satellite image by way of physically visiting the site and collecting on site field data for comparison with the image of the same location.

Before GT Survey



Satellite image with direction (red cone) of photo taken



After GT Survey



On site field photo taken by GPS Camera



Same agriculture areas with settlement and burnt out area in Ramu - Madang.



2. Purpose of Ground truthing

To delineate the different vegetation and forest type in the area of interest. **Satellite imagery data will not always give a detail answer to your query on the AOI**

Build up level of confidence and common understanding with PNGFA and Japan counterpart officers. **Interpreting Satellite data must be consistent to all who have knowledge of AOI.**


Enable capacity of field officers from regional and provincial officers to be able to undertake GT work where when requested. **Several officers have some exposure to GIS work and GPS use which is essential for all field officers nationwide.**



3. Ground Truthing and the PNG Forest Base Map development

Introduction

- Ground truthing is important to confirm present status of forest and vegetation cover.
- During the JICA PNGFA project ground truth work was very crucial and it was undertaken to have an insight of the what the current status of the forest especially the four main regions of PNG.
- These four region possess some very typical vegetation type and their existence over the years are affected by human natural activities.
- Some of mono species of forest in these region and also changes to density of forest (e.g. Forest to Woodland or Woodland to Savanna and grassland).Based on what PNGRIS/FIMS has shown us over the years.




Summary of Ground truth work

A total of six (6) ground truth were conducted with the assistance from JICA and KKC with data prepared from Satellite image.



Forest Definition for Forest and other Wooded was also defined for the country and ground truth was also conducted in Western Province and Central province for this purpose.

Province/Region	Participants	Area of Interest (AOI)
1. Highlands	JICA/PNGFA/KKC	Highlands Forest type/Landuse
2. Western	JICA/PNGFA	Delineate Dry evergreen forest/Savannah
3. Central	JICA/PNGFA/KKC	Woodland/Grassland and Savannah
4. Morobe	JICA/PNGFA/FRI/KKC	Upland Forest (Hm)/Agriculture/Montane
5. East New Britain	PNGFA/KKC-JICA	Agriculture and forest plantation from Forest
6. Manus	PNGFA	Natural mono stand of Calophyllum/Hm







Most important point is:
Consider from Remote Sensing at first!
 (That means to consider
 how to classify by imagery)






4. Work Flow of GT work







No.	Vegetation type in Forest Base Map 2010	Condition	Code
1	Low Altitude Forest on Plains and Fans	below 1,000m	P
2	Low Altitude Forest on Uplands	below 1,000m	H
3	Lower Montane Forest	above 1,000m	L
4	Montane Forest	above 3,000m	M
5	Dry Seasonal Forest	in Western Prov.	D
6	Littoral Forest		B
7	Seral Forest		Fri
8	Swamp Forest		Fsw
9	Woodland		W
10	Savanna		Sa
11	Scrub		Sc
12	Grassland and Herbland		G
13	Alpine grassland	above 3,200m	Ga
14	Subalpine grassland	2,500m - 3,200m	Gi
15	Mangrove		M
16	Agricultural Land Use		O
17	Lakes and larger rivers		E
18	Bare areas		Z
19	Settlements and larger urban centres		U
20	Forest Plantation		-
21	Plantation other than forest plantation		-






Work Flow of GT work







5.





What to do in the field during GT

Before you leave for the site (AOI) create a format of reporting or collecting information that can support the device you use

Photo No	001_Waypoint #	006	Date	14/09/2012	Remarks
Code	Vegetation Type:	Lower Montane Forest - above 1000 m a.s.l.	Reported by	Ruback Lalo	
L	Forest Types:	Small crowned forest	Area Office	Montane	
LAr		Small crowned forest with Araucaria common	Province	Montane	Near the forest edges is quite disturbed occasionally due to subsistence gardening activities practiced by the local landowners.
LN		Small crowned forest with Notothofagus	District	Selima	
Lc		Small crowned forest with conifers	Village	Zurumau	
LA		Very small crowned forest	X-coordinate (longitude)	157 20 3	Also near the forest edges are evident of secondary regrowth.
LcP		Very small crowned forest with Casuarina papuana	Y-coordinate (latitude)	149 20 7	
LcN		Very small crowned forest with Notothofagus	Altitude (elevation)	950 metres a.s.l.	
			Direction of photo capture	087 0 (N/SEW)	
			Distance of photo capture	30 metres	Casuarina forest was evident in this vegetation type.
			Slope_direction	5-30° to (°N/SEW)	
			Time (24hr)	1400 hr	
			Tree Height (ave.)	14 metres	
			Crown coverage (ave.)	30 (%)	
			Canopy size (ave.)	8-10 metres	
					Sketch
					

Example of how to fill a Field Truthing Report Sheet

Created by R. Lalo PNGFA, HQ.

In this way, it is easier to understand the type of data you can use later and also share with other people who do not have any idea at all of what a forest or vegetation type is all about.



Ground Truth equipments

Field recording sheets, tape measure, length tape, height pole, GPS with Camera, Camera with GPS, Suunto Clinometer, Suunto Compass.

Binoculars- for tree Id and confirmation

Camera with GPS






6.Summary


Through this JICA and Japan Grant aid Project;

- Ground truthing was very crucial to ensure that Satellite data was interpreted with less difficulty and more consistency
- PNGFA CP officers have developed the capacity to relate Remote Sensing data to GT data where a more systematic approach is used through the workflow developed
- So far Field officers who attended various workshops by JICA are able to communicate in simple GIS language through use of GPS and GIS with PFO, RO and HQ and other relevant stake holder offices within provinces thus collecting vital data to add to our PNGFA database.



Challenges/Future work

- Not many provinces were visited (GT) due to PNGFA counter funding and workload at HQ doing GIS and RS work.
- Time spent on GT was only to accessible areas by road, sea and air with little access to bush tracks, villages and remote locations due to sensitive landownership issues
- **Ground truthing is and will be an on going activity** to improve the Base Map currently developed and also add value to the monitoring work by means of verifying field base features observed through remote sensing.
- As the role out of GIS computers to Provincial offices **the work on GT should be eased through field office base and Capacity of field officers should be enhanced to do GT instead of HQ officers**






Acknowledgement

This work would not be made possible without the effort of the following people;

1. Japan International Cooperation Agency (JICA) and KKC
2. The PNGFA Counterpart officers; Perry Malan, Rabbie Lalo, Patrick La'a and Elizabeth Kaidong with assistance from Jehu Antiko and Oala Iuda.
3. PNGFA Management especially, Dr. Turia and Mr. C Bigol for their tireless Leadership role.
4. Lastly, NFS Provincial/Regional office & FRI field officers as participants in the Ground Truth for Remote Sensing work throughout the country.



Closing Ceremony and final Workshop for Project Completion
5th - 6th March 2014
Holiday Inn Hotel, Port Moresby, PNG



Thankyou and Questions please...! sgibson@pngfa.gov.pg /327 7828





Closing Ceremony and final Workshop for Project Completion
5th - 6th March 2014
Holiday Inn Hotel, Port Moresby, PNG



Demarcation of Agriculture Land Use

Mr. Jehu Antiko
Assistant Cartographer
Inventory & Mapping Branch
Policy and Planning/PNG Forest Authority

Email: jantiko@gov.pngfa.pg

Mr. Oala Iuda
Local Technical (GIS) Assistant
Capacity Development on Forest Resource Monitoring
for Addressing Climate Change
JICA-PNG FA Project

Email: oiuda12@gmail.com

1



Presentation outline

Part 1

- Introduction
- i. Purpose
- ii. Workshop

Part 2

- Methods
- i. Heads-up Digitizing
- ii. Imagery and web applications
- iii. MASP and PNGRIS
- iv. Editing and classification

Part 3


- Results and Recommendation
- i. Graph Showing Comparison Between Existing PNG
Agriculture Datasets
- ii. Challenges/ Constrains
- iii. Recommendations

2



Part 1 Introduction

i. Purpose




**Main purpose of demarcation work:
Improvement of Forest Base Map Version 0**



Part 1 Introduction

i. Purpose



Forest Base Map Version 0 has no Agriculture Information



Part 1 Introduction

ii. Workshop


Duration: Two weeks for each Region (5).

- Southern Region, Momase and Highlands
- Region, New Guinea Islands Region, Area West.

Participants: PNGFA Regional/Area Officers.

FRI Officers

- Activities:**
1. Refresher course on ArcGIS and GPS used.
 2. Digitizing possible Agricultural areas.




Part 1 Introduction

ii. Workshop

Agricultural Land use Definitions

Definitions were derived from:




Definitions

- Subsistence (SUB)**–Agricultural Land-use which has the following attributes: Located closer to rural settings (place) where the produce is mainly for consumption and smaller in size. Usually subsistence gardening are scattered, with irregular shapes, pattern and rough textures on a satellite image. Subsistence Land use activities include fallow areas as well.
- Commercial (COM)** – Agricultural Land use areas that are manage by small holders (Block owners) mostly for monetary benefits (coffee, cocoa, banana..) as identified thru MASP and confirm by local knowledge. Such land uses cover a smaller area and may have smooth/rough texture and irregular patterns in a satellite image.
- Mixed (MIX)** – Agricultural Land use areas which have both subsistence and commercial activities coexisting. These Land use types are identified thru local knowledge. Mixed Agricultural Land use activities have irregular shapes and pattern and a rough texture on satellite images.
- Uncertain (AUN)** – Uncertain Agricultural land use has the following attributes: Agricultural Land use areas where the types of agricultural activities are not clearly identifiable. Agricultural Land use areas which cannot be identified in Google Maps, Bing Maps and RapidEye Images due to heavy cloud cover or poor image resolution. Local knowledge about area of interest is limited thus cannot confirm.
- Grazing (GRZ)** – Agricultural Land use areas that have extensive grassland which are used for cattle grazing. Grazing areas usually have regular patterns and smooth texture on a satellite image.


Agricultural Land use definitions and codes were used only for workshop purposes.



Part 1 ii. Workshop: Agricultural Land use, Plantation classification and code allocation




Agricultural Land use definitions and codes were used only for workshop purposes.



Part 2: Methods

i. Heads-up Digitizing or On-Screen Digitizing

GIS technique of extracting features from raster or imagery through the use of GIS software and computer hardware



Mapping Standards


Digitizing Scale: 1: 50 000 to 1: 30 000

Coordinate System: Universal Transvers Mercator

Zone: 54, 55, 56 and 57

Datum: World Geodetic System (WGS) 1984

Units: Meters






Part 2: Methods

ii. Imagery and web applications

Demarcation of Agriculture Land use



Part 2 Methods

iii. MASP and PNGRIS

PNGRIS: Papua New Guinea Resource Information System.

Contains information on natural resources, land use cover and population distribution.
 Eg. Land use areas, Forest areas, Urban areas, Population distribution.





Part 2 Methods

iii. MASP and PNGRIS

MASP: Mapping Agriculture Systems Project

MASP Contains Land use types. Eg. Agriculture, Plantation, Other, Urban.




- MASP and PNGRIS are not perfect.
- Land Use activities are dynamic and change over time.
- MASP and PNGRIS can be used as reference layers.



Part 2: Methods


iv. Editing and classification






Part 2: Methods iv. Editing and classification

Agricultural Land use, Plantation classification and code allocation



Part 3: Results and Recommendation


i. Graph Showing Comparison Between Existing PNG Agriculture Datasets





Part 3: Results and Recommendation

Comparison of Forest Basemap V0 before and after Agriculture Land Use Demarcation



Part 3 Results and Recommendation

ii. Challenges/ Constrains

Time Limitation



Two weeks given for Workshop

Cloud cover in RapidEye and Bing Map



RapidEye



Bing Map



Part 3 Results and Recommendation

ii. Challenges/ Constrains

Poor image resolution in Google and Bing Maps (e.g. Landsat image 30m resolution in some areas)



Bing Map



Google Map



30m Resolution



Part 3 Results and Recommendation

iii. Recommendations



More ground truth activities needed to verify uncertain areas.



Adequate time must be set for Agriculture Land use demarcation.



Participants must be taught on basic use of GIS software before demarcation of Land Use boundaries.



Integration of RapidEye Imagery with Google Earth to improve Demarcation Performance.



Closing Ceremony and final Workshop for Project Completion
5th - 6th March 2014
Holiday Inn Hotel, Port Moresby, PNG



END OF PRESENTATION

Thank you...
Tenkyu tru...
Arigato gozaimasu...