

[Appendices]

- 1 Member List of the Study Team
- 2 Study Schedule
- 3 List of Parties Concerned in the Recipient Country
- 4 Minutes of Discussions
- 5 References

1. Member List of the Study Team

1. Member List of the Study Team

(1) Field Survey I (Sep. 4 ~ Sep. 17, 2013)

Name	Post	Period of Stay	Company name
Mr. KOBAYASHI Naoyuki	Team Leader	Sep. 4~Sep. 7	Deputy Director, Human Development Department, JICA
Mr. TSUMOTO Tadayoshi	Deputy Chief Consultant / Architectural Planning	Sep. 4~Sep. 17	Yamashita Sekkei Inc.
Mr. KOIKE Hiroyuki	Architectural Design	Sep. 4~Sep. 17	Azusa Sekkei Inc.
Ms. MURAMATSU Keiko	Equipment Planning	Sep. 4~Sep. 17	CDC International Corp.
Mr. KITAMURA Kiyoshi	Health Planning	Sep. 7~Sep. 14	CDC International Corp.

(2) Field Survey II-1 (Dec. 11 ~ Dec. 22, 2013)

Name	Post	Period of Stay	Company name
Mr. FUJINUMA Masaru	Chief Consultant / Architectural Planning	Dec. 11~Dec. 22	Yamashita Sekkei Inc.
Ms. MURAMATSU Keiko	Equipment Planning	Dec. 11~Dec. 22	CDC International Corp.
Mr. KAMEDA Norikazu	Construction Planning / Cost Estimate	Dec. 11~Dec. 22	Yamashita Sekkei Inc.

(3) Field Survey II-2 (Jan. 15 ~ Jan. 31, 2014)

Name	Post	Period of Stay	Company name
Mr. KOROKI Koichiro	Team Leader	Jan. 19~Jan. 29	Senior Assistant Director, Human Development Department, JICA
Mr. AOKI Tsunenori	Cooperation Planning	Jan. 19~Jan. 29	Deputy Director, Health Division 4 Health Group 2 Human Development Department, JICA
Mr. FUJINUMA Masaru	Chief Consultant / Architectural Planning	Jan. 19~Jan. 31	Yamashita Sekkei Inc.
Ms. MURAMATSU Keiko	Equipment Planning	Jan. 19~Jan. 31	CDC International Corp.
Mr. KOIKE Hiroyuki	Architectural Design	Jan. 15~Jan. 31	Azusa Sekkei Inc.
Mr. TSUKUDA Keiichi	Mechanical Design	Jan. 19~Jan. 31	Azusa Sekkei Inc.
Mr. KAMEDA Norikazu	Construction Planning / Cost Estimate	Jan. 15~Jan. 21	Yamashita Sekkei Inc.

Mr. NISHIKAWA Kohei	Construction Planning / Cost Estimate	Jan. 15~Jan. 31	Yamashita Sekkei Inc.
Mr. FUKAMI Chihiro	Equipment Procurement Planning /Cost Estimate	Jan. 15~Jan. 31	CDC International Corp.
Mr. KITAMURA Kiyoshi	Health Planning	Jan. 25~Jan. 29	CDC International Corp.

(4) Environment and Social Considerations (Mar. 29 ~ Apr. 6, 2014)

Name	Post	Period of Stay	Company name
Ms. UMIGUCHI Mitsue	Environment and Social Considerations	Mar. 30 ~ Apr. 5	CDC International Corp.
Mr. KAMEDA Norikazu	Construction Planning / Cost Estimate	Mar. 29~Apr. 6	Yamashita Sekkei Inc.

(5) Explanation of Draft Final Report (Aug. 3 ~ Aug. 10, 2014)

Name	Post	Period of Stay	Company name
Mr. ISONO Mitsuo	Team Leader	Aug. 6 ~ Aug. 9	Special Advisor, JICA
Mr. AOKI Tsunenori	Cooperation Planning	Aug. 3~Aug. 9	Deputy Director, Health Division 4 Health Group 2 Human Development Department, JICA
Mr. FUJINUMA Masaru	Chief Consultant / Architectural Planning	Aug. 3~Aug. 10	Yamashita Sekkei Inc.
Ms. MURAMATSU Keiko	Equipment Planning	Aug. 3~Aug. 10	CDC International Corp.
Mr. KOIKE Hiroyuki	Architectural Design/ Mechanical Design	Aug. 3~Aug. 10	Azusa Sekkei Inc.
Mr. NISHIKAWA Kohei	Architectural Design	Aug. 3~Aug. 10	Yamashita Sekkei Inc.

2. Study Schedule

2. Study Schedule

(1) Field Survey I (Sep. 4, ~Sep. 17, 2013)

No.	Date		JICA	Consultant Team			
			Mr.KOBAYASHI	Mr.TSUMOTO	Mr.KOIKE	Ms.MURAMATSU	Mr.KITAMURA
1	Sep.4	Wed	Narita→UlaanBaatar				
2	Sep.5	Thu	Survey of Project Site/ Discussion with JICA/ Discussion with EOJ				
3	Sep.6	Fri	Discussion with MNUMS/ Discussion with UBC/ Discussion with MOE/ Discussion with EOJ/ Discussion with JICA				
4	Sep.7	Sat	UlaanBaatar→Narita	Analysis of Documents/ Survey of UBC/ Survey for Natural Conditions			Narita→UlaanBaatar
5	Sep.8	Sun	Survey of Central Clinical Hospital 1				
6	Sep.9	Mon	Discussion with MNUMS/ Survey of Central Clinical Hospital 1/ UBC Health Department/ Estimate of Survey for Natural Conditions		Discussion with MNUMS/ Survey of Central Clinical Hospital 1/ UBC Health Department/ Survey of Hospitals		
7	Sep.10	Tue	Discussion with MOE/ Estimate of Survey for Natural Conditions/ Survey of Construction Conditions		Discussion with MOE/ Discussion with ADB/ Discussion with MNUMS		
8	Sep.11	Wed	Discussion with MOH/ Discussion with Health Development Center/ Bid Evaluation of Survey for Natural Conditions				
9	Sep.12	Thu	Conclusion of the Contract of Survey for Natural Conditions	Survey of Construction Conditions/ Survey of District Hospitals	Discussion with MNUMS		
10	Sep.13	Fri	Discussion with the Persons Concerned to Survey for Natural Conditions/ Survey of Botanical Garden/ Survey of Private Hospitals/ Report to JICA				
11	Sep.14	Sat	Survey of Central Clinical Hospital 1/ Survey for Natural Conditions/ Survey of Construction Conditions		Survey of Equipment Maintenance	UlaanBaatar→Narita	
12	Sep.15	Sun	Discussion with Team/ Survey of Holiday Medical Examination				
13	Sep.16	Mon	UlaanBaatar→Narita	Survey of Construction Conditions	Survey of Health Sector		
14	Sep.17	Tue	UlaanBaatar→Narita				

※JICA: Japan International Cooperation Agency
 ※EOJ: Embassy of Japan
 ※MNUMS: Mongolian National University of Medical Science
 ※UBC: UlaanBaatar City
 ※MOE: Ministry of Education
 ※MOH: Ministry of Health

(2) Field Survey II -1 (Dec. 11 ~ Dec. 22, 2013)

No.	Date		Consultant Team			
			Mr.FUJINUMA	Ms.MURAMATSU	Mr.KAMEDA	
1	Dec.11	Wed	Narita→UlaanBaatar		Haneda→Beijing	
2	Dec.12	Thu	Discussion with JICA/Discussion with EOJ/Discussion with MNUMS			Beijing→UlaanBaatar
3	Dec.13	Fri	Survey of Project Site/Survey of Infrastructure	Survey of Health Basic Data	Survey of Project Site/Survey of Infrastructure	
			Discussion with MNUMS			
4	Dec.14	Sat	Survey of Project Site/Survey of Saturday Medical Examination/Survey of Night Medical Examination			
5	Dec.15	Sun	Discussion with Team			
6	Dec.16	Mon	Discussion with MNUMS		Survey of Construction Conditions	
7	Dec.17	Tue	Discussion with MNUMS		Survey of Construction and Material Costs	
8	Dec.18	Wed	Discussion with MNUMS		Survey of Construction and Material Costs	
			Survey of PC Construction Method	Survey of Soft Component	Survey of PC Construction Method	
9	Dec.19	Thu	Discussion with MNUMS		Survey of Construction and Material Costs	
10	Dec.20	Fri	Discussion with MNUMS/Report to JICA/EOJ			
11	Dec.21	Sat	UlaanBaatar→Narita		UlaanBaatar→Beijing	
12	Dec.22	Sun			Beijing→Haneda	

※JICA: Japan International Cooperation Agency

※EOJ: Embassy of Japan

※MNUMS: Mongolian National University of Medical Sciences

※UBC: UlaanBaatar City

(3) Field Survey II -2 (Jan. 15 ~ Jan. 31, 2014)

No.	Date	JICA		Consultant Team										
		Team Leader	Coop.Planning											
		Mr.KOROKI	Mr.AOKI	Mr.FUJINUMA	Mr.MURAMATSU	Mr.KOIKE	Mr.TSUKUDA	Mr.FUKAMI	Mr.NISHIKAWA	Mr.KITAMURA	Mr.KAMEDA			
1	Jan.15	Wed						Narita→ UlaanBaatar			Narita→UlaanBaatar			Haneda→ Beijing→ UlaanBaatar
2	Jan.16	Thu						Discussion with MNUMS			Survey of Hospitals (Mechanical Equipment)			Survey of Project Site
3	Jan.17	Fri						Survey of Bayanzurkh District			Survey of Equipment	Survey of Infrastructure		Survey of Construction and Materials Costs
4	Jan.18	Sat						Analysis of Documents			Analysis of Documents			Survey of Construction and Materials Costs
5	Jan.19	Sun						Narita→Ulaanbaatar	Discussion with Team	Narita→ UlaanBaatar	Discussion with Team			
6	Jan.20	Mon	Discussion with JICA						Survey of Construction and Materials Cost/ Survey of Equipment					
			Discussion with MNUMS											
			Discussion with MOE											
7	Jan.21	Tue	Discussion with HOE			Statistical Survey of HOE			Statistical Survey of UBC/ Survey of Ministry of Disaster Risk Management				Beijing→ Haneda	
			Discussion with MNUMS											
8	Jan.22	Wed	Discussion with MNUMS						Survey of Hospitals					
9	Jan.23	Thu	Discussion with MOH			Discussion with ADB		Discussion with MOE			Survey of Mechanical Contractor			
			TV Discussion with Team											
10	Jan.24	Fri	Discussion with MNUMS/MOE/MOH			Discussion with MNUMS			Survey of Infrastructure					
11	Jan.25	Sat							Discussion with MNUMS			Survey of Project Site		Narita→ UlaanBaatar
12	Jan.26	Sun							Discussion with MNUMS					
13	Jan.27	Mon	Signing Minutes with MOE						Survey of Bayanzurkh District				Survey of Hospitals	
									Discussion with MNUMS			Survey of Construction and Materials Cost/ Survey of Equipment		
14	Jan.28	Tue	Discussion with WHO			Discussion with MNUMS			Survey of Construction and Materials Cost/ Survey of Equipment			Discussion with MNUMS		
15	Jan.29	Wed	Report to EOJ/JICA			Discussion with MNUMS			Survey of Construction and Materials Cost/ Survey of Equipment			UlaanBaatar →Narita		
			UlaanBaatar→Narita						Discussion with MOE					
16	Jan.30	Thu							Discussion with MNUMS					
17	Jan.31	Fri							UlaanBaatar→Narita					

※JICA: Japan International Cooperation Agency
 ※EOJ: Embassy of Japan
 ※MNUMS: Mongolian National University of Medical Sciences
 ※UBC: UlaanBaatar City
 ※MOE: Ministry of Education
 ※MOH: Ministry of Health

(4) Field SurveyⅢ Environmental and Social Considerations (Mar. 29 ~ Apr. 6, 2014)

No.	Date		Consultant Team	
			Ms.UMIGUCHI	Mr.KAMEDA
1	Mar.29	Sat		Haneda→Beijing
2	Mar.30	Sun	Osaka→UlaanBaatar	Beijing→UlaanBaatar
3	Mar.31	Mon	Discussion with JICA/MOE/MNUMS	Report to JICA/ Survey of Project Site
4	Apr.1	Tue	Environmental and Social Considerations Study (Project Site)	Survey of Construction and Material Costs
5	Apr.2	Wed	AM: Analysis of Documents PM: Report to MOE	Survey of Technical Conditions
6	Apr.3	Thu	AM: Report to JICA PM: Analysis of Documents	Survey of Construction and Material Costs
7	Apr.4	Fri	Survey of Botanical Garden	UlaanBaatar→Beijing
8	Apr.5	Sat	UlaanBaatar→Osaka	Survey of Construction and Material Costs
9	Apr.6	Sun		Beijing→Haneda

※JICA: Japan International Cooperation Agency

※MOE: Ministry of Education

※MNUMS: Mongolian National University of Medical Sciences

(5) Explanation of Draft Final Report (Aug. 3 ~ Aug. 10, 2014)

No.	Date		JICA		Consultant Team			
			Team Leader	Coop.Planning	Mr.FUJINUMA	Ms.MURAMATSU	Mr.KOIKE	Mr.NISHIKAWA
			Mr.ISONO	Mr.AOKI				
1	Aug.3	Sun		Narita⇒ UlaanBaatar	Narita⇒UlaanBaatar			
2	Aug.4	Mon		Discussion with JICA/EOJ/MNUMS				Narita⇒ UlaanBaatar
3	Aug.5	Tue		Discussion with MNUMS			Survey of Mongolian Architectural Office	
4	Aug.6	Wed	Arrived at UlaanBaatar	Discussion with MOE/MOH			Survey of Mongolian Architectural Office	
5	Aug.7	Thu	Discussion with MNUMS/MOE			Survey of Mongolian Architectural Office		
6	Aug.8	Fri	Signing Minutes with MOE, MOH, and MNUMS/Report to JICA/EOJ					
7	Aug.9	Sat	UlaanBaatar⇒ Narita	UlaanBaatar⇒ Narita				
8	Aug.10	Sun			UlaanBaatar⇒Narita			

※JICA: Japan International Cooperation Agency

※EOJ: Embassy of Japan

※MNUMS: Mongolian National University of Medical Sciences

※MOE: Ministry of Education

※MOH: Ministry of Health

3. List of Parties Concerned in the Recipient Country

Organization	Position	Name
1. Ministry of Education and Science		
	<u>Minister</u>	<u>Mr.Gantomor</u>
<u>Department of Strategic Policy</u>	<u>Director</u>	<u>Ms.Baavgai Nasanbayar</u>
<u>Secretary office of Construction Subscriber</u>	<u>Vice Chairman</u>	<u>NAMSRAI Demberel</u>
2. Ministry of Health		
	<u>Vice Minister</u>	<u>Dr.AMARSANAA Jazag</u>
<u>Department of Policy Implementation and Coordination</u>	<u>Director-General</u>	<u>Dr.Buyanjargal Yadamsuren</u>
<u>Division of International Cooperation, The Department of Public</u>	<u>Implementation and coordination for bilateral cooperation</u>	<u>Ms.Tuya</u>
<u>Center for Health Development</u>	<u>Director</u>	<u>Mr.BAT-ERDENE Ch.</u>
	<u>Assistant</u>	<u>Ms.BADAMKHATAN Ts.</u>
<u>Statistic Department</u>	<u>Officer</u>	<u>Ms.ARIUNTUYA</u>
<u>Construction Coordination Department</u>	<u>Accountant</u>	<u>GANCHIMEG.U</u>
	<u>Officer</u>	<u>BATBAATAR.D</u>
3. Mongolian National University of Medical Sciences		
	<u>President</u>	<u>Dr.BATBAATAR Gunchin</u>
	<u>Vice President for Clinical Affairs</u>	<u>Dr.DAVAADORJ Duger</u>
	<u>Vice President for Academic Affairs</u>	<u>Dr.SUMBERZUL N.</u>
	<u>Vice President for Research and International</u>	<u>Dr.AMARSAIKHAN Bazar</u>
	<u>Vice President for Finance and Monitoring</u>	<u>Dr.SODNOMTSOGT Lkhagvasuren</u>
	<u>Dean for MNUMS General Hospital</u>	<u>Dr.OTGONBAYAR Radnaa</u>
<u>Radiology</u>	<u>Head</u>	<u>Dr.TUGSJARGAL.P</u>
	<u>Head of Research</u>	<u>Dr.Erdembileg</u>
		<u>Dr.Erdenebulgan</u>
		<u>Dr.Tuvshinjargal</u>
		<u>Dr.Munkhbaatar</u>
	<u>Senior Lecture</u>	<u>Dr.Gonchigsuren</u>
<u>Obstetrics, Gynecology</u>	<u>Senior Lecture</u>	<u>Dr.MENDSAIHAN Gochoo</u>
<u>Laboratory</u>		<u>Dr.Uranbaigal</u>
<u>Pathology</u>	<u>Head of Research</u>	<u>Dr.Erdentsogt</u>
<u>Endoscopy</u>		<u>Dr.Oyuntsetseg</u>
		<u>Dr.Gantuya</u>
<u>Pediatric</u>	<u>Head of Research</u>	<u>Dr.Erdenetuya</u>
		<u>Dr.Enhzol</u>

<u>Organization</u>	<u>Position</u>	<u>Name</u>
		Dr.Bayarbat
<u>Internal Medicine</u>		Dr.Bayasgalan
		Dr.Gelegjamts
		Dr.Batpurev
		Dr.Zulgerel
		Dr.Oyuntsetseg
		Dr.Ichinnorov
		Dr.Ariunaa
<u>Neurology</u>		Dr.Byambasuren
		Dr.Tovuudorj
		Dr.Tsagaanhuu
<u>Traditional Medicine</u>		Dr.Munkhchimeg
<u>Rehabilitation</u>		Dr.Batsukh
<u>Cancer</u>		Dr.Avirmed
<u>Pancreatic Surgery</u>		Dr.Sanduijav
<u>ENT</u>		Dr.Jargalhuu
<u>Surgery</u>		Dr.Sergelen
<u>Anesthesiology</u>		Dr.Ganbold
<u>Administration</u>		Mr.Danshjav
		Mr.Undram
		Mr.Munkhsaihan
		Mr.Purevgerel
<u>Pharmacy</u>		Dr.Enkhjargal
		Dr.Bathuyag
<u>Dermatology</u>		Dr.Dashlumbe
		Dr.Altanzul
<u>Endoscopy</u>		Dr.Uranbileg
<u>Nurse</u>	<u>Chief of Nurse</u>	Ms.Bazardari
	<u>Head of Nurse</u>	Ms.Erveehei
<u>Nurse School</u>	<u>Director</u>	Ms.Odongoo
4. Mongolian Academy of Science		
<u>Botanical Garden</u>	<u>Director</u>	Mr.DUGARJAV Chultem
	<u>General Gardener</u>	Mr.JAVKHLANTUGS
	<u>Water Engineer</u>	Mr.TUMURKHUU
	<u>Botanist</u>	Mr.ARIUNBAYAR
5. Central Clinical Hospital 1		
	<u>Director</u>	Dr.BYAMBADORJ Batsuuri
	<u>Foreign Affairs Office</u>	Dr.ENKHZORIG B.
6. UlaanBaatar City		
	<u>Deputy Mayor /in Charge of Social Development</u>	Ms.ENKHTSENGEL Tseven
<u>Health Development</u>	<u>Head</u>	Ms.TUUL Sodnomdarjaa
<u>Properties Department</u>	<u>Head</u>	Ms.BATBAYAR
<u>Construction and Urban Development Department</u>	<u>Senior Specialist</u>	Ms.KHORLOO Tserenbat

<u>Organization</u>	<u>Position</u>	<u>Name</u>
	<u>Infrastructure Specialist</u>	<u>Ms.TSERENBALJID</u>
<u>Bayanzurkh District</u>	<u>Director of Disaster Risk Management</u>	<u>Mr.Ganzorigt.J</u>
7. Asian Development Bank		
<u>Social Sector</u>	<u>Officer</u>	<u>Dr.Altantuya</u>
<u>Health Sector</u>	<u>Hospital Development Coordinator</u>	<u>Dr.BOLD Adiya</u>
8. Embassy of Japan in Mongolia		
	<u>Ambassador</u>	<u>Mr.Takenori SHIMIZU</u>
	<u>First Secretary</u>	<u>Mr.Hiromichi MIYASHITA</u>
	<u>Second Secretary</u>	<u>Mr.Shoichi ICHIMOTO</u>
9. JICA Mongolia Office		
	<u>Resident Representative</u>	<u>Mr.Toshinobu KATO</u>
	<u>Senior Representative</u>	<u>Mr.Atsumu IWAI</u>
	<u>Representative</u>	<u>Ms.Moeko IMAYOSHI</u>
	<u>Staff</u>	<u>Mr.Wataru OSAWA</u>

4. Minutes of Discussions

Монгол Улс
“Япон-Монголын сургалтын эмнэлэг байгуулах төсөл”-ийн судалгаа
Хурлын протокол

Япон Улсын Засгийн газар нь Монгол Улсын Засгийн газраас гаргасан төслийн хүсэлтийг хүлээн авч “Япон-Монголын сургалтын эмнэлэг байгуулах төсөл” (цаашид төсөл гэх)-ийн бэлтгэл судалгааг хэрэгжүүлэх шийдвэрийг гаргасан ба энэхүү судалгааг Японы Олон Улсын Хамтын Ажиллагааны Агентлаг (цаашид ЖАЙКА гэх) хэрэгжүүлэх болно.

ЖАЙКА нь Хүний хөгжлийн хэлтсийн орлогч дарга Кобаяши Наююкигээр ажлуулсан судалгааны баг (цаашид Судалгааны баг гэх)-ийг 2013оны 9 дүгээр сарын 22-ны өдрөөс 9дүгээр сарын 25-ны өдрүүдэд Монгол Улсад томилон ажиллуулсан.

Боловсрол шинжлэх ухааны яамны санаачилгаар Боловсрол шинжлэх ухааны яам, Эрүүл мэндийн шинжлэх ухааны их сургууль, Нийслэл Улаанбаатар хот болон Судалгааны багийн оролцоотойгоор хамтарсан хурлыг 2013оны 9 дүгээр сарын 24-ний өдөр Боловсрол шинжлэх ухааны яаман дээр зохион байгуулсан бөгөөд хурлын агуулга нь хавсралтын дагуу болохыг нягтлав. Эрүүл мэндийн яам дээрх хуралд оролцоогүй тул хурлын протоколын хувийг Эрүүл мэндийн яаманд хүргүүлэв.


2013оны дугаар сарын -ний өдөр
Улаанбаатар хот




ЖАЙКА
Хүний хөгжлийн хэлтсийн
орлогч дарга
Кобаяши Наююки



Боловсрол шинжлэх ухааны сайд
Л. Гантөмөр



Нийслэлийн Засаг даргын
нийгмийн хөгжлийн асуудал
харуудсан орлогч
Ц. Энхцэнгэл



Эрүүл мэндийн шинжлэх ухааны
их сургуулийн захирал
Г. Батбаатар

Хувийг: Эрүүл мэндийн сайд
Н.Удвалд

Хавсралт

I. Боловсрол шинжлэх ухааны яам, Эрүүл мэндийн шинжлэх ухааны их сургууль, Нийслэл Улаанбаатар хот, Судалгааны баг нь доорх асуудлуудын талаар тодруулав.

1. Төслийн зорилго

Энэхүү төслийн зорилго нь 2 дугаар шатлалын эмнэлгийн түвшний үйл ажиллагаатай, их сургуулийн сургалтын эмнэлгийг барих, мөн тоног төхөөрөмжийг нийлүүлэх, эмч, эмнэлгийн ажилтнуудын төгсөлтийн дараах сургалтын чадавхыг сайжруулах, Улаанбаатар хотын иргэдэд үзүүлэх эмнэлгийн үйлчилгээний чанарыг сайжруулах юм.

2. Төслийн барилгыг барихаар төлөвлөж буй газар

Энэхүү төслийн хүрээнд баригдах эмнэлэгийг барихаар төлөвлөж буй газар нь Ботаникийн цэцэрлэгийн баруун хойд хэсэг болно.

3. Төслийн харьяалал

- (1) Боловсрол шинжлэх ухааны яамнаас төслийн хариуцагч байгууллага нь Боловсрол шинжлэх ухааны яам болох, Япон Улсын Засгийн газрын буцалтгүй тусламжаар баригдах сургалтын эмнэлэг нь Эрүүл мэндийн шинжлэх ухааны их сургуулийн харьяа эмнэлэг байх тухай, мөн уг сургалтын эмнэлэг нь урьд өмнө байгаагүй шинэ байгууллага тул түүнийг байгуулах тухай Засгийн газрын тогтоолыг бэлтгэж байгаа талаар, төслийн судалгааг саадгүй явуулах үүднээс Боловсрол шинжлэх ухааны яам (Эрүүл мэндийн шинжлэх ухааны их сургуулийн оролцоотой) болон Эрүүл мэндийн яамны одоогийн ажлын хэсгийн бүрэлдэхүүнд Улаанбаатар хотыг нэмэн оруулах тухай тайлбарлав.
- (2) Улаанбаатар хотын зүгээс энэхүү төслийн барилгыг барихаар төлөвлөж буй газрын тухайд хууль тогтоомжийн дагуу шаардлагатай арга хэмжээг авч байгаа талаар, судалгааны ажлыг үргэлжлүүлэн хийхийг хүсч буйгаа илэрхийлэхийн дээр, төслийн үйл ажиллагааг нийслэл хотын зүгээс бүх талаар дэмжин ажиллах, цаашид Засгийн газрын тогтоолоор эмнэлгийн харьяалал шийдэгдвэл тухайн шийдвэрийн дагуу хэрэгцээтэй бүрдүүлэлтийг хийх тухай тайлбарлав.
- (3) Судалгааны багаас өнөөг хүртэлх Монгол Улсын Засгийн газраас гаргасан хүсэлтийн агуулгаас харахад уг төслийн хариуцагч байгууллага нь Боловсрол шинжлэх ухааны яам, хэрэгжүүлэгч байгууллага нь Эрүүл мэндийн шинжлэх ухааны их сургууль хэмээн ойлгож байгааг, мөн цаашид судалгааг үргэлжлүүлэхийн тулд Засгийн газрын тогтоол гарч төслийг хэрэгжүүлэх бүтэц зохион байгуулалт тодорхой болсныг бататгах шаардлагатай байгааг тайлбарлав.

2

II. Боловсрол шинжлэх ухааны яам, Эрүүл мэндийн шинжлэх ухааны их сургууль, Судалгааны баг нь доорх асуудлын талаар тодруулав.

Боловсрол шинжлэх ухааны яам нь Судалгааны багт хандан дараах тайлбарыг хийв.

- (1) Эрүүл мэндийн шинжлэх ухааны их сургуулийн харьяа сургалтын эмнэлгийг байгуулах Засгийн газрын тогтоолын хувьд 10 дугаар сарын 11-ний өдрийн Засгийн газрын хуралдаанд оруулахаар бэлтгэх, боломжгүй бол 10 дугаар сарын 18-ны хуралдаанд оруулна.
- (2) Засгийн газрын тогтоол батлагдсан тохиолдолд уг тогтоол дээр үндэслэн эмнэлгийн барилгыг барихаар төлөвлөж буй газрын газар эзэмших эрхийн талаар зохих арга хэмжээг яаралтай авна.
- (3) Судалгааг саадгүй хэрэгжүүлэхийн тулд ажлын хэсгийн доор гэрэл цахилгаан, ус зэрэг эмнэлгийн дэд бүтэцтэй холбоотой асуудлууд болон эмнэлгийн барилгын стандарт, эмнэлгийн дотоод бүтцийг хариуцах хүнийг томилж, Эрүүл мэндийн шинжлэх ухааны их сургууль, Эрүүл мэндийн яам, Нийслэл Улаанбаатар хоттой хамтарч шаардлагатай арга хэмжээг авч бүрдүүлэлтийг хийх.
- (4) Эмнэлгийн барилгыг барихаар төлөвлөж буй газартай холбоотой орчны нөлөөллийн тухайд зохих судалгааг явуулж үр дүнг ЖАЙКА-д бичгээр мэдэгдэнэ.
- (5) Энэ удаагийн хуралдааны талаар Эрүүл мэндийн яаманд тайлбарлана.
- (6) Энэхүү протоколыг үйлдсэнээр Боловсрол шинжлэх ухааны яам, Эрүүл мэндийн шинжлэх ухааны их сургууль, Эрүүл мэндийн яам болон Нийслэл Улаанбаатар хотын хооронд нэгдсэн нэг ойлголттой болно.

Судалгааны багаас Боловсрол шинжлэх ухааны яам болон Эрүүл мэндийн шинжлэх ухааны их сургуульд дараах тайлбарыг хийв.

- (1) ЖАЙКА нь 2013 оны 10 дугаар сард дараагийн судалгааны багийг томилон ажиллуулах төлөвлөгөөтэй байна.

Төгсөв.

MC

УБД


Төгсөв

MINUTES OF DISCUSSIONS
PREPARATORY MISSION ON
THE PROJECT FOR DEVELOPMENT OF
MONGOLIAN AND JAPANESE UNIVERSITY TEACHING HOSPITAL
IN MONGOLIA

In response to the request from the Government of Mongolia, the Japan International Cooperation Agency (hereinafter referred to as "JICA") decided to dispatch a preparatory mission team (hereinafter referred to as "the Team") on the Project for the development of Mongolian and Japanese University Teaching Hospital (hereinafter referred to as "the Project") headed by Hiroe Ono, Director, Health Division 4, Human Development Department, JICA, visited Mongolia from November 25 to November 29, 2013.

During its stay, the Team and the Ministry of Health of Mongolia held a series of meetings and exchanged their views on the Project as the documents attached hereto.

Ulaanbaatar, November 27, 2013



Dr. Udval Natsag
Minister
Ministry of Health
Mongolia



Ms. Hiroe Ono
Leader
Preparatory Mission Team
Japan International Cooperation Agency
Japan

Witness



Dr. Batbaatar Gunchin
President
Health Sciences University of Mongolia
Mongolia

ATTACHED DOCUMENT

The Minister of Health emphasized the importance of the following points:

- The Project shall follow the policy of the Ministry of Health.
- The teaching hospital under the Project shall provide tertiary healthcare services/specialized consultative healthcare services of high priority at national level. At the same time, the Project shall deliver secondary healthcare services to the population of Bayanzurkh District of Ulaanbaatar City.
- Diagnostic services, in particular, for some of the 33 diseases listed in the Annex of the Health Minister's Order No. 313 of 2013 that are not available in Mongolia, should be incorporated into the Project.
- Seven departments (Internal Medicine, Pediatrics, Surgery, Obstetrics and Gynecology, Traumatology/Orthopedics, Neurology, Infectious Diseases) should be included in the Project.
- The Number of beds for the Project has less priority compared to the quality and safety of diagnostic and treatment capacity as the Ministry of Health has a policy not to substantially increase the total number of beds in the country.
- The Ministry of Health shall be the sole authority to issue the required license for the new hospital when the Project is completed.

JICA has agreed to take above points into consideration when designing the Project, and continue to discuss with Ministry of Health, Ministry of Education and Science, and Health Sciences University of Mongolia.

List of diseases that cannot be currently treated in Mongolia



МОНГОЛ УЛСЫН
ЭРҮҮЛ МЭНДИЙН САЙДЫН ТУШААЛ

2013 оны 08 сарын 29 өдөр

Дүгээр 313

Улсанблатар хот

Жагсаалт, журам батлах тухай

Монгол Улсын Засгийн газрын тухай хуулийн 24 дүгээр зүйлийн 24.2, Эрүүл мэндийн тухай хуулийн 8 дугаар зүйлийн 8.2, 8.3 дахь заалтуудыг тус тус үндэслэн ТУШААХ нь:

1. Монгол Улсын иргэн өөрийн оронд эмчлэгдэх боломжгүй өвчин, эмгэгийн улмаас гадаад улсад зайлшгүй шаардлагаар эмчлүүлэх "Өвчний жагсаалт"-ыг нэгдүгээр, "Гадаад улсад зайлшгүй шаардлагаар эмчлүүлэх иргэдэд санхүүгийн дэмжлэг үзүүлэх асуудлаар санал гаргах чиг үүрэг бүхий орон тооны бус зөвлөлийн бүрэлдэхүүн"-ийг хоёрдугаар, "Гадаад улсад зайлшгүй шаардлагаар эмчлүүлэх иргэдэд санхүүгийн дэмжлэг үзүүлэх асуудлаар санал гаргах чиг үүрэг бүхий орон тооны бус зөвлөлийн ажиллах журам"-ыг гуравдугаар, "Гадаад улсад зайлшгүй шаардлагаар эмчлүүлэх иргэдэд эмнэлгийн дүгнэлт гаргах журам"-ыг дөрөвдүгээр, "Гадаад улсад зайлшгүй шаардлагаар эмчлүүлэх иргэдэд эмнэлгийн дүгнэлтийн маягт"-ыг тавдугаар хавсралтаар тус тус баталсугай.

2. Монгол Улсад эмчлэгдэх боломжгүй өвчин, эмгэгийн улмаас гадаад улсад зайлшгүй шаардлагаар эмчилгээ хийлгэх иргэдэд эмч нарын зөвлөлгөөний дүгнэлт гаргах бүрэлдэхүүнийг хууль тогтоомжийн дагуу шинэчлэн чиг үүргийнхээ хүрээнд тушаалаар баталгаажуулан, удирдлагаар хангаж, хяналт тавьж ажиллахыг төв эмнэлэг, тусгай мэргэжлийн төвийн дарга, захирал нарт үүрэг болгосугай.

3. Энэ тушаалыг 2013 оны 10 дугаар сарын 01-ний өдрөөс эхлэн мөрдсүгэй.

4. Тушаалын хэрэгжилтэд хяналт тавьж ажиллахыг Төрийн нарийн бичгийн дарга (А.Эрдэнэтуяа)-д үүрэг болгосугай.

5. Тушаал шинэчлэн батлагдсантай холбогдуулан Эрүүл мэндийн сайдын "Эмнэлгийн дүгнэлт гаргах журам, өвчний жагсаалт батлах тухай" 2011 оны 107, "Зөвлөлийн бүрэлдэхүүн, ажиллах журам батлах тухай" 248 дугаар тушаалууд, 2012 оны 399 дугаар тушаалын хоёрдугаар хавсралтын "Гадаад эмчилгээний зөвлөл" гэсэн хэсгийг тус тус хүчингүй болсонд тооцсугай.

САЙД



Н.УДВАЛ

Эрүүл мэндийн сайдын
2013 оны 08 дугаар сарын 29-ны
өдрийн 313 дүгээр тушаалын
1 дүгээр хавсралт

ГАДААД УЛСАД ЗАЙЛШГҮЙ ШААРДЛАГААР
ЭМЧЛҮҮЛЭХ ӨВЧНИЙ ЖАГСААЛТ

№	Өвчний нэр		
	Монголоор	Оросоор	Англиар
A.	Мэдрэлийн мэс засал	Нейрохирургия	Neurosurgery
1	Гүрээний ба нурууны артерийн нарийсал, бөглөрлийн үеийн мэс засал	Хирургическое лечение при стенозе и окклюзии внутренних сонных и вертебральных артерий	Surgical intervention in the stenosis and occlusion of the internal carotid and vertebral arteries
2	Уртавтар тархины эмгэгийн мэс заслын эмчилгээ	Хирургическое лечение при болезни продолговатого мозга	Surgical intervention in <u>oblongata</u>
3	Паркинсоны өвчин, торсион дистони, эпилепси өвчний үеийн стереотакс мэс засал	Стереотаксическое хирургическое вмешательство при болезни Паркинсона, торсионной дистонии и эпилепсии	Stereotaxic surgical intervention in Parkinson disease, Torsion dystonia and Epilepsy
4	Тархины суурь хэсэг ба багана бүтцийн хавдрууд	Опухоли базальной и стволовой части головного мозга	Brain basal part and brainstem tumors
5	Тархины суурь ясны хавдар	Опухоль основной кости	Skull basilar bone tumor
6	Тархины 3 дугаар ховдлын хавдар	Опухоль третьего желудочка головного мозга	Brain third ventricle tumor
7	Дунд тархи ба багана бүтцийн байрлалтай мальформац	Мальформация локализованная в среднем мозге и в стволовой части	Midbrain and brainstem malformations
8	Тархи нугасны хавдрын гамма туяа эмчилгээ	Лечение опухолей головного и спинного мозга гамма облучением	Cyber knife, SBRT for brain and spinal cord tumor
Б.	Чих хамар хоолой	Отоларингология	Otorhinolaryngology
9	Сонсголын мэдрэлийн хавдар	Опухоль слухового нерва	Acoustic neuroma
10	Вегенерийн өвчний хүнд хэлбэр	Тяжелая форма болезни Веенера	Severe form of the Menieris diseases
11	Меньерийн өвчний хүнд хэлбэр	Тяжелая форма болезни Меньера	Severe form of the Vegeners disease
В.	Нүд судлал	Офтальмология	Ophthalmology
12	Нярайн ретинопати	Ретинопатия новорожденных	Infant Retinopaty

Г.	Зүрх, судасны мэс засал	Кардиоваскулярная хирургия	Cardiovascular surgery
13	Абляци эмчилгээ хийлгэх шаардлагатай зүрхний хэм алдагдал	Абляци при аритмии	Arrhythmia need to ablation
14	Зүрхний титэм судасны хүнд хэлбэрийн нарийсал	Тяжелая степень сужения коронарного сосуда сердца	Severe form of the coronary artery stenosis
15	Хүүхдийн хавсарсан хөх хүнд гажиг	Тяжелые синие врожденные аномалии сердечной перегородки	Severe form of Congenital malformations of cardiac septa
16	Зүрхний том судаснуудын гаж байрлал	Транспозиция больших сосудов сердца	Transposition of the heart great vessels
17	Гол судасны хүнд хэлбэрийн цүлхэнгүүд	Тяжелая форма аневризма аорты	Severe forms of the aortic aneurism
Д.	Хавдар	Онкология	Oncology
18	Толгой хүзүүний эрхтэний хавдрын өргөтгөсөн мэс заслын дараахь согогуудыг хиймэл эрхтнээр хаах	Реконструктивные протезирования после расширенных операций на органах головы и шеи	Prosthesis Reconstruction of functional deficit and anatomical defect after extended surgical treatment.
19	Шүлсний булчирхайн хорт хавдрын IMRT эмчилгээ	IMRT Радиотерапия рака слюнной железы	(IMRT) on Tumors of Salivary Glands
20	Цагаан мөгөөрсөн хоолойн хавдар	Рак трахеи	Cancer of the trachea
21	Улаан хоолой-цагаан мөгөөрсөн хоолойн фистул	Трахео-пищеводный свищ	Tracheoesophageal fistula
22	Туяа эмчилгээний дараах үтрээ-шулуун гэдэсний фистул	Прямокишечно-вагинальный свищ после радиотерапии	Rectovaginal fistul
23	Яс, зөөлөн эдийн хавдрын нөхөн сэргээх мэс засал - Мөч хадгалах боломжтой үеийн хорт хавдар - Бага аарцаг, цээжний хөндийн байрлалтай хорт хавдар	Реконструктивные операции мягких тканей и костей - Органосохраняющие операции на конечностях и гортани - Злокачественные опухоли плевральной полости и малого таза	Reconstruction Surgery of the Soft and Bone Tumors - Limb-sparing resection in the extremities and larynx - Malignant tumors of pelvis and thorax
Е.	Уушги судлал	Пульмонология	Pulmonologia
24	Уушгины төрмөл	Врожденная патология	Congenital disorders of

Ё	Гэмтэл согог судлал	Травматология и ортопедия	Traumatology and orthopedics
25	Түлэгдлийн улмаас үүссэн талбай ихтэй, том мөчид болон цээжний хэлбэр алдагдсан сорив	Послеожоговой стягивающий рубец	Deformities caused by burn scars
26	Дээд болон доод мөчдийн төрөлхийн хүнд хэлбарийн дутуу хөгжил	Врожденная аномалия верхней и нижней конечности	Severe form of Congenital Amelia or hemimelia of limbs.
Ё	Ерөнхий мэс засал	Общая хирургия	General surgery
27	Ясны чөмөг шилжүүлэн суулгах мэс засал эмчилгээ	Трансплантация печени и костного мозга	Liver and bone cell transplantation
28	Зүрх шилжүүлэн суулгах мэс засал эмчилгээ	Трансплантация сердца	Cardiac transplantation
29	Элэгний вирусин идэвхижил өндөртэй өвчтөнд элэг бөөр, бөөр шилжүүлэн суулгах эмчилгээ	Трансплантация почки при высокой степени активности печеночного вируса	Kidney transplantation at the high level of virus activation
Ж	Эх барих эмэгтэйчүүд, үргүйдэл судлал	Акушерство, гинекология, бесплодия	Oobstetrics' and gynecology and infertility
30	Төрөлхийн адреногениталь хам шинж	Врожденный адреногенитальный синдром	Congenital Adrenal Hyperplasia
31	Эмэгтэйчүүдийн бэлэг эрхтний гаж хөгжлийн үе дэх нөхөн сэргээх хагалгаа	Пластическая операция Врожденной аномалии развития влагалища:	Complete Mayer – Rokitansky-Kustner-Hauser Syndrome: Vaginal re-constructive surgery
32	Өндгөвчний төрөлхийн дутуу хөгжлөөс үүдсэн үргүйдэл	Синдром истощений яичников	Subfertility due to premature ovarian failure
33	Эрэгтэйчүүдийн үрийн сувгийн эмгэгээс үүдсэн үргүйдэл	-Мужское бесплодие в связи с обструкцией семяноиспускательных каналов и с истощением гонад	-Male infertility due to obstructive azospermia and testicular failure

MINUTES OF DISCUSSIONS
PREPARATORY SURVEY ON
THE PROJECT FOR DEVELOPMENT OF
MONGOLIAN AND JAPANESE UNIVERSITY TEACHING HOSPITAL
IN MONGOLIA

In response to a request from the Government of Mongolia, the Government of Japan decided to conduct a Preparatory Survey on the Project for development of Mongolian and Japanese University Teaching Hospital (hereinafter referred to as "the Project") and entrusted the survey to the Japan International Cooperation Agency (hereinafter referred to as "JICA").


JICA sent to Mongolia the Preparatory Survey Team (hereinafter referred to as "the Team"), which is headed by Mr. Koichiro Koroki, Senior Assistant Director, JICA, and is scheduled to stay in the country from 15 January to 30 January 2014.

The Team held discussions with authorities concerned of the Government of Mongolia, collected basic information and conducted a field survey at the survey area. In the course of discussions and field survey, each of the parties confirmed the main items described in the attached sheets.

27 January 2014



Mr. Koichiro Koroki
Leader
Preparatory Survey Team
Japan International Cooperation Agency
Japan




Ms. Urgamaltsetseg Bandikhuu
Vice Minister
Ministry of Education and Science
Mongolia



Dr. Batbaatar Gunchin
President
Health Sciences University of Mongolia
Mongolia

(Witness)



Dr. Amarsanaa Jazag
Vice Minister
Ministry of Health
Mongolia

ATTACHMENT

1. Objective of the Project

The objective of the Project is to construct a teaching hospital with the status of tertiary hospital and to procure equipment for improving quality of post-graduate training and providing tertiary healthcare services/specialized consultative healthcare services of high priority at national level and secondary healthcare services in the city of Ulaanbaatar.

2. Project site

The site of the Project is in the eight hectare land with the number 136010/0095 that locates in the territory of 12th khoroo, Bayanzurkh District in Ulaanbaatar described in Annex 1.

3. Responsible and Implementing Agency

3-1. The responsible agency is the Ministry of Education and Science.

3-2. The implementing agency is Health Sciences University of Mongolia.

4. Items requested by the Government of Mongolia

4-1. Seven departments (Internal Medicine, Pediatrics, Surgery, Obstetrics and Gynecology, Traumatology/Orthopedics, Neurology, Infectious Diseases) were finally requested as healthcare services of the teaching hospital by the Mongolian side.

4-2. The facilities described in Annex 2 and the equipment described in Annex 3 was finally requested by the Mongolian side.

4-3. JICA will assess the appropriateness of the request and will recommend to the Government of Japan for its approval.

5. Japan's Grant Aid Scheme

5-1. The Mongolian side understood the Japan's Grant Aid Scheme explained by the Team, as described in Annex 4 and Annex 5.

5-2. The Mongolian side will take necessary measures, as described in Annex-6, for smooth implementation of the Project, as a condition for the Japanese Grant Aid to be implemented.

6. Schedule of the Survey

6-1. The consultants of the Team will proceed to conduct further survey in Mongolia until 30 January 2014.

6-2. JICA will prepare the draft report in English and dispatch a mission team to explain the outline design of the Project to the Mongolian side around August 2014.

6-3. In case that the contents of the report are accepted in principle by the Mongolian side, JICA will complete the final report and send it to the Government of Mongolia.

Y/C

AS



7. Other relevant issues

- 7-1. Mongolian side expressed the importance of development of post-graduate training for improving the quality of healthcare services particularly in rural areas.
- 7-2. Mongolian side expressed its recognition of the teaching hospital by the project as a tertiary hospital and a facility for post-graduate training.
- 7-3. Mongolian side agreed to take necessary measures for securing the land of the project, hiring local consultant for application and supply of infrastructure connections, obtaining building permission and construction permit, and clearing and taking any debris off the construction site.
- 7-4. Mongolian side agreed to submit the plan of organization of the teaching hospital to the end of February 2014 to JICA.
- 7-5. Mongolian side agreed to secure and allocate necessary budget and human resources to operate and maintain the facilities and equipment provided by the project.
- 7-6. Both sides will continue to examine a necessity of soft component for operation and maintenance of the facilities and equipment provided by the project and confirm its necessity until 30 January 2014.

Annex 1 Project site

Annex 2 Components of Facility list

Annex 3 Equipment list

Annex 4 Japan's Grant Aid

Annex 5 Flow Chart of Japan's Grant Aid Procedures

Annex 6 Major Undertakings by each Government



Project Site


АЖ АХУЙН НЭГЖ ЭМШУИС (960003) -н ЭЗЭМШИЖ БАЙГАА
 ГАЗРЫН БАЙРШЛЫН КАДАСТРЫН ЗУРАГ

2013-11-1

Нэгж талбарын дугаар : 18649310097497

Хаяг : Улаанбаатар хот, Баянзүрх дүүрэг, 12-р хороо, - гудамж, - тоот хаалга

№	X	Y	Цэгүүд урт	
1	5310383.99	649286.23	1-2	166.05
2	5310356.74	649101.08	2-3	148.47
3	5310349.45	648953.62	3-4	167.13
4	5310315.00	648935.10	4-5	76.68
5	5310591.83	648928.06	5-6	5.08
6	5310594.01	648932.67	6-7	74.56
7	5310598.83	649007.07	7-8	16.62
8	5310613.24	649015.36	8-9	9.97
9	5310618.17	649014.64	9-10	17.16
10	5310620.91	649031.71	10-11	203.31
11	5310642.49	649235.93	11-1	260.27



Талбайн хэмжээ : 80002 квадрат метр
 Зураг үйлдсэн : /Э.Түвшинбаяр/
 (НӨХГ-ийн кадастрын хэлтсийн мэргэжилтэн)
 (Тамга) Хянасан : /Б.Батчимэг/
 (Кадастрын хэлтсийн дарга)

Project site

1/11

Handwritten signatures and initials.

Components of the Facility

Services	Functions
	Emergency Unit Including emergency delivery and observation wards
Surgery Traumatology / Orthopedic	Operation theatres Including recovery ICU Surgical Clinic Surgery Traumatology/Orthopedic Ophthalmology ENT
Internal Medicine Neurology Infectious Diseases	Medical Clinic Internal Medicine Neurology Infectious diseases
Obstetrics and Gynecology Pediatrics	Maternity Clinic Obstetrics and Gynecology Pediatrics
	Radiology
	Laboratory
	Morgue
	Pharmacy
	Inpatient wards
	Lecture rooms
	Administration rooms
	Kitchen
	Laundry
	Mechanical and electrical rooms

/

[Handwritten signature]
by

Equipment List

Note: All items below are necessary for the Teaching Hospital.

Priority means consideration by the Japanese grant aid project.

A: High priority

B: Medium priority

C: Low priority. Basically these items are to be provided Mongolian side.

Department	Name of Equipment	Priority
Out-patient Area		
Consultation Room		
Common Package	Negatoscope, wall type	A
	Otorhinolaryngo-ophthalmoscope universal set	A
	Family doctors' examination instrument set	B
	Sphygmomanometer	B
	Stethoscope	B
	Height scale	B
	Weight scale	B
	Examination couch	B
	Medical cabinet	B
	Medical desk	B
	Patient chair	B
	Instrument cart	B
	Stretcher	B
Wheel chair	B	
Ob/Gyn.	Gynecology examination table	A
	Stethoscope, infant	A
	Colposcopy	A
	Cryotherapy apparatus	C
	Coagulation apparatus for gynecology	C
	Medical reception table	C
ENT	ENT treatment cabinet	A
	Otolaryngology chair	A
	Surgical Side lamp	A
Treatment Room		
Common Package	Examination couch	B
	Medical cabinet	B
	Medical desk	B
	Patient chair	B
	Instrument cart	B
Internal Medicine	Binocular microscope	A
	Magnifying glass	A
	Laser cautery	A
Surgery	Electro-surgical unit for plaster	A
	Imaging bone ultrasonometer	C
	Ultrasound bone densitometer	C
	Cystometry	C
	Uroflowmeter	C
Pediatrics	Stethoscope, infant	A
	Nebulizer	A
	Aspirator	A
	Syringe pump	A
	Infusion pump	A
	Pulse oximeter	A
	Bilirubin meter	A
	Airway scope	A
	Vein viewer	A
Pulmonology	Nebulizer	A
Endocrinology	ECG, 1ch	A
	Insulin pump	A
	Diabetic foot treatment kit	A
ENT	Audiometer	A
	Tympanometry	A
	Flexible nasopharyngoscopes	A

Department	Name of Equipment	Priority
	Coagulation apparatus	A
	Nebulizer	A
	Stroboscopy	C
	Tympanostomy U-tube	C
	Otologic drill	C
	Head lights	C
	Surgical burrs	C
	Mirror warmers	C
Ophthalmology	Slit lamp	A
	Refract meter	A
	Tonometer	A
	Retinoscope	A
	Visual glass kit	A
	Visual field analyzer	A
	Fully completed green light laser apparatus with accessories	B
	Ultrasonic biometer	B
Instrument Set	Cardiovascular surgical instrument set	B
	Pulmonary surgical instrument set	B
	Gastro surgical instrument set	B
	Gall bladder and liver surgical instrument set	B
	Tracheostomy surgical instrument set	B
	Bone surgical instrument set	B
	Abdominal surgery instrument set	B
	Brain surgical instrument set	B
	Eye surgical instrument set	B
	ENT surgical instrument set	B
	Neurosurgical instrument set	C
	Emergency Room	Ultrasound apparatus 3/4D
ECG		A
Ventilator, CPAP		A
Ventilator		A
Dialyzer		A
Defibrillator		A
Patient monitor		A
Fatal monitor		A
Nebulizer		A
Pulse oximeter		A
Airway scope		A
Syringe pump		A
Infusion pump		A
Suction unit		A
Otorhinolaryngo-ophthalmoscope universal set		A
Ambulatory manual breathing unit		A
Negatoscope, wall type		A
Medical refrigerator		A
Stretcher, slide type		A
Medical instrument cart		A
Examination couch		B
Medical cabinet		B
Medical desk		B
Patient chair		B
Wheel chair	B	
Pharmacy	Dispenser	A
	Medical refrigerator	A
	Counter, tablets, manual	A
	Medical cabinet for Pharmacology	A
	Shelf	B
	Working table	B
Diagnosis Area		
Physical Diagnosis		
ECG Room	ECG	A
	Holter ECG	A
	Treadmill	A
	Ergometer	A
	Examination couch	B

Handwritten mark

Handwritten signature

Department	Name of Equipment	Priority
Ultrasound Room	Screen	C
	Ultrasound apparatus 3/4D	A
	Ultrasound apparatus, doppler	A
	Examination couch	B
	Examiner's desk	B
	Examiner's chair	B
EMG Room	Cart	B
	EMG	A
	Examination couch	B
	Examiner's desk	B
	Examiner's chair	B
EEG Room	Cart	B
	EEG	A
	Patient bed	A
	Examiner's desk	B
Spirometer Room	Examiner's chair	B
	Cart	B
	Spirometer	A
	Examiner's desk	B
Imaging Diagnosis		
Radiology Department	Cart	B
	MRI	A
	CT scanner	A
	Fluoroscopy X-ray apparatus	A
	Conventional X-ray apparatus	A
	Mobile X-ray apparatus	A
	Mammography	A
	Film developer	A
	Mixer, Barium	A
	Apron, protective, set (small, medium, large)	A
	aprons, protection, gonads, set	A
	position aids, x-ray, Set	A
	Negatoscope, stand type	A
	PACS	A
	Medical cabinet	B
	Cart	B
	Screen	B
	Examiner's desk	B
	Examiner's chair	B
	Angiography Room	Angiography
Universal operation table		A
Instrument cart		B
Medical cabinet		B
Endoscopy Room	Gastroscopy (flexible type), adult and child	A
	Colonoscopy (flexible type)	A
	Endoscopy light source system	A
	Endoscopy cameras	A
	Endoscopy video processor	A
	Ultrasonic cleaner	A
	Auto endoscope reprocessor	A
	Endoscopy storage cabinet	A
	Bronchoscope	B
	Duodenoscope	B
	Instrument cart	B
	Medical cabinet	B
	Examiner's desk	B
	Examiner's chair	B
Cart	B	
Endoscopy ultrasound probes	C	
Clinical Laboratory		
Common Usage	Centrifuge	A
	Micro centrifuge	A
	Capillary centrifuge	A
	Binocular microscope	A

1/2

[Handwritten signature]

[Handwritten initials]

Department	Name of Equipment	Priority
	Binocular microscope, group teaching system	A
	Safety cabinet	A
	Clean bench	A
	Incubator	A
	pH Meter	A
	Stirrer, hotplate, electric	A
	Stirrer, magnetic	A
	Pipettes, multi volume	A
	Balance	A
	Water distiller	A
	Water bath	A
	Medical refrigerator	A
	Freezer, -20C	A
	Deep freezer, -70C	A
	Medical cabinet for dangerous drug	A
	Medical shelf for dangerous drug	A
	Burner, Bunsen	A
	Stopwatch	B
	Timer, 60 min	C
	Biochemistry	Biochemical analyzer (automated)
Blood gases analyzer		A
Electrolyte analyzer		A
Therapeutic drug monitoring		A
ELISA		A
Hemoglobin meter		A
Bilirubin meter		A
Glucometer		A
Hematology	Blood cell counter	A
	Coagulation measuring system	A
	Blood group typing, set	A
	Rotator, blood specimen	A
	Staining apparatus	A
Immunology	Blood sedimentation unit, ESR-Western	A
	Vertical Shaker	A
	Sensitivity disc, applicator	B
Bacteriology	Urine test strips analyzer	A
	Urine sediment analyzer	B
Microbiology	Blood culture apparatus	A
	Anaerobic culture apparatus	A
	CO2 Incubator	A
	Incubator	A
	Roller Tubes Incubator	A
	Dry oven	A
	Autoclave	A
	Microwave	A
	Microbiology instrument set	A
	Pathology	Cryostat
Automatic tissue processor		A
Embedding center		A
Paraffin oven		A
Stretching hotplate		A
Paraffin block humidifier		A
Cytocentrifuge		A
Fluorescence microscope		A
Organ photo table		A
Microtome		A
Microtome knife		A
Automatic microtome knife sharpener		A
Shaker		A
Staining set		A
Cabinet, storage, slides and wax block cassettes		A
Washing room		Laboratory washing apparatus
	Autoclave	A
	Dry oven	A
	Pipette washer	A

4/7

58

Department	Name of Equipment	Priority
Medical Supportive Area		
Morgue	Morgue refrigerator with 2 place	A
	Morgue table	A
CSSD	Large autoclave	A
	Medium autoclave	A
	Water-jet pump to clean pipettes	A
	Basket, instruments	A
	Sealer, heat, manual, bags and pouches, bench top	A
	Trolley, CSSD packs transport, stainless steel	A
	Cart, Loading, Sterilizer	A
	Needle Destroyer	A
	Bedpan Washer	A
	Sterilizer (boiling type, for instruments)	C
	Laundry	Washing machine
Drying machine		B
Ironing machine		B
Kitchen	Delivery cart	B
	Refrigerator	B
	Water boiler	B
	Boiling pan	B
	Cabinet, cutlery	B
	Cart, food dispensing	B
	Cart, trays, self service	B
	Cooking range	B
	Counter self service	B
	Dish washer	B
	Oven, pastry	B
	Pots and pan kitchen, medium, 100beds set	B
	Freezer	B
	Soup pot, electric	B
	Main menu pot, electric	B
	Cabinet for glass, etc.	B
	Furniture for food shopping	B
	Chopping block, with chopper	C
	Hose with handle for washing kitchen utensils	C
	Industrial blender	C
	Kitchen machine, universal	C
	Kitchen tools, medium, 100beds general hospital set	C
	Meat mincer, heavy duty	C
	Meat saw, electric	C
	Microwave oven, low power range	C
	Milk heater	C
	Food mixer	C
	Planetary mixer	C
	Slice, gravity feed	C
	Table ware 100beds set	C
	Trays, roll rack	C
	Vegetable mincer	C
	Maintenance Room	Dust extraction unit, workshop
Equipment for bio-medical workshop		B
Equipment for carpenter workshop		B
Equipment for electrical workshop		B
Equipment for mechanical workshop		B
Cabinet, workshop, open, with shelves		C
Drill, floor standing		C
Drill, hand		C
Ladder		C
Light, inspection		C
Oscilloscope		C
Pipe bender		C
Spray cleaning, compressed air		C
Power supply for weak currents		C
Electronic tool sets		C
Simulator, Multi-parameter patient		C
Soldering station		C

6/11

[Handwritten signature]

[Handwritten initials]

Department	Name of Equipment	Priority
	Test unit, electric safety	C
	Carpenter tool set	C
	Electrician tool set	C
	Trolley, transport equipment, heavy duty	C
	Welding unit, autopen, with gas bottle	C
	Welding unit, electric	C
	Workbench, workshop	C
In-patient Area		
Ward/ common	Patient bed	A
	IV pole	A
	Flow meter, medical air with humidifier, wall outlet connection type	A
	Flow meter, oxygen with humidifier, wall outlet connection type	A
	Medical cabinet	B
	Instrument cart	B
	Chart holder, bed mounting	B
	Refrigerator	B
	Bedside table	B
	Bedside shelf	B
	Stretcher	B
	Wheel chair	B
Internal Medicine	Nebulizer	A
	Aspirator	A
Surgery	Traction table (fixed height)	A
	Traction set Cervical (wall mounting)	A
	Walker rollator	A
Ob/Gyn	Baby cod	A
Pediatrics	Syringe pump	A
	Infusion pump	A
	Nebulizer	A
	Aspirator	A
Curative Area		
Operation Theater	Operation ceiling lump	A
	Universal operation table	A
	Operation table	A
	Negatoscope, stand type	A
	Operation camera	A
	C-arm X-ray apparatus	A
	Anesthesia machine	A
	Ventilator	A
	Laparoscope set	A
	Microsurgery scope	A
	Patient monitor	A
	Pulse oximeter	A
	Coagulation apparatus	A
	Defibrillator	A
	Incubator	A
	Infant warmer	A
	Fatal monitor	A
	Suction unit	A
	Syringe pump	A
	Infusion pump	A
	Ambulatory Manual Breathing Unit	A
	Airway scope	A
	Instrument cart	A
	ICU/Recovery Room	Patient Bed
Negatoscope, wall type		A
Ultrasound apparatus 3/4D		A
ECG		A
Ventilator		A
Ventilator, CPAP		A
Patient monitor		A
Pulse oximeter		A
Defibrillator		A
Nebulizer		A
Suction unit		A

6/7

[Handwritten signature]

AS

[Handwritten initials]

Department	Name of Equipment	Priority
	Syringe pump	A
	Infusion pump	A
	Ambulatory Manual Breathing Unit	A
	Airway scope	A
	Otorhinolaryngo-ophthalmoscope universal set	A
	Medical refrigerator	A
	Medical cabinet for ICU	A
	Medical instrument cart for ICU	A
	ICU Stretcher	A
	Wheel chair	B
Administration Area		
Administration	Shelf, patient record	B
	Ambulance car	B
	IT server, PC desktops, related accessories	C
	IT program service, related accessories	C
	Medical cabinets and wardrobes with hanger, with locker, chairs, mirrors	C
	Toilets with automatic regulates water, washstands and automatic hand dryer	C
	Wardrobe with hanger, cloth keeping cabinets with locker, chairs	C
	Wardrobe with hanger, cloth keeping cabinets with locker, chairs	C
	PC desktop, printers, medical cabinets and wardrobes, with locker, chairs, clocks, file cabinet, telephones	C
	Office furniture, washable and cleanable, PC desktop, notebooks, printers, telephones, TV and video monitors	C
	Long chairs with 3-6 places	C
Conference Room	AV system set	B
Non medical equipment	Patient area waiting chairs and sofas	C
	Administration office furniture	C
	Lecture room, meeting room, training room furniture	C
	Library furniture	C
	Books in the library	C
	Linen (bed sheets, gowns, etc)	C
	Curtain for windows	C
	Building cleaning items (mops, vacuum cleaners, etc)	C
	Administration computer system (hardware and software)	C
	Accounting computer system (hardware and software)	C
	Patient management computer system (hardware and software)	C
	Medical record management computer system (hardware and software)	C
	Notice boards and sign boards	C

[Handwritten mark]

[Handwritten signature]

[Handwritten signature]

JAPAN'S GRANT AID

The Government of Japan (hereinafter referred to as "the GOJ") is implementing the organizational reforms to improve the quality of ODA operations, and as a part of this realignment, a new JICA law was entered into effect on October 1, 2008. Based on this law and the decision of the GOJ, JICA has become the executing agency of the Grant Aid for General Projects, for Fisheries and for Cultural Cooperation, etc.

The Grant Aid is non-reimbursable fund provided to a recipient country to procure the facilities, equipment and services (engineering services and transportation of the products, etc.) for its economic and social development in accordance with the relevant laws and regulations of Japan. The Grant Aid is not supplied through the donation of materials as such.

1. Grant Aid Procedures

The Japanese Grant Aid is supplied through following procedures :

- Preparatory Survey
 - The Survey conducted by JICA
- Appraisal & Approval
 - Appraisal by the GOJ and JICA, and Approval by the Japanese Cabinet
- Authority for Determining Implementation
 - The Notes exchanged between the GOJ and a recipient country
- Grant Agreement (hereinafter referred to as "the G/A")
 - Agreement concluded between JICA and a recipient country
- Implementation
 - Implementation of the Project on the basis of the G/A

2. Preparatory Survey

(1) Contents of the Survey

The aim of the preparatory Survey is to provide a basic document necessary for the appraisal of the Project made by the GOJ and JICA. The contents of the Survey are as follows:

- Confirmation of the background, objectives, and benefits of the Project and also institutional capacity of relevant agencies of the recipient country necessary for the implementation of the Project.
- Evaluation of the appropriateness of the Project to be implemented under the Grant Aid Scheme from a technical, financial, social and economic point of view.
- Confirmation of items agreed between both parties concerning the basic concept of the Project.
- Preparation of a outline design of the Project.
- Estimation of costs of the Project.

Y/c

[Handwritten signatures]
AJ *dy*

The contents of the original request by the recipient country are not necessarily approved in their initial form as the contents of the Grant Aid project. The Outline Design of the Project is confirmed based on the guidelines of the Japan's Grant Aid scheme.

JICA requests the Government of the recipient country to take whatever measures necessary to achieve its self-reliance in the implementation of the Project. Such measures must be guaranteed even though they may fall outside of the jurisdiction of the organization of the recipient country which actually implements the Project. Therefore, the implementation of the Project is confirmed by all relevant organizations of the recipient country based on the Minutes of Discussions.

(2) Selection of Consultants

For smooth implementation of the Survey, JICA employs (a) registered consulting firm(s). JICA selects (a) firm(s) based on proposals submitted by interested firms.

(3) Result of the Survey

JICA reviews the Report on the results of the Survey and recommends the GOJ to appraise the implementation of the Project after confirming the appropriateness of the Project.

3. Japan's Grant Aid Scheme

(1) The E/N and the G/A

After the Project is approved by the Cabinet of Japan, the Exchange of Notes (hereinafter referred to as "the E/N") will be signed between the GOJ and the Government of the recipient country to make a pledge for assistance, which is followed by the conclusion of the G/A between JICA and the Government of the recipient country to define the necessary articles to implement the Project, such as payment conditions, responsibilities of the Government of the recipient country, and procurement conditions.

(2) Selection of Consultants

In order to maintain technical consistency, the consulting firm(s) which conducted the Survey will be recommended by JICA to the recipient country to continue to work on the Project's implementation after the E/N and G/A.

(3) Eligible source country

Under the Japanese Grant Aid, in principle, Japanese products and services including transport or those of the recipient country are to be purchased. When JICA and the Government of the recipient country or its designated authority deem it necessary, the Grant Aid may be used for the purchase of the products or services of a third country. However, the prime contractors, namely, constructing and procurement firms, and the prime consulting firm are limited to "Japanese nationals".

✓


AJ BY

(4) Necessity of "Verification"

The Government of the recipient country or its designated authority will conclude contracts denominated in Japanese yen with Japanese nationals. Those contracts shall be verified by JICA. This "Verification" is deemed necessary to fulfill accountability to Japanese taxpayers.

(5) Major undertakings to be taken by the Government of the Recipient Country

In the implementation of the Grant Aid Project, the recipient country is required to undertake such necessary measures as Annex.

(6) "Proper Use"

The Government of the recipient country is required to maintain and use properly and effectively the facilities constructed and the equipment purchased under the Grant Aid, to assign staff necessary for this operation and maintenance and to bear all the expenses other than those covered by the Grant Aid.

(7) "Export and Re-export"

The products purchased under the Grant Aid should not be exported or re-exported from the recipient country.

(8) Banking Arrangements (B/A)

a) The Government of the recipient country or its designated authority should open an account under the name of the Government of the recipient country in a bank in Japan (hereinafter referred to as "the Bank"). JICA will execute the Grant Aid by making payments in Japanese yen to cover the obligations incurred by the Government of the recipient country or its designated authority under the Verified Contracts.

b) The payments will be made when payment requests are presented by the Bank to JICA under an Authorization to Pay (A/P) issued by the Government of the recipient country or its designated authority.

(9) Authorization to Pay (A/P)

The Government of the recipient country should bear an advising commission of an Authorization to Pay and payment commissions paid to the Bank.


(10) Social and Environmental Considerations

A recipient country must carefully consider social and environmental impacts by the Project and must comply with the environmental regulations of the recipient country and JICA socio-environmental guidelines.

✓


BY
AJ

FLOW CHART OF JAPAN'S GRANT AID PROCEDURES



1/4

[Handwritten signature]
AS BY

Major Undertakings to be taken by Each Government

No.	Items	To be covered by Grant Aid	To be covered by Recipient Side
1	to secure a lot of land necessary for the implementation of the Project and to clear the site;		●
2	To construct the following facilities		
	1) The building	●	
	2) The gates and fences in and around the site		●
	3) The parking lot	●	●
	4) The access road to the building within the site	●	
	5) The road outside the construction site		●
3	To provide facilities for distribution of electricity, water supply and drainage and other incidental facilities necessary for the implementation of the Project outside the sites		
	1) Electricity		
	a. The distributing power line to the site		●
	b. The drop wiring and internal wiring within the site	●	
	c. The main circuit breaker and transformer	●	
	2) Water Supply		
	a. The city water distribution main to the site		●
	b. The supply system within the site (receiving and elevated tanks)	●	
	3) Drainage		
	a. The city drainage main (for storm sewer and others to the site)		●
	b. The drainage system (for toilet sewer, common waste, storm drainage and others) within the site	●	
	4) Gas Supply		
	a. The city gas main to the site		●
	b. The gas supply system within the site	●	
	5) Telephone System		
	a. The telephone trunk line to the main distribution frame/panel (MDF) of the building		●
	b. The MDF and the extension after the frame/panel	●	
	6) Furniture and Equipment		
	a. General furniture		●
	b. Project equipment	●	
4	To ensure prompt unloading and customs clearance of the products at ports of disembarkation in the recipient country and to assist internal transportation of the products		
	1) Marine (Air) transportation of the Products from Japan to the recipient country	●	
	2) Internal transportation from the port of disembarkation to the project site	●	●
5	To ensure that customs duties, internal taxes and other fiscal levies which may be imposed in the recipient country with respect to the purchase of the products and the services be borne by the Authority without using the Grant		●
6	To accord Japanese physical persons and / or physical persons of third countries whose services may be required in connection with the supply of the products and the services such facilities as may be necessary for their entry into the recipient country and stay therein for the performance of their work		●
7	To ensure that the Facilities and the products be maintained and used properly and effectively for the implementation of the Project		●
8	To bear all the expenses, other than those covered by the Grant, necessary for the implementation of the Project		●
9	To bear the following commissions paid to the Japanese bank for banking services based upon the B/A		
	1) Advising commission of A/P		●
	2) Payment commission		●
10	To give due environmental and social consideration in the implementation of the Project.		●

(B/A : Banking Arrangement, A/P : Authorization to pay)

1/1


**MINUTES OF DISCUSSIONS
ON THE EXPLANATION OF THE DRAFT REPORT OF THE PREPARATORY SURVEY
FOR THE PROJECT FOR DEVELOPMENT OF
MONGOLIAN AND JAPANESE UNIVERSITY TEACHING HOSPITAL IN MONGOLIA**

In January 2014, the Japan International Cooperation Agency (hereinafter referred to as "JICA") dispatched the Preparatory Survey Team on the Project for Development of Mongolian and Japanese University Teaching Hospital (hereinafter referred to as "the Project") to Mongolia, and through discussions, field surveys and technical examination of the results in Japan, JICA prepared the draft report of the preparatory survey.


In order to explain and to consult the contents of the draft report with the Government of Mongolia, JICA sent to Mongolia the Draft Report Explanation Team (hereinafter referred to as "the Team"), headed by Dr. Mitsuo ISONO, Senior Advisor for Health, JICA from 3 August to 10 August 2014.

As a result of the series of discussions with authorities concerned of the Government of Mongolia and the Team (hereinafter referred to as "both sides") have confirmed the main items described in the attached sheets.

Ulaanbaatar, 8 August 2014



Dr. Mitsuo Isono
Leader
Draft Report Explanation Team
Japan International Cooperation Agency
Japan



Ms. Baavgai Nasanbayar
Director
Department of Strategic Policy and Planning
Ministry of Education and Science
Mongolia



Dr. Batbaatar Gunchin
President
The Mongolian National University of Medical
Science
Mongolia

(Witness)



Dr. Buyanjargal Yadamsuren
Director
Department of Policy Implementation and
Coordination
Ministry of Health
Mongolia



ATTACHMENT

1. Components of the Draft Report

The Mongolian side agreed and accepted in principle the contents of the draft report explained by the Team. The outline of the Project is described in Annex 1-1, 1-2, 1-3.

2. Schedule of the Study

JICA will complete the final report in accordance with the confirmed items and send it to the Mongolian side by the end of October 2014.

3. Japan's Grant Aid scheme

The Mongolian side understood Japan's Grant Aid scheme and necessary measures to be taken by the Mongolian side which was explained by the Team and described in Annex-4 and Annex-5 of the Minutes of Discussions signed by both sides on 27 January, 2014.

4. Measures to be taken by the Mongolian side

4-1. The Mongolian side agreed to take necessary measures described in Annex 2, for smooth implementation of the Project, as a condition for the Japanese Grant Aid to be implemented.


4-2. The Mongolian side agreed to take necessary measures for hiring local consultant for application and acquisition of technical conditions of infrastructure connections and submit the technical condition documents by the end of September 2014 to JICA.

4-3. The Mongolian side agreed to take necessary measures for supply of infrastructure connections, obtaining building permission and construction permit, and clearing and taking any debris off the construction site by the time the actual construction work starts.

4-4. The Mongolian side agreed to submit the updated plan of organization of the university teaching hospital by the middle of September 2014 to JICA.

4-5. The Mongolian side agreed to allocate necessary staff at least six months before facility completion and cover the costs for operation and maintenance described in Annex 3.

4-6. The Mongolian side agreed to examine future financial plan of university teaching hospital by utilizing multi-financial resources including the budget from the Ministry of Education and Science and the Ministry of Health, and Social Insurance Scheme for sustainable operation and management of the hospital.



Handwritten signatures and initials in the bottom right corner, including a large signature and the name 'S. Hama'.

5. Confidentiality of the project cost estimation

The Team explained the project cost estimation of the Project described in Annex 4. Both sides agreed that the project cost estimation should never be duplicated or released to any outside parties before signing of all the Contract(s) for the Project. The Mongolian side understands that the project cost estimation is not final and is subject to change.

6. Maintenance Contracts

The Mongolian side requested the Team to include maintenance contracts of specific medical equipment regarding MRI, CT scanner, and Angiography in the Project. The Team agreed to plan the maintenance cost for two years in the Project.

7. The Tentative Project Schedule

The Team explained the tentative project schedule as described in Annex 5.

Annex 1-1 The Outline of the Project

Annex 1-2 Facility Plan


Annex 1-3 Equipment List

Annex 2 Major Undertakings to be taken by Each Government

Annex 3 Cost Estimation to be borne by the Mongolian side

Annex 4 Project Cost Estimation

Annex 5 Tentative Project Schedule

Handwritten signatures and initials in the bottom right corner of the page. There are three distinct signatures: one on the left, one in the middle, and one on the right, all written in black ink.

The Outline of the Project

Facility

(1) Building outline

Item	Floor Area (m ²)
Main Building: 3 story building with 1 basement level	15,730 m ²
① Outpatient Departments (Surgery, Traumatology, Ophthalmology, ENT, Internal Medicine, Neurology, Obstetrics and Gynecology, Pediatrics, Infectious Diseases), Imaging Diagnosis Department, Endoscopy Department, Emergency Unit, ICU Department, Surgery Department, Examination Department, Pharmacy Department, CDDS, Kitchen Department, Administration Department, Education Department (lecture rooms, conference rooms, library), Medical Records Department, Morgue, General Service Department (medical equipment repair, laundry, medical waste)	
② Inpatient Ward (104 beds)	
Boiler Building (single story)	775 m ²
Total	16,505 m²

(2) Building service outline

- Electrical facilities: Power-supply equipment (incoming/substation/power distribution), emergency power generation system, lights, outlets, communication equipment, fire alarm system, lightning protector
- Mechanical facilities: Air conditioning and ventilation system
- Water supply/discharge and hygiene facilities: Sanitary fixtures, water and hot water supply system, wastewater discharge system, fire-fighting equipment
- Special facilities: Medical gas equipment, elevator system

Medical Equipment

(1) Image diagnosis/treatment equipment

MRI, CT scanner, Angiography, X-ray fluoroscopy unit, General X-ray unit, Mammography, Ultrasound diagnostic equipment, Video-endoscopy system, etc.

(2) Bio-information monitoring/measuring equipment

Patient monitor, Electrocardiograph(ECG), Electroencephalograph(EEG), Electromyograph (EMG), Spirometer, Fatal monitor, etc.

(3) Operation/treatment equipment

Operating table, Operating light, Electrosurgical unit, Anesthesia equipment, Ventilator, Laparoscope operating unit, Microsurgery scope, etc.

(4) Laboratory equipment

Automatic biochemistry analyzer, Automatic immunoassay analyzer, Blood cell counter, Blood gas analyzer, Urine sediment analyzer, Coagulation measuring system, Blood culture apparatus, Fluorescence microscope

(5) Central sterilization and supply department equipment

Large autoclave, Medium autoclave, etc.

(6) PACS (Picture archiving and communication system)

Component: Image report server system, Image interpretation terminal, RIS terminal, Reference PACS terminal, etc.

(7) Other's equipment

Equipment for Out-patient, Equipment for ENT, Equipment for Ophthalmology, Equipment for Emergency, Equipment for Pharmacy, Morgue refrigerator, etc.

Total 272 items

M. S. Hasan

Facility Plan


Project Site

АЖ АХУЙН НЭГЖ ЭМШУИС (960003) -н ЭЗЭМШИЖ БАЙГАА
ГАЗРЫН БАЙРШЛЫН КАДАСТРЫН ЗУРАГ

2013-11-15

Нэгж талбарын дугаар : 18649310097497

Хаяг : Улаанбаатар хот, Баянзүрх дүүрэг, 12-р хороо, - гудамж, - тоот хаалга



№	X	Y	цэгүүд урт
1	5310973.99	548001.03	1-2 165.01
2	5311398.76	548101.05	3-3 148.41
3	5310349.45	548503.82	3-4 167.53
4	5310515.78	548528.10	4-5 70.59
5	5310594.03	548873.08	5-5 5.02
6	5310594.03	548873.07	6-7 14.58
7	5310598.03	548007.01	7-8 14.52
8	5310511.73	549011.36	8-9 13.27
9	5310515.78	549014.14	9-10 17.34
10	5310822.18	549031.71	10-11 205.25
11	5310647.09	549755.93	11-1 243.27

Project site

Талбайн хэмжээ : 80002 квадрат метр
Зураг үйлдсэн : /С.Түвшинбаяр/
(НӨХГ-ийн кадастрын хэлтсийн мэргэжилтэн)
(Тамга) Хянасан : /Б.Батчимэг/
(Кадастрын хэлтсийн дарга)

Building Zoning

階 Floor	診療棟 Clinical Building				病棟 Ward building					
3	事務管理 Administration department	教室 Lecture hall	機械 Machine room	検査室 Laboratory Unit	病棟 Inpatient wards Maternity 32 (48) beds					
2	画像診断 Diagnostic imaging X-ray, Fluoroscopy, CT, MRI, Angio Mammography	内視鏡 Endoscopy unit	手術部門 Surgical unit	集中治療 ICU 6+2 beds	病棟 Inpatient wards Surgical 24 (36)+3(6) beds					
1	薬局 Pharmacy	外来部門 Outpatients Clinics		救急 Emergency Unit 8+2 beds	病棟 Inpatient wards Medical 24 (36)+3(6) beds					
B1	感染部 CSSD	教室 Library	施設保守 Workshops Unit	病歴 Medical records	機械 Machine room	庫安 Morgue	洗濯 Laundry	厨房 Kitchen	廃棄物 Medical waste treatment	施設管理 Housekeeping

S. Khosrov

(M)

[Handwritten signature]

Equipment List

Department	No.	Name of Equipment	Unit
Out-patient Area			
Consultation Room			
Common Package	1	Negatoscope, wall type	14
	2	Otorhinolaryngo-ophthalmoscope universal set	14
	3	Family doctors' examination instrument set	8
	4	Sphygmomanometer	14
	5	Stethoscope	14
	6	Height scale	12
	7	Weight scale	12
	8	Examination couch	16
	9	Medical cabinet	17
	10	Medical desk	17
	11	Patient chair	17
	12	Instrument cart	17
Ob/Gyn	13	Gynecology examination table	3
	14	Colposcopy	2
ENT	15	ENT treatment cabinet	1
	16	Otolaryngology chair	1
	17	Surgical Side lamp	1
Treatment Room			
Common Package	18	Examination couch	8
	19	Medical cabinet	10
	20	Medical desk	11
	21	Patient chair	10
	22	Instrument cart	10
Internal Medicine	23	Binocular microscope	1
	24	Magnifying glass	1
Surgery	25	Electro-surgical unit for plaster	1
Pediatrics	26	Stethoscope, infant	2
	27	Nebulizer	1
	28	Aspirator	1
	29	Syringe pump	2
	30	Infusion pump	2
	31	Pulse oximeter	1
	32	Bilirubin meter	1
	33	Airway scope	2
	34	Vein viewer	1
Pulmonology	35	Nebulizer	1
Endocrinology	36	ECG	1
ENT	37	Audiometer	1
	38	Tympanometry	1
	39	Flexible nasopharyngoscopes	1
	40	Coagulation apparatus (for ENT)	1
ENT	41	Nebulizer	1
Ophthalmology	42	Slit lamp	1
	43	Refract meter	1

S. Huan


[Signature]

Department	No.	Name of Equipment	Unit
	44	Tonometer	1
	45	Retinoscope	1
	46	Visual glass kit	1
	47	Visual field analyzer	1
	48	Fully completed green light laser apparatus	1
	49	Ultrasonic biometer	1
Instrument Set	50	Gastro surgical instrument set	2
	51	Gall bladder and liver surgical instrument set	2
	52	Abdominal surgery instrument set	2
	53	Eye surgical instrument set	1
	54	ENT surgical instrument set	1
Emergency Room	55	Operation light, ceiling and mobile	1
	56	Ultrasound apparatus 3/4D	1
	57	ECG	1
	58	Ventilator	1
	59	Defibrillator	1
	60	Patient monitor	1
	61	Fatal monitor	1
	62	Nebulizer	1
	63	Pulse oximeter	3
	64	Airway scope	1
	65	Syringe pump	4
	66	Infusion pump	4
	67	suction unit	2
	68	Otorhinolaryngo-ophthalmoscope universal set	5
	69	Ambulatory manual breathing unit	2
	70	Negatoscope, wall type	2
	71	Medical refrigerator	1
	72	Stretcher, slide type	4
	73	Medical instrument cart	5
	74	Examination couch	3
75	Medical cabinet	3	
76	Medical desk	3	
77	Patient chair	3	
78	Wheel chair	2	
Pharmacy	79	Dispenser	2
	80	Medical refrigerator	2
	81	Counter, tablets, manual	2
	82	Medical cabinet for Pharmacology	2
	83	Shelf	2
	84	Working table	2
Diagnosis Area			
Physical Diagnosis			
ECG Room	85	ECG (for stress test)	1
ECG Room	86	Holter ECG	1
	87	Treadmill	1
	88	Ergometer	1
	89	Examination couch	1
Ultrasound Room	90	Ultrasound apparatus 3/4D	2
	91	Ultrasound apparatus, doppler	2
	92	Examination couch	4

S. Rama

Ag...

Department	No.	Name of Equipment	Unit
	93	Examiner's desk	4
	94	Examiner's chair	4
	95	Cart	4
EMG Room	96	EMG	1
	97	Examination couch	1
	98	Examiner's desk	1
	99	Examiner's chair	1
	100	Cart	1
EEG Room	101	EEG	1
	102	Patient bed	1
	103	Examiner's desk	1
	104	Examiner's chair	1
	105	Cart	1
Spirometer Room	106	Spirometer	1
	107	Examiner's desk	1
	108	Examiner's chair	1
	109	Cart	1
	110	Patient chair	1
Imaging Diagnosis			
Radiology Department	111	MRI	1
	112	CT scanner	1
	113	Fluoroscopy X-ray apparatus	1
	114	Conventional X-ray apparatus	1
	115	Mobile X-ray apparatus	1
	116	Mammography	1
	117	Film developer	4
	118	Mixer, Barium	1
	119	Apron, protective, set (small, medium, large)	5
	120	Aprons, protection, gonads, set	5
	121	Position aids, x-ray, Set	2
	122	Negatoscope, stand type	3
	123	PACS	1
		Image report sever system	1
		PACS terminal unit for reference	20
		PACS terminal unit for conference	11
		PACS terminal unit(for endoscope)	3
	PACS terminal unit (for ultrasound unit)	4	
	terminal unit (for radiology)	3	
	RIS terminal unit (for radiology)	5	
Radiology Department	124	Medical cabinet	1
	125	Cart	1
Angiography Room	126	Angiography	1
	127	Instrument cart	1
	128	Medical cabinet	1
Endoscopy Room	129	Gastroscopy (flexible type), adult and child	2
	130	Colonoscopy (flexible type)	1
	131	Ultrasonic cleaner	2
	132	Auto endoscope reprocessor	1



Department	No.	Name of Equipment	Unit
	133	Endoscopy storage cabinet	1
	134	Instrument cart	6
	135	Medical cabinet	3
	136	Examiner's desk	1
	137	Examiner's chair	1
	138	Patient chair	1
Clinical Laboratory			
Common Usage	139	Centrifuge	7
	140	Micro centrifuge	5
	141	Capillary centrifuge	2
	142	Binocular microscope	12
	143	Binocular microscope, group teaching system	2
	144	Safety cabinet	2
	145	Clean bench	2
	146	Incubator	2
	147	pH Meter	2
	148	Stirrer, hotplate, electric	3
	149	Stirrer, magnetic	4
	150	Pipettes, multi volume	28
	151	Balance	2
	152	Water distiller	2
	153	Water bath	6
	154	Medical refrigerator	2
	155	Freezer, -20C	2
	156	Deep freezer, -70C	2
	157	Medical cabinet for dangerous drug	4
	158	Medical shelf for dangerous drug	4
159	Laboratory table with sink, large	8	
160	Laboratory table with sink, medium	3	
161	Burner, Bunsen	6	
Biochemistry	162	Biochemical analyzer (automated)	1
	163	Blood gases analyzer	1
	164	Electrolyte analyzer	1
	165	Immunology analyzer	1
	166	Hemoglobin meter	1
	167	Bilirubin meter	1
Hematology	168	Blood cell counter	1
	169	Coagulation measuring system	1
	170	Rotator, blood specimen	2
	171	Staining apparatus	1
Immunology	172	Blood sedimentation unit, ESR-Western	2
	173	Vertical Shaker	2
Bacteriology	174	Urine test strips analyzer	1
	175	Urine sediment analyzer	1
Microbiology	176	Blood culture apparatus	1
	177	Anaerobic culture apparatus	1
	178	CO2 Incubator	1
	179	Incubator	1
	180	Roller Tubes Incubator	1
	181	Dry oven	1

S. K. K. K.



Handwritten signature

Department	No.	Name of Equipment	Unit
	182	Autoclave	1
Pathology	183	Cryostat	1
	184	Automatic tissue processor	1
	185	Embedding center	1
	186	Paraffin oven	1
	187	Stretching hotplate	1
	188	Cytocentrifuge	1
	189	Fluorescence microscope	1
	190	Organ photo table	1
	191	Microtome	1
	192	Shaker	1
	193	Staining set	1
	194	Cabinet, storage, slides and wax block cassettes	1
Washing room	195	Laboratory washing apparatus	1
	196	Autoclave	1
	197	Dry oven	1
	198	Pipette washer	1
Medical Supportive Area			
Morgue	199	Morgue refrigerator with 2 place	1
	200	Morgue table	1
CSSD	201	Large autoclave	1
	202	Medium autoclave	1
	203	Basket, instruments	15
	204	Sealer, heat, manual, bags and pouches, bench top	2
	205	Trolley, CSSD packs transport, stainless steel	8
	206	Needle Destroyer	1
	207	Bedpan Washer	4
Kitchen	208	Refrigerator	2
	209	Freezer	2
In-patient Area			
Ward/ common	210	Patient bed	97
	211	IV pole	56
Ward/ common	212	Flow meter, oxygen with humidifier, wall outlet connection type	52
	213	Medical cabinet	3
	214	Instrument cart	3
	215	Refrigerator	3
	216	Bedside table	86
	217	Bedside shelf	86
	218	Stretcher	3
	219	Wheel chair	6
Internal Medicine	220	Nebulizer	4
	221	Aspirator	4
Surgery	222	Traction table (fixed height)	2
	223	Traction set Cervical (wall mounting)	2
	224	Walker rollator	4
Ob/Gyn	225	Baby cod	4
Pediatrics	226	Syringe pump	4
	227	Infusion pump	4
	228	Nebulizer	2

S. Mear

W. J. Mear

Department	No.	Name of Equipment	Unit
	229	Aspirator	2
Curative Area			
Operation Theater	230	Operation ceiling lamp	4
	231	Universal operation table	3
	232	Operation table	1
	233	Negatoscope, stand type	4
	234	C-arm X-ray apparatus	1
	235	Anesthesia machine	4
	236	Laparoscope set	1
	237	Microsurgery scope	1
	238	Patient monitor	4
	239	Pulse oximeter	4
	240	Coagulation apparatus	4
	241	Defibrillator	2
	242	Incubator	1
	243	Infant warmer	1
	244	Fatal monitor	1
	245	Suction unit	4
	246	Syringe pump	4
	247	Infusion pump	4
	248	Ambulatory Manual Breathing Unit	4
	249	Airway scope	4
250	Instrument cart	8	
ICU/Recovery Room	251	Patient Bed	8
	252	Negatoscope, wall type	1
	253	ECG	1
	254	Ventilator	2
	255	Ventilator, CPAP	1
	256	Patient monitor	8
ICU/Recovery Room	257	Central Monitor	1
	258	Pulse oximeter	8
	259	Defibrillator	1
	260	Nebulizer	4
	261	Suction unit	4
	262	Syringe pump	8
	263	Infusion pump	8
	264	Ambulatory Manual Breathing Unit	2
	265	Airway scope	1
	266	Otorhinolaryngo-ophthalmoscope universal set	5
	267	Medical refrigerator	1
	268	Medical cabinet for ICU	2
	269	Medical instrument cart for ICU	4
	270	ICU Stretcher	2
	271	Wheel chair	2
Administration Area			
Administration	272	Shelf, patient record	10

Major Undertakings to be taken by Each Government

No.	Items	To be covered by Grant Aid	To be covered by Recipient Side
1	To secure a lot of land necessary for the implementation of the Project and to clear the site;		●
2	To construct the following facilities		
	1) The building	●	
	2) The gates and fences in and around the site		●
	3) a) The patient parking lot	●	
	b) The staff parking lot		●
	4) The access road to the building within the site	●	
	5) The road outside the construction site		●
3	To provide facilities for distribution of electricity, water supply and drainage and other incidental facilities		
	1) Electricity		
	a) The distributing power line to the site		●
	b) The drop wiring and internal wiring within the site	●	
	c) The main circuit breaker and transformer	●	
	2) Water Supply		
	a) The city water distribution main to the site		●
	b) The supply system within the site (receiving and elevated tanks)	●	
	3) Drainage		
	a) The city drainage main (for storm sewer and others to the site)		●
	b) The drainage system (for toilet sewer, common waste, storm drainage and others) within the site	●	
	4) Gas Supply		
	a) The city gas main to the site		●
	b) The gas supply system within the site	●	
	5) Telephone System		
	a) The telephone trunk line to the main distribution frame/panel (MDF) of the building		●
	b) The MDF and the extension after the frame/panel	●	
	6) Furniture and Equipment		
	a) General medical equipment,		●
	Kitchen equipment, Washing equipment, Waste management equipment		●
	Administration equipment, Furniture, Laboratory glassware,		●
	Audio Visual equipment, IT system for hospital management and operation		●
	Linen/uniforms, Ambulances and other vehicles		●
	b) Major medical equipment	●	
	PACS	●	
4	To ensure prompt unloading and customs clearance of the products at ports of disembarkation in the recipient country and to assist internal transportation of the products		
	1) Marine (Air) transportation of the Products from Japan to the recipient country	●	
	2) Internal transportation from the port of disembarkation to the project site	●	●
5	To ensure that customs duties, internal taxes and other fiscal levies which may be imposed in the recipient country with respect to the purchase of the products and the services be borne by the Authority without using the Grant		●
6	To accord Japanese physical persons and / or physical persons of third countries whose services may be required in connection with the supply of the products and the services such facilities as may be necessary for their entry into the recipient country and stay therein for the performance of their work		●
7	To ensure that the Facilities and the products be maintained and used properly and effectively for the implementation of the Project		●
8	To bear all the expenses, other than those covered by the Grant, necessary for the implementation of the Project		●
9	To bear the following commissions paid to the Japanese bank for banking services based upon the B/A		
	1) Advising commission of A/P		●
	2) Payment commission		●
10	To give due environmental and social consideration in the implementation of the Project.		●
(B/A : Banking Arrangement, A/P : Authorization to pay)			

Cost Estimation to be borne by the Mongolian side

	1st year	2nd year	3rd year	4th year	5th year	6th year	7th year
Design	[Bar]						
Tender		[Bar]					
Preparation	[Bar]						
Construction	[Bar]						
Equipment procurement and installation		[Bar]					
Training				[Bar]			
Operation and Maintenance					[Bar]		

Rough cost estimate for each year (thousand US\$, 2014 price)

		Japan Grant Aid	Mongolia Side	Rough cost estimate for each year (thousand US\$, 2014 price)								
				1st year	2nd year	3rd year	4th year	5th year	6th year	7th year and after		
1	Site related works											
	Securing the land	finished	●	\$15								
	Preparation of the land											
	Clearance and leveling	60,000 m ²	●		\$560							
2	Construction											
	Building Permission		●	\$160								
	Buildings		●									
	Heating plant		●									
	Exterior works											
	Boundary fence	finished	●	\$120								
	Patient Parking	6,600 m ²	●									
	Staff Parking	3,840 m ²	●				\$39					
	Approach road	5,000 m ²	●									
	Internal road	2,000 m ²	●				\$316					
	Garden	37,000 m ²	●				\$740					
3	Infrastructure connection											
	Application for infrastructure connection		●	\$40								
	1) Electricity											
	a. The distributing power line to the site		●			\$33						* to be verified by Mongolian side
	b. The drop wiring and internal wiring within the site		●									
	c. The main circuit breaker and transformer		●									
	2) Water Supply											
	a. The city water distribution main to the site		●			\$33						* to be verified by Mongolian side
	b. The supply system within the site (receiving and elevated tanks)		●									
	3) Drainage											
	a. The city drainage main (for storm sewer and others to the site)		●			\$33						* to be verified by Mongolian side
	b. The drainage system (for toilet sewer, common waste, storm drainage and other)		●									
	4) Gas Supply											
	a. The city gas main to the site		●			\$33						* to be verified by Mongolian side
	b. The gas supply system within the site		●									
	5) Telephone System											
	a. The telephone trunk line to the main distribution frame/panel (MDF) of the building		●			\$33						* to be verified by Mongolian side
	b. The MDF and the extension after the frame/panel		●									
	Equipment											
	Furniture	chairs, desks, tables, shelves	●				\$7,300					
	Laboratory glass wares	office substation equipment	●				\$55					
	Linen	200 pieces	●				\$100					
	Other consumables	100bed linen, 205 staff gowns	●				\$10					
	Kitchen system		●				\$470					
	Medical IT system											
	PACS		●									
	Ordering system		●						\$1,000			
	Medical chart system		●						\$1,000			
	Registration system		●						\$1,000			
	Management system		●						\$1,000			
	Medical equipment											
	Major medical equipment		●									
	General medical equipment	Washing Equipment ambulance AV system	●						\$365			
	other medical equipment		●						\$20			


[Handwritten signatures and initials]

Cost Estimation to be borne by the Mongolian side

	1st year	2nd year	3rd year	4th year	5th year	6th year	7th year
Design	█						
Tender		█					
Preparation	█						
Construction	█						
Equipment procurement and installation		█					
Training				█			
Operation and Maintenance					█		

		Rough cost estimate for each year (thousand US\$, 2014 price)								
		Japan Grant Aid	Mongolia Side	1st year	2nd year	3rd year	4th year	5th year	6th year	7th year and after
4	Administration cost									
	Support staff for		①		\$100	\$100	\$100			
	custom clearance	2 full time clerks for assistance								
5	tax exemption									
6	Japanese stay support									
7	Hospital Operation Cost									
	Operation cost	205 staff cost medicine & medical equipment purchase cost building running cost equipment running cost	②					\$2,630	\$2,630	\$2,630
	Maintenance & Repairing cost		③					\$100	\$100	\$100
8	Recruitment of Hospital staff	2 full time clerks	④			\$100				
	Training of Hospital staff	205 staff salary for one year	⑤				\$840	\$640		
	Operation cost before opening of the Hos	4 months	⑥				\$775			
	Moving cost from existing faculty		⑦				\$50			
9	Banking arrangement costs									
	account cost	Probably with Trade & Development	⑧	\$0						
	commission costs	Bank of Mongolia commission is 0.035% of payment	⑨	\$1	\$10	\$10	\$10			
10	Social and Environmental costs									
	Environmental Assesment		⑩	\$100						
	Plants transplantation	about 250 plants	⑪							
11	Consultation costs		⑫							

Total cost 2014 thousand US\$	\$421	\$670	\$210	\$5,140	\$7,650	\$2,810	\$2,810
inflation rate from 2014	9%	8%	7%	7%	6%	6%	6%
Adjusted total cost thousand US\$	\$421	\$727	\$245	\$6,348	\$9,983	\$3,836	\$4,004
	1st year	2nd year	3rd year	4th year	5th year	6th year	7th year



Cost Estimation to be borne by the Mongolian side

	1st year	2nd year	3rd year	4th year	5th year	6th year	7th year
Design	■						
Tender		■					
Preparation	■						
Construction		■					
Equipment procurement and installation		■		■			
Training				■			
Operation and Maintenance					■		

		Rough cost estimate for each year (thousand US\$, 2014 price)								
		Japan Grant Aid	Mongolia Side	1st year	2nd year	3rd year	4th year	5th year	6th year	7th year and after
1	Site related works									
	Securing the land	finished	●	\$0						
	Preparation of the land									
	Clearance and leveling	80,000 m ²	●		\$560					
2	Construction									
	Building Permissison		●	\$160						
	Buildings		●							
	Heating plant		●							
	Exterior works									
	Boundary fence	finished	●	\$120						
	Patient Parking	6,600 m ²	●							
	Staff Parking	3,840 m ²	●				\$595			
	Approach road	5,000 m ²	●							
	Internal road	2,000 m ²	●				\$310			
	Garden	37,000 m ²	●				\$240			
3	Infrastructure connection									
	Application for infrastructure connection		●	\$40						
	1) Electricity									
	a. The distributing power line to the site		●			\$30				to be verified by Mongolian side
	b. The drop wiring and internal wiring within the site		●							
	c. The main circuit breaker and transformer		●							
	2) Water Supply									
	a. The city water distribution main to the site		●			\$20				to be verified by Mongolian side
	b. The supply system within the site (receiving and elevated tanks)		●							
	3) Drainage									
	a. The city drainage main (for storm sewer and others to the site)		●			\$35				to be verified by Mongolian side
	b. The drainage system (for toilet sewer, common waste, storm drainage and other)		●							
	4) Gas Supply									
	a. The city gas main to the site		●			\$0				to be verified by Mongolian side
	b. The gas supply system within the site		●							
	5) Telephone System									
	a. The telephone trunk line to the main distribution frame/panel (MDF) of the building		●			\$5				to be verified by Mongolian side
	b. The MDF and the extension after the frame/panel		●							
	Equipment									
	Furniture	chairs, desks, tables,shelves	●				\$1,500			
	Laboratory glass wares	office automation equipment	●				\$50			
	Linen	500 pieces	●				\$100			
	Other consumables	100bed linen, 205 staff gowns	●				\$10			
	Kitchen system		●				\$470			
	Medical IT system									
	PACS		●							
	Ordering system		●					\$1,000		
	Medical chart system		●					\$1,000		
	Registration system		●					\$1,000		
	Management system		●					\$1,000		
	Medical equipment									
	Major medical equipment		●							
	General medical equipment	Washing Equipment ambulance AV system	●				\$265			
	other medical equipment		●				\$325			

Cost Estimation to be borne by the Mongolian side

	1st year	2nd year	3rd year	4th year	5th year	6th year	7th year
Design	■						
Tender		■					
Preparation	■						
Construction		■					
Equipment procurement and installation		■		■			
Training				■			
Operation and Maintenance					■		

		Rough cost estimate for each year (thousand US\$, 2014 price)								
		Japan Grant Aid	Mongolia Side	1st year	2nd year	3rd year	4th year	5th year	6th year	7th year and after
4	Administration cost									
	Support staff for	2 full time clerks for assistance	●		\$100	\$100	\$100			
	custom clearance									
5	tax exemption									
6	Japanese stay support									
7	Hospital Operation Cost									
	Operation cost	205 staff cost medicine & medical equipment purchase cost building running cost equipment running cost	●					\$2,630	\$2,630	\$2,630
	Maintenance & Repairing cost		●					\$180	\$180	\$180
8	Recruitment of Hospital staff	2 full time clerks	●			\$10				
	Training of Hospital staff	205 staff salary for one year	●				\$840	\$840		
	Operation cost before opening of the Hos	4 months	●				\$275			
	Moving cost from existing faculty		●				\$50			
9	Banking arrangement costs									
	account cost	Probably with Trade & Development	●	\$0						
	commission costs	Bank of Mongolia commission is 0.035% of payment	●	\$1	\$10	\$10	\$10			
10	Social and Environmental costs									
	Environmental Assessment		●	\$100						
	Plants transplantation	about 250 plants	●							* to be verified by Mongolian side
11	Consultation costs		●							

Total cost 2014 thousand US\$	\$421	\$670	\$210	\$5,140	\$7,650	\$2,810	\$2,810
inflation rate from 2014	9%	8%	7%	7%	6%	6%	6%
Adjusted total cost thousand US\$	\$421	\$727	\$245	\$6,348	\$9,983	\$3,836	\$4,004
	1st year	2nd year	3rd year	4th year	5th year	6th year	7th year

Project Cost Estimation

The total project expenses required when this cooperation project is implemented are estimated to be [REDACTED] yen. According to the estimation conditions described in (3) below for the breakdown of expenses to be covered by Japan and expenses to be covered by Mongolia for the items described earlier, the expenses for Japan and Mongolia are described by item (1) and (2) respectively. However, these amounts are the grant limit amounts in the Exchange of Notes.

(1) Expenses Covered by Japan Rough Total project Expenses Approx. [REDACTED] yen

Table 5-1 Expenses Covered by Japan

Item / Description	Amount (million yen)	Remarks
1. Facility Construction	[REDACTED]	
2. Procurement of Equipment	[REDACTED]	
3. Building Design / Construction Supervision / Technical Instruction	[REDACTED]	
Total	[REDACTED]	

(2) Expenses Covered by Mongolia Approx. 453 mil. yen (Approx. 7,600,668 thousand Tg)

Table 5-2 Expenses Covered by Mongolia

Item / Description	Amount (thousand yen)	(Tg)
1. project Site Grading/Preparation	56,000	939,597
2. Application/Acquisition of Building Permits (Including fees for local architects)	16,000	268,456
3. project Site Landscaping	116,000	1,946,308
4. Infrastructure Connection Work (Lead-in lines for electricity, hot water, water supply, sewage, gas, telephone)	13,000	218,120
5. Medical Devices / Furniture / Fixtures etc. Not Included in Grant	249,000	4,177,852
6. Bank Service Charges/Payment Fees	3,000	50,335
Total	453,000	7,600,668

* Prices and the foreign exchange rate as of January 2014, with no consideration to the price escalation or the change in exchange rate

(3) Estimation Conditions

The above amounts were calculated based on the estimation conditions described below.


Time of Estimation: January 2014

Currency Exchange Rate: 1.0 US\$ = 101.37 yen = 1,699.18 Tg
1 Tg=0.0596 yen

Construction Period: As described in project implementation schedule.

Other: This project will be implemented in accordance with the grant aid scheme of the Japanese government.

[Handwritten signatures]



Work In Mongolia Work In Japan

Handwritten signatures and notes in the bottom left corner.

Annex 5
Tentative
Project
Schedule

5. References

1 GENERAL GEOTECHNICAL INVESTIGATION

1.1 Purpose of Geotechnical Investigation

Geotechnical investigation to provide subsurface information for the engineering design of proposed building for the Project for Construction of Mongolian and Japanese Teaching Hospital of Health Sciences University was carried out by Soil Trade LLC based on contract dated 10th September 2013 with Yamashita Sekkei Inc. Investigation site is located within 12 horoo of Bayanzurkh district, Ulaanbaatar city.

1.2 Site Location and Scope of Service

Investigation site of proposed construction building of Teaching Hospital for Health Sciences University is located in the territory of Botanical Park locating in 12th khoroo of Bayanzurkh district.

Location of investigation areas and completed boreholes is shown on Figure 1. Information of completed boreholes is listed in below table:

Information of Completed Boreholes

Table 1

No	Borehole Number	Coordinates, m		Elevation, m	Depth, m	Date of Completion y/m/d
		X	Y			
1	BH-1	5310555.4	648982.2	1311.89	15.0	2013.09.16
2	BH -2	5310609.6	649066.9	1312.98	15.0	2013.09.16
3	BH -3	5310465.9	648991.6	1311.77	15.0	2013.09.17
4	BH -4	5310520.1	649076.4	1312.94	15.0	2013.09.17
5	BH -5	5310376.4	649001.2	1311.12	15.0	2013.09.18
6	BH -6	5310430.5	649085.8	1312.70	15.0	2013.09.18
7	BH-7	5310574.3	649161.2	1313.57	15.0	2013.09.19
8	BH -8	5310485.0	649170.6	1313.65	15.0	2013.09.19

1.3 Technical Guideline and Method of Analyses

The actual geotechnical investigation was performed according to Mongolian Design Code Document No. CNR 11-03-01 and consists of 8 boreholes to depths of 15.0 m. Total drilling work was 120 length meters.

Boreholes were performed using a truck-mounted UGB-1VS capable of auger drilling with a rotary push tube of 168 mm, 146 mm and 127 mm in diameter, under supervision of geotechnical engineer J.Odonchimeg and following drilling crew: drilling operators R.Sambuunyam and B.Batchuluun. Field work includes of field logging and sampling.

In situ Standard penetration tests (SPTs) were performed during the borehole drilling in order to obtain in situ strength profiles of the subsurface soils and were carried out on 120 points in accordance the ASTM D 1586 standard. The SPTs were conducted using 63.5kg hammer from 0.76 m free fall to free fall to drive sampler into the ground. Log of boreholes including of record of SPT results is attached in Appendix A.

Based on in situ SPT test results number of blows at 1.0-2.0 m depth ranges to $(N_{value})=23-38$ and unconfined compressive strength ranges to $R_c > 400 \text{KN/m}^2$. Unconfined compressive strength for clayey soil below 1.0-2.0 m reaches to $R_c > 400 \text{KN/m}^2$.

engineer T.Altanchimeg senior technician D.Tungalag, and auxiliary worker M.Enkhbayar in the laboratory of Soil Trade LLC.

Based on observations during field investigation and laboratory test results a senior engineer J.Odonchimeg has completed this geotechnical investigation report for the design study.

2 PHYSICAL AND GEOGRAPHICAL CONDITION

2.1 Geomorphology

Site for proposed construction building is situated in the west terrain of Tuul river basin, within Uliastai and Tuul rivers basin, and comprise of even ground surface predominating transported and accumulative alluvium proluvium deposit. Elevation of investigation area of proposed construction building varies between 1311.12 m and 1313.57 m with relative difference of 2.5 m.

2.2 Hydrogeology

Groundwater was encountered in depths between 9.0m and 10.0m, and stabilized at depth between 8.9m and 9.5m. Groundwater enriches by Tuul, Uliastai rivers water and by seasonal precipitation. Due to infiltration and evaporation groundwater level may increase up to 1.0m from current measurement.

2.3 Climate

According to the Climatic region for construction of Mongolia the climatic condition of the investigation site has cold winters, with relative high snow load and dry hot summers. Climatic characteristics of the area were obtained from the Norms and Regulations on Climate Data (CNR – 23-01.09) and the results from meteorological center of Amgalan as given below table.

Climatic Data

Table 2

No	Description		Unit	Measure	
1	Average annual temperature of air		°C	-1.2	
2	Absolute maximum temperature of air /1984.07.14/			33.5	
3	Computational maximum temperature of air in July			30.2	
4	Absolute minimum temperature of air /1995.01.12/			-39.0	
5	Absolute minimum temperature of air in the coldest month			-32.0	
6	Computational minimum temperature of outside air	The coldest	1 day	-33.7	
			3 days	-32.7	
			5 days	-31.6	
			Air vent	-23.0	
		The warmest 1 day		24.7	
7	Average annual total precipitation	The maximum seasons humidity	Warm season	%	67
			Cold season		72
		Precipitation	Year	mm	245.2
			Warm season		232.5
		The maximum day/1996.07.31/		68.6	
8	Average annual wind speed	Annual	m/sec	2.4	
		The maximum wind speed once in 20 years		21-25 /23/	
9	Calculation of wind pressure, q_{max}	Once in 5 years	gH/m ²	33	
		Once in 10 years		34	
		Once in 20 years		42	
10	Specified snow load		kg/m ² /gPa/	50 /0.5/	

3 SITE GEOTECHNICAL CONDITION

Investigation site is located within not active developed physical and geological phenomenon, ground surface is relative even. However, encountered groundwater hasn't any effect on construction foundation the existing clayey GRAVEL with sand and poorly graded GRAVEL with sand and clay soils' degree of saturation range to 0.72-0.70 and determine as slightly heaving soils in seasonal freezing depth. Degree of heaving of clayey SAND with gravel varies to $K=0.04$ and determines as medium heaving soil. Based all these arguments the proposed construction building is located within medium complicated geotechnical condition.

3.1 Subsurface Condition and Soil Classification

Based on laboratory testing encountered soils are subdivided into 3 engineering geological elements. A geological profile was generated based on the subsurface information obtained from the investigation as attached on Figure 2. Laboratory test results are summarized in Appendix C. Groundwater chemical test result is attached in Appendix D and soil chemical test result is attached in Appendix E.

3.2 Physical and Mechanical Properties of Soils

The grading size analysis and physical properties of soils are given based on laboratory test results, mechanical properties of soil are given according to construction norm and calculation of CNR-2.02.01-94.

Top Soil

Clayey sand with gravel: including vegetation roots, dark grey colored, with thickness ranging of 0.4 m.

Degree of earthwork trouble should be calculated as I

3.2.1 Clayey GRAVEL with sand /GC/

Upper and Modern Quaternary aged alluvium proluvium deposit (apQ_{III-IV}) light yellowish colored, stiff consistency, including boulders.

Particle Size of Distribution:

Poorly graded Gravel	52.9%
Poorly graded Sand	29.3%
Silt and Clay	17.8%

Physical Properties of Soil:

Natural Moisture Content, (W)	9.4
Liquid Limit, (LL)	22.0
Plastic Limit, (PL)	14.2
Plasticity Index, (PI)	7.8
Specific Gravity, (gs)	2.70g/cm ³
Unit Weight, (g)	2.19g/cm ³
Dry Density, (gd)	2.00g/cm ³
Porosity ,(n)	25.95
Voids Ratio, (e)	0.351
Degree of Saturation, (Sr)	0.72
Consistency	< 0

Mechanical Properties of Soil:

Cohesion	$C_H = 27$ kPa
----------	----------------

Angle of Internal Friction	$\phi_H=39^0$
Module of Deformation	E= 37MPa
Design Strength	$R_0=450$ kPa

Degree of saturation for clayey GRAVEL with sand soil ranges to 0.72, thus this soil determines as slightly heaving soil.

3.2.2 Poorly graded GRAVEL with sand and clay / GP-GC/

Upper and Modern Quaternary aged alluvium proluvium deposit (apQ_{III-IV}) light yellowish colored, stiff consistency, including boulders.

Particle Size Distribution:

Poorly graded Gravel	60.6%
Poorly graded Sand	31.2%
Silt and Clay	8.4%

Physical Properties of Soil:

Natural Moisture Content, (W)	7.8
Liquid Limit, (LL)	22.9
Plastic Limit, (PL)	16.2
Plasticity Limit, (PI)	6.7
Specific Gravity, (gs)	2.68g/cm ³
Unit Weight, (g)	2.23g/cm ³
Dry Density, (gd)	2.07g/cm ³
Porosity, (n)	22.84
Voids Ratio, (e)	0.296
Degree of Saturation, (Sr)	0.70
Consistency	< 0

Mechanical Properties of Soil:

Cohesion	$C_H=16$ kPa
Angle of Internal Friction	$\phi_H=44^0$
Module of Deformation	E= 45MPa
Design Strength	$R_0=450$ kPa

Degree of saturation for poorly graded GRAVEL with sand and clay soil ranges to 0.70, thus this soil determines as slightly heaving soil.

3.2.3 Clayey SAND with gravel /SC/

Upper and Modern Quaternary aged alluvium proluvium deposit (apQ_{III-IV}) yellowish brown colored, soft to stiff consistency.

Particle Size Distribution:

Poorly graded Gravel	31.7%
Poorly graded Sand	45.9%
Silt, Clay	22.4%

Physical Properties of Soil:

Natural Moisture Content, (W)	10.6
Liquid Limit, (LL)	24.6
Plastic Limit, (PL)	15.8
Plasticity Index, (PI)	8.8

Specific Gravity, (gs)	2.72g/cm ³
Unit Weight, (g)	2.05g/cm ³
Dry Density, (gd)	1.85g/cm ³
Porosity, (n)	31.82
Voids Ratio, (e)	0.469
Degree of Saturation, (Sr)	0.62
Consistency	< 0

Mechanical Properties of Soil:

Cohesion	$C_H = 47 \text{ kPa}$
Angle of Internal Friction	$\phi_H = 25^\circ$
Module of Deformation	$E = 33 \text{ MPa}$
Design Strength	$R_0 = 300 \text{ kPa}$

Degree of heaving for clayey SAND with gravel soil ranges to $K_f = 0.04$, thus this soil determines as medium heaving soil.

4 SOIL CHEMICAL PROPERTIES

Determination of soil chemical properties is given in below table 3.

Table 3

No.	Soil Name	Soil Symbol	Reduction in Alkalinity (Rc mmol/l)	Dissolved Silica (Sc, mmol/l)
1	Clayey GRAVEL with sand	GC	0.0215	22.0

5 CONCLUSION AND RECOMMENDATION

5.1 Investigation site of proposed construction building for the Project for Construction of Mongolian and Japanese Teaching Hospital of Health Sciences University is situated within even ground surface, physical geological phenomenon is not developed, groundwater does not any influence on construction foundation, clayey Gravel with sand and poorly graded Gravel with sand and clay soils determine as slightly heaving soils in seasonal freezing depth (degree of saturation range between 0.72 and 0.70), coefficient of heaving for the clayey Sand with gravel soil ranges to $K=0.04$ determines as medium heaving soil. Based all these arguments the actual investigation site is belong to medium complicated geotechnical condition.

5.2 Norms and calculations of mechanical properties of soil and bedrock, their degree of earthwork troubles are given in below table 4 (6.1 and 6.6)

Table 4

#	Soil Name	Normative Mechanical Properties of Soils			Design Strength, R_0 , kPa	Degree of Earthwork Trouble
		Cohesion, C^N , kPa	Angle of Internal Friction, φ^N , degree	Module of deformation, E^N , MPa		
1	Clayey GRAVEL with sand	27	39	37	450	III
2	Poorly graded GRAVEL with sand and clay	16	44	45	450	III
3	Clayey SAND with gravel	47	25	33	300	II

5.3 Standard freezing depth should be taken as follow: (6.3)

Clayey GRAVEL with sand	2.55 m
Poorly graded GRAVEL with sand and clay	
Clayey SAND with gravel	2.65m

5.4 Degree of saturation for clayey GRAVEL with sand and poorly graded GRAVEL with sand and clay soils range between 0.72 and 0.70, thus these soils determine as slightly heaving soils; coefficient of heaving for clayey SAND with gravel is $K = 0.04$, thus this soil determines as medium heaving soils in seasonal freezing depth. (6.1)

5.5 Groundwater was encountered at depths between 9.0m and 10.0m and stabilized at depths between 8.9m and 9.5m.

5.6 The investigated site is situated within seismic zone of 7 degree of and intensity (6.4)

5.7 Electric conductivity of encountered soils are given in below (6.5)

Clayey SAND with gravel	40-80 Om.m
Clayey GRAVEL with sand	2000-10000 in natural moisture condition 200-600 in saturated condition
Poorly graded GRAVEL with sand and clay	

5.8 The coefficient of Permeability should be taken as follow (5.5)


Poorly graded GRAVEL with sand and clay (GP-GC)	20-60 m/day
Clayey GRAVEL with sand (GC)	100-200 m/day
Clayey SAND with gravel (SC)	1.0-0.5 m/day

- 6.1 Engineering Standard for Construction of Foundations, Anand.A, Badgai.L, Choibalsan.N, SharaaT, and Magmut. CNR 2.02.01 – 94
- 6.2 Geotechnical Investigations for Construction Work, CNR 11–03-01
- 6.3 Climatic and Geotechnical Features for Construction Design. CNR 23-01-09
- 6.4 Seismology Standard of Design and Construction Work in Earthquake Zone, CNR 22-01-01. (2006)
- 6.5 Hand book of engineering construction work, Stroiizdat, Moscow 1975
- 6.6 SNiP IV-5-82. Part-Earthwork

LIST OF FIGURES

FIGURE 1
FIGURE 2


Location of the Site and Completed Boreholes
Geological Section




PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT

PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT

LEGEND


 BH-8
 1313.65

Drilling borehole Number
 Elevation, m


 Engineering-geological section




SOIL TRADE LLC
 Geotechnical
 Investigation & Construction
 Design

Client	YAMASHITA SEKKEI INC	
Checked	<i>T. Renchindorj</i>	Date 02.10.2013
Drawn	<i>J. Odonchimeg</i>	Date 02.10.2013
Scale	1:1000	

Project name	'The Project for Construction of Mongolia and Japanese Teaching Hospital'	
	Location map	
Archive #	2013/086	Page 1

GEOLOGICAL SECTION I-I'

Scale V 1:100
H 1:1000



LEGEND

- Top soil. Clayey SAND with gravel - Dark grey, vegetation roots.
 - ① Clayey GRAVEL with sand - Yellowish grey, medium to stiff consistency, including boulders. Upper and Modern Quaternary aged aluvium-proluvium deposit (apQ III-IV)
 - ② Poorly graded GRAVEL with sand and clay - Yellowish brown, consistency, including boulders. Upper and Modern Quaternary aged aluvium-proluvium deposit (apQ III-IV)
 - ③ Clayey SAND with gravel - Yellowish grey, stiff consistency, including boulders. Upper and Modern Quaternary aged aluvium-proluvium deposit (apQ III-IV)
 - Soil number.
 - Soil age, index of origin.
-

Borehole number	BH 1	BH 2
Elevation, m	1311.9	1312.98
Distance, m		90.0




SOIL TRADE LLC
Geotechnical
Investigation &
Construction
Design

Client	YAMASHITA SEKKEI INC		Project name	The Project for Construction of Mongolia and Japanese Teaching Hospital	
Checked	T.Renchindorj	Date	25.09.2013	Geological section I-I'	
Drawn	J.Odonchimeg	Date	26.09.2013	I-I'	
Scale	V 1:100, H 1:1000		Archive	2013/086	Figure 2.1

GEOLOGICAL SECTION II-II'

Scale V 1:100
H 1:1000



LEGEND

- Top soil. Clayey SAND with gravel - Dark grey, vegetation roots.
- Clayey GRAVEL with sand - Yellowish grey, medium to stiff consistency, including boulders. Upper and Modern Quaternary aged aluvium-proluvium deposit (apQIII-IV)
- Clayey SAND with gravel - Yellowish grey, stiff consistency, including boulders. Upper and Modern Quaternary aged aluvium-proluvium deposit (apQIII-IV)
- Soil number.
- Soil age, index of origin.
- Aperture of borehole
- Boundary of soil
- Depth of sampling
- Ground water level, m
- Depth of borehole, m

Borehole number	BH 3	BH 4	BH 7
Elevation, m	1311.8	1312.9	1313.6
Distance, m	90.0	90.0	




SOIL TRADE LLC
Geotechnical
Investigation &
Construction
Design

Client	YAMASHITA SEKKEI INC		Project name	The Project for Construction of Mongolia and Japanese Teaching Hospital'	
Checked	T.Renchindorj	Date	25.09.2013	Geological section II-II'	
Draw	J.Odonchimeg	Date	26.09.2013		
Scale	V 1:100, H 1:1000		A-3	Archive	2013/086
				Figure	2.2

GEOLOGICAL SECTION III-III'

Scale V 1:100
H 1:1000



LEGEND

- Top soil. Clayey SAND with gravel - Dark grey, vegetation roots.
- Clayey GRAVEL with sand - Yellowish grey, medium to stiff consistency, including boulders. Upper and Modern Quaternary aged aluvium-proluvium deposit (apQIII-IV)
- Poorly graded GRAVEL with sand and clay - Yellowish brown, stiff consistency, including boulders. Upper and Modern Quaternary aged aluvium-proluvium deposit (apQIII-IV)
- Clayey SAND with gravel - Yellowish grey, medium to stiff consistency, including boulders. Upper and Modern Quaternary aged aluvium-proluvium deposit (apQIII-IV)
- Soil number.
- Soil age, index of origin.
- Aperture of borehole
- Boundary of soil
- Depth of sampling
- Ground water level, m
- Depth of borehole, m

Borehole number	BH 5	BH 6	BH 8
Elevation, m	1311.1	1312.7	1313.7
Distance, m	90.0	90.0	

PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT

PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT

	SOIL TRADE LLC		Client	YAMASHITA SEKKEI INC		Project name	The Project for Construction of Mongolia and Japanese Teaching Hospital	
	Geotechnical Investigation & Construction Design		Checked	T.Renchindorj	Date	25.09.2013	Geological section III-III'	
			Draw	J.Odonchimeg	Date	26.09.2013		
			Scale	V 1:100, H 1:1000		Archive	A-3	2013/086

APPENDIX A Log of Boreholes and SPT Results

Soil Trade LLC

LOG OF BOREHOLE BH 1 and Standard Penetration Test

CLIENT: YAMASHITA SEKKEI INC.
PROJECT NAME: 'The Project for Construction of Mongolia
and Japanese Teaching Hospital'
LOCATION: Botanical garden, Ulaanbaatar

COORDS: N 5310555.4, E 648982.2
ELEVATION: 1311.89 m
HOLE DIA: 168, 146, 127 mm
DEPTH: 15.0 m
Ground water level: 8.9m

SHEET: 1 of 1
Drill rig: UGB-1VS
Driller: R.Sambuunyam
Date: 16.09.2013
Logged: J.Odonchimeg

Depth, m	Started depth, m	Ended depth, m	Thickness of stratum	Soil/ Rock Material Description			Standard Penetration Test						Sample	
				Graphic log	Symbol	Description of Soil	Depth, m	Number Blows N	Number of every 15 cm			Depth, m	Symbol	
						15cm			30cm	45cm	0			10

0.0	0.4	0.4	0.4	Top soil. Clayey Sand - Dark grey colored, vegetation roots.	GC	1	23/30	9	10	13	1.0-1.2	
1				Clayey GRAVEL with sand - Yellowish grey, stiff consistency, including boulders. Upper and Modern Quaternary aged aluvium-proluvium (apQ ^{III-IV}) deposit.	GC	2	31/30	11	16	15		
2						3	50/23	22	35	15/8		
3						4	50/22	33	31	19/7	3.8-4.0	
4	0.4	4.0	3.6	Poorly graded GRAVEL with sand and clay - Yellowish brown, stiff consistency, including boulders. Upper and Modern Quaternary age's alluvium-proluvium (apQ ^{III-IV}) deposit	GP-GC	5	50/11	35	50/11			
5						6	50/9	36	50/9		5.6-5.8	
6						7	50/13	47	50/13			
7						8	50/22	36	40	10/7	7.2-7.4	
8						9	50/12	41	50/12		8.9 17.09.2013	
9	4.0	9.6	5.6	Clayey SAND with gravel - Yellowish grey, wet, stiff consistency, including boulders. Upper and Modern Quaternary aged aluvium-proluvium (apQ ^{III-IV}) deposit.	SC	10	50/19	33	39	11/4	9.2-9.4	
10						11	50/22	37	44	6/7	0.2-10.6	
11						12	50/17	40	41	9/2		
12						13	50/14	39	50/14		13.2-13.4	
13						14	50/16	35	45	5/1		
14						15	50/16	39	47	3/1	4.8-15.0	
15	9.6	15.0	6.4									
16												
17												
18												
19												
20												

END OF BOREHOLE @ 15.0 m DEPTH
Ground water level: 8.9m

PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT

PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT

Soil Trade LLC

LOG OF BOREHOLE BH 2 and Standard Penetration Test

CLIENT: YAMASHITA SEKKEI INC.
PROJECT NAME: 'The Project for Construction of Mongolia
and Japanese Teaching Hospital'
LOCATION: Botanical garden, Ulaanbaatar.

COORDS: N 5310609.6, E 649066.9
ELEVATION: 1312.98 m
HOLE DIA: 168; 146; 127 mm
DEPTH: 15.0 m
Ground water level: 9.0m

SHEET: 1 of 1
Drill rig: UGB-1VS
Driller: B. Batchuluun
Date: 16.09.2013
Logged: J. Odonchimeg

Depth, m	Started depth, m	Ended depth, m	Thickness of stratum	Soil/ Rock Material Description		Standard Penetration Test						Sample					
				Graphic log	Symbol	Depth, m	Number Blows N	Number of every 15 cm			Depth, m	Symbol					
				Description of Soil		Penetration depth, cm	15cm	30cm	45cm	0	10	20	30	40	50		
0.0	0.4	0.4	0.4	TMF		Top soil. Clayey Sand with gravel - Dark grey colored, vegetation roots.	1	29/30	8	15	14					0.8-1.0	●
0.4	3.4	3.0	3.0	GC		Clayey GRAVEL with sand - Yellowish grey, stiff consistency, including boulders. Upper and Modern Quaternary aged aluvium-proluvium (apQ III-IV) deposit.	2	27/30	11	12	15						●
3.4	4.4	1.0	1.0	SC		Clayey SAND with gravel - Yellowish grey, stiff consistency, including boulders. Upper and Modern Quaternary aged aluvium-proluvium (apQ III-IV) deposit.	3	50/21	24	35	15/6					3.0-3.2	●
4.4	4.4	1.0	1.0	GC		Clayey GRAVEL with sand - Yellowish grey, stiff consistency, including boulders. Upper and Modern Quaternary aged aluvium-proluvium (apQ III-IV) deposit.	4	50/21	29	38	12/5					4.0-4.2	●
5.4	5.4	1.0	1.0	GC		Clayey GRAVEL with sand - Yellowish grey, stiff consistency, including boulders. Upper and Modern Quaternary aged aluvium-proluvium (apQ III-IV) deposit.	5	50/20	31	40	10/5					5.4-5.6	●
6.4	6.4	1.0	1.0	GC		Clayey GRAVEL with sand - Yellowish grey, stiff consistency, including boulders. Upper and Modern Quaternary aged aluvium-proluvium (apQ III-IV) deposit.	6	50/20	35	45	5/5					7.6-7.8	●
7.4	7.4	1.0	1.0	GC		Clayey GRAVEL with sand - Yellowish grey, stiff consistency, including boulders. Upper and Modern Quaternary aged aluvium-proluvium (apQ III-IV) deposit.	7	50/23	36	41	9/7						●
8.4	8.4	1.0	1.0	GC		Clayey GRAVEL with sand - Yellowish grey, stiff consistency, including boulders. Upper and Modern Quaternary aged aluvium-proluvium (apQ III-IV) deposit.	8	50/10	45	50/10						9.0	▼
9.4	9.4	1.0	1.0	GC		Clayey GRAVEL with sand - Yellowish grey, stiff consistency, including boulders. Upper and Modern Quaternary aged aluvium-proluvium (apQ III-IV) deposit.	9	50/20	31	35	15/5					17.09.2013	▼
10.4	10.4	1.0	1.0	GC		Clayey GRAVEL with sand - Yellowish grey, stiff consistency, including boulders. Upper and Modern Quaternary aged aluvium-proluvium (apQ III-IV) deposit.	10	50/23	30	43	7/7					10.0-10.2	●
11.4	11.4	1.0	1.0	GC		Clayey GRAVEL with sand - Yellowish grey, stiff consistency, including boulders. Upper and Modern Quaternary aged aluvium-proluvium (apQ III-IV) deposit.	11	50/20	21	39	11/5						●
12.4	12.4	1.0	1.0	GC		Clayey GRAVEL with sand - Yellowish grey, stiff consistency, including boulders. Upper and Modern Quaternary aged aluvium-proluvium (apQ III-IV) deposit.	12	50/23	41	37	13/7						●
13.4	13.4	1.0	1.0	GC		Clayey GRAVEL with sand - Yellowish grey, stiff consistency, including boulders. Upper and Modern Quaternary aged aluvium-proluvium (apQ III-IV) deposit.	13	50/19	45	40	10/4						●
14.4	14.4	1.0	1.0	GC		Clayey GRAVEL with sand - Yellowish grey, stiff consistency, including boulders. Upper and Modern Quaternary aged aluvium-proluvium (apQ III-IV) deposit.	14	50/17	35	37	13/2						●
15.4	15.4	1.0	1.0	GC		Clayey GRAVEL with sand - Yellowish grey, stiff consistency, including boulders. Upper and Modern Quaternary aged aluvium-proluvium (apQ III-IV) deposit.	15	50/17	30	38	12/2						●
16.4	16.4	1.0	1.0	GC		Clayey GRAVEL with sand - Yellowish grey, stiff consistency, including boulders. Upper and Modern Quaternary aged aluvium-proluvium (apQ III-IV) deposit.	16										●
17.4	17.4	1.0	1.0	GC		Clayey GRAVEL with sand - Yellowish grey, stiff consistency, including boulders. Upper and Modern Quaternary aged aluvium-proluvium (apQ III-IV) deposit.	17										●
18.4	18.4	1.0	1.0	GC		Clayey GRAVEL with sand - Yellowish grey, stiff consistency, including boulders. Upper and Modern Quaternary aged aluvium-proluvium (apQ III-IV) deposit.	18										●
19.4	19.4	1.0	1.0	GC		Clayey GRAVEL with sand - Yellowish grey, stiff consistency, including boulders. Upper and Modern Quaternary aged aluvium-proluvium (apQ III-IV) deposit.	19										●
20.4	20.4	1.0	1.0	GC		Clayey GRAVEL with sand - Yellowish grey, stiff consistency, including boulders. Upper and Modern Quaternary aged aluvium-proluvium (apQ III-IV) deposit.	20										●

END OF BOREHOLE @ 15.0 m DEPTH
Ground water level: 9.0m

PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT

PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT

Soil Trade LLC

LOG OF BOREHOLE BH 4 and Standard Penetration Test

CLIENT: YAMASHITA SEKKEI INC.
PROJECT NAME: 'The Project for Construction of Mongolia and Japanese Teaching Hospital'
LOCATION: Botanical garden, Ulaanbaatar.

COORDS: N 5310520.1, E 649076.4
ELEVATION: 1312.9 m
HOLE DIA: 168, 146, 127 mm
DEPTH: 15.0 m
Ground water level: 9.2m

SHEET: 1 of 1
Drill rig: UGB-1VS
Driller: R.Sambuunyam
Date: 17.09.2013
Logged: J.Odonchimeg

Depth, m	Started depth, m	Ended depth, m	Thickness of stratum	Soil/ Rock Material Description		Standard Penetration Test					Sample								
				Graphic log	Symbol	Depth, m	Number Blows N	Number of every 15 cm			Depth, m	Symbol							
				Description of Soil		Penetration depth, cm	15cm	30cm	45cm	0	10	20	30	40	50				
0.0	0.4	0.4	0.4	FFF		Top soil. Clayey Sand - Dark grey colored, vegetation roots.													
1					GC	Clayey GRAVEL with sand - Yellowish grey, stiff consistency, including boulders. Upper and Modern Quaternary aged aluvium-proluvium (apQ _{III-IV}) deposit.	38/30	10	18	20							0.8-1.0	●	
2							40/30	11	20	20									
3							44/30	13	21	23								2.8-3.0	●
4							47/30	16	23	24									
5							50/25	18	26	24/10								4.8-5.0	●
6							50/23	21	24	26/8									
7							50/23	19	33	17/8								6.4-6.6	●
8							50/20	29	36	14/5									
9							50/12	41	50/12										
10							50/19	33	39	11/4									
11	0.4	11.0	10.6				50/22	37	44	6/7								10.2-10.5	●
12					SC	Clayey SAND with gravel - Yellowish grey, stiff consistency, including boulders. Upper and Modern Quaternary aged aluvium-proluvium (apQ _{III-IV}) deposit.	50/17	40	41	9/2									
13							50/14	39	50/14										
14							50/16	35	45	5/1								13.8-14.0	●
15	11.0	15.0	4.0				50/14	37	50/14										
16																			
17																			
18																			
19																			
20																			

END OF BOREHOLE @ 15.0 m DEPTH
Ground water level: 9.2m

PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT

PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT

Soil Trade LLC

LOG OF BOREHOLE BH 5 and Standard Penetration Test

CLIENT: YAMASHITA SEKKEI INC.
PROJECT NAME: The Project for Construction of Mongolia
and Japanese Teaching Hospital
LOCATION: Botanical garden, Ulaanbaatar.

COORDS: N 5310376.4, E 649001.2
ELEVATION: 1311.12 m
HOLE DIA: 168, 146, 127mm
DEPTH: 15.0 m
Ground water level: 9.0m

SHEET: 1 of 1
Drill rig: UGB-1VS
Driller: R.Sambuunyan
Date: 18.09.2013
Logged: J.Odonchimeg

Depth, m	Started depth, m	Ended depth, m	Thickness of stratum	Soil/ Rock Material Description			Standard Penetration Test						Sample						
				Graphic log	Symbol	Description of Soil	Depth, m	Number Blows N	Number of every 15 cm			0	10	20	30	40	50	Depth, m	Symbol
									15cm	30cm	45cm								
0.0						Top soil. Clayey Sand - Dark grey colored, vegetation roots.													
1				GC		Clayey GRAVEL with sand - Yellowish grey, stiff consistency, including boulders. Upper and Modern Quaternary aged alluvium-proluvium (apQ ^{III-IV}) deposit.	1	42/30	12	20	22								
2							2	50/29	22	35	15/14								
3							3	50/24	40	44	6/9								
4							4	50/15	22	50/15									
5							5	50/14	45	50/14									
6							6	50/6	34	50/6									
7							7	50/23	19	33	17/8								
8							8	50/20	29	36	14/5								
9							9	50/12	41	50/12									
10	0.4	9.8	9.4				10	50/19	33	39	11/4								
11	9.8	10.4	0.6	GP-GC		Poorly graded GRAVEL with sand and clay - Brownish grey, very hard consistency, Upper and Modern Quaternary age's alluvium-proluvium deposit (apQ ^{III-IV})	11	50/22	37	44	6/7								
12				SC		Clayey SAND with gravel - Yellowish grey, stiff consistency, including boulders. Upper and Modern Quaternary aged alluvium-proluvium (apQ ^{III-IV}) deposit.	12	50/17	40	41	9/2								
13							13	50/14	39	50/14									
14							14	50/16	35	45	5/1								
15	10.4	15.0	4.6				15	50/13	41	50/13									
16							16												
17							17												
18							18												
19							19												
20							20												

END OF BOREHOLE @ 15.0 m DEPTH
Ground water level: 9.0m

PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT

Soil Trade LLC

LOG OF BOREHOLE BH 6 and Standard Penetration Test

CLIENT: YAMASHITA SEKKEI INC.
PROJECT NAME: 'The Project for Construction of Mongolia and Japanese Teaching Hospital'
LOCATION: Botanical garden, Ulaanbaatar.

COORDS: N 5310430.6, E 649085.8
ELEVATION: 1312.7 m
HOLE DIA: 168, 146, 127 mm
DEPTH: 15.0 m
Ground water level: 9.4m

SHEET: 1 of 1
Drill rig: UGB-1VS
Driller: R.Sambuunyam
Date: 18.09.2013
Logged: J.Odonchimeg

Depth, m	Started depth, m	Ended depth, m	Thickness of stratum	Soil/ Rock Material Description		Standard Penetration Test						Sample					
				Graphic log	Symbol	Depth, m	Number Blows N	Number of every 15 cm			0 10 20 30 40 50	Depth, m	Symbol				
				Penetration depth, cm		15cm	30cm	45cm									
0.0	0.4	0.4	0.4		GC	Top soil. Clayey Sand - Dark grey colored, vegetation roots.	1	45/30	19	22	23				0.8-1.0	●	
1					GC	Clayey GRAVEL with sand - Yellowish grey, stiff consistency, including boulders. Upper and Modern Quaternary aged aluvium-proluvium (apQIII-IV) deposit.	2	49/30	21	29	20						
2					GC		3	50/23	23	37	13/8						
3					GC		4	50/24	29	40	10/9						
4					GC		5	50/23	45	39	11/8					4.0-4.4	●
5					GC		6	50/17	34	47	3/2					5.0-5.2	●
6					GC		7	50/20	31	45	5/5					6.8-7.0	●
7					GC		8	50/20	35	40	10/5						
8					GC		9	50/21	41	44	6/6						
9	0.4	9.0	8.6		SC	Clayey SAND with gravel - Yellowish grey, stiff consistency, including boulders. Upper and Modern Quaternary aged aluvium-proluvium (apQIII-IV) deposit.	10	50/20	40	48	2/5				8.2-8.4	●	
10					SC		11	50/16	37	49	1/1				9.4	▼	
11					SC		12	50/15	39	50/15							
12					SC		13	50/15	29	50/15							
13					SC		14	50/13	31	50/13						12.0-12.4	●
14					SC		15	50/14	45	50/14						14.6-14.8	●
15	9.0	15.0	6.0														
16																	
17																	
18																	
19																	
20																	

END OF BOREHOLE @ 15.0 m DEPTH
Ground water level: 9.4m

PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT

PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT

Soil Trade LLC

LOG OF BOREHOLE BH 7 and Standard Penetration Test

CLIENT: YAMASHITA SEKKEI INC.
PROJECT NAME: The Project for Construction of Mongolia
and Japanese Teaching Hospital
LOCATION: Botanical garden, Ulaanbaatar.

COORDS: N 5310574.3, E 649161.2
ELEVATION: 1313.57 m
HOLE DIA: 168, 146, 127 mm
DEPTH: 15.0 m
Ground water level: 9.5m

SHEET: 1 of 1
Drill rig: UGB-1VS
Driller: R.Sambuunyam
Date: 19.09.2013
Logged: J.Odonchimeg

Depth, m	Started depth, m	Ended depth, m	Thickness of stratum	Soil/ Rock Material Description		Standard Penetration Test						Sample										
				Graphic log	Symbol	Depth, m	Number Blows N	Number of every 15 cm			0 10 20 30 40 50						Depth, m	Symbol				
				Description of Soil		Penetration depth, cm	15cm	30cm	45cm													
0.0	0.4	0.4	0.4		Top soil. Clayey Sand - Dark grey colored, vegetation roots.																	
1					Clayey GRAVEL with sand - Yellowish grey, stiff consistency, including boulders. Upper and Modern Quaternary aged aluvium-proluvium (apQ _{III-IV}) deposit.	1	36/30	15	16	20										0.8-1.0	●	
2						2	38/30	14	15	23											2.0-2.2	●
3						3	50/22	22	31	19/7												
4						4	50/23	27	32	18/8												
5						5	50/21	28	40	10/6												
6						6	50/20	22	42	8/5												
7						7	50/18	31	39	11/3												
8						8	50/16	46	43	7/1												
9						9	50/14	38	50/14													
10	0.4	10.2	9.8			Clayey SAND with gravel - Yellowish grey, stiff consistency, including boulders. Upper and Modern Quaternary aged aluvium-proluvium (apQ _{III-IV}) deposit.	10	50/16	32	48	2/1											
11					11		50/17	39	40	10/2												
12					12		50/16	42	47	3/1												
13					13		50/12	44	50/12													
14					14		50/17	35	40	10/2												
15	10.2	15.0	4.8		15		50/15	32	41	9/01												
16																						
17																						
18																						
19																						
20																						

END OF BOREHOLE @ 15.0 m DEPTH
Ground water level: 9.5m

PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT

PRODUCED BY AN AUTODESK EDUCATIONAL PRODUCT

APPENDIX C Summary of Laboratory Test Results

Physical Properties of Soil

Client: Yamashita Sekkei INC

Location area: Ulaanbaatar city. BZD-12 district, Botanical garden

Object Name: The Project for Construction of Mongolia and Japanese Teaching Hospital

No.	Hole №	Depth (m)	Particle size, %															Particle Analysis (%)			Atterberg Limits			Cu	Cc	Soil Type	Soil name	Natural Moisture Content (W), %	Specific gravity G_s , g/cm ³	Density, ρ , g/cm ³	Dry density, ρ_d , g/cm ³	Porosity, n, %	Voids Ratio, e	Degree of Saturation, S_r	Consistency, I_c
			75	50	37.5	25	19	9.5	4.75	2.00	0.850	0.425	0.250	0.106	0.075	<0.075	%	Gravel	Sand	Silt/Clay	LL	PL	PI												
1	BH-1	1.0-1.2			14.1	7.0	7.3	18.4	12.2	10.3	6.5	5.4	3.1	3.0	0.5	12.2	100.0	59.0	28.8	12.2	24.1	14.6	9.5			GC	Clayey GRAVEL with sand	6.90	2.70	2.22	2.08	23.08	0.300	0.62	<0
2	BH-1	3.8-4.0					9.2	17.4	12.5	13.3	6.4	4.2	3.9	7.7	0.8	24.5	100.0	39.2	36.3	24.5	23.3	13.9	9.4			GC	Clayey GRAVEL with sand	7.8	2.71	2.12	1.97	27.43	0.378	0.56	<0
3	BH-1	5.6-5.8		23.5	11.3	8.9	5.2	12.2	7.4	6.7	4.8	5.0	4.3	3.5	0.3	6.9	100.0	68.5	24.6	6.9	20.5	14.3	6.2			GP-GC	Poorly graded GRAVEL with sand and clay	6.8	2.68	2.24	2.10	21.74	0.278	0.66	<0
4	BH-1	7.2-7.4			4.3	15.9	9.0	17.4	13.5	11.6	7.1	5.0	3.5	4.9	0.6	7.2	100.0	60.1	32.7	7.2	20.9	14.8	6.1			GP-GC	Poorly graded GRAVEL with sand and clay	9.0	2.69	2.23	2.05	23.95	0.315	0.77	<0
5	BH-1	9.2-9.4				19.1	8.3	17.1	15.5	16.3	6.4	3.5	2.5	2.6	0.4	8.3	100.0	60.0	31.7	8.3	25.0	17.6	7.4			GP-GC	Poorly graded GRAVEL with sand and clay	7.6	2.68	2.22	2.06	23.02	0.299	0.68	<0
6	BH-1	10.2-10.4				2.5	8.7	15.9	13.3	13.6	12.1	5.2	4.3	5.8	1.0	17.6	100.0	40.4	42.0	17.6	26.4	16.7	9.7			SC	Clayey SAND with gravel	10.2	2.71	2.13	1.93	28.68	0.402	0.69	<0
7	BH-1	13.2-13.4				9.8	4.8	6.3	8.7	13.3	12.3	6.7	8.1	7.6	1.2	21.2	100.0	29.6	49.2	21.2	28.1	17.7	10.4			SC	Clayey SAND with gravel	9.7	2.73	1.91	1.74	36.22	0.568	0.47	<0
8	BH-1	14.8-15.0				15.6	0.9	5.8	11.3	9.9	15.7	10.8	6.8	6.3	1.1	15.8	100.0	33.6	50.6	15.8	24.8	15.2	9.6			SC	Clayey SAND with gravel	8.6	2.72	2.09	1.92	29.25	0.413	0.57	<0
9	BH-2	0.8-1.0			6.6	18.5	2.0	14.2	9.8	9.2	5.5	3.8	4.4	5.1	0.8	20.1	100.0	51.1	28.8	20.1	23.6	13.2	10.4			GC	Clayey GRAVEL with sand	12.1	2.69	2.20	1.96	27.04	0.371	0.88	<0
10	BH-2	3.0-3.2				9.6	2.4	21.6	14.4	11.4	7.3	5.3	4.5	4.6	0.6	18.3	100.0	48.0	33.7	18.3	25.7	15.6	10.1			GC	Clayey GRAVEL with sand	10.6	2.71	2.16	1.95	27.93	0.388	0.74	<0
11	BH-2	4.0-4.2			6.1	4.0	5.4	5.9	3.8	5.3	7.9	7.8	9.8	13.2	2.1	28.7	100.0	25.2	46.1	28.7	23.5	13.2	10.3			SC	Clayey SAND with gravel	8.9	2.70	2.06	1.89	29.94	0.427	0.56	<0
12	BH-2	5.4-5.6	29.2	0.0	0.0	2.1	4.4	9.6	9.0	10.4	3.9	2.9	2.7	3.9	0.6	21.3	100.0	54.3	24.4	21.3	26.1	16.1	10.0			GC	Clayey GRAVEL with sand	11.2	2.72	2.22	2.00	26.60	0.362	0.84	<0
13	BH-2	7.6-7.8			17.1	0.0	0.0	4.9	13.0	9.3	7.7	5.1	6.3	8.7	1.2	26.7	100.0	35.0	38.3	26.7	26.7	16.6	10.1			SC	Clayey SAND with gravel	8.9	2.70	2.06	1.89	29.94	0.427	0.56	<0
14	BH-2	10.0-10.2		32.1	0.0	5.7	4.6	6.8	6.9	6.0	5.7	4.4	4.3	4.1	0.6	18.8	100.0	56.1	25.1	18.8	21.5	14.1	7.4			GC	Clayey GRAVEL with sand	9.6	2.69	2.21	2.02	25.04	0.334	0.77	<0
15	BH-2	13.0-13.3				11.8	10.8	18.3	13.4	13.1	5.9	3.2	3.1	4.6	0.6	15.2	100.0	54.3	30.5	15.2	22.8	15.1	7.7			GC	Clayey GRAVEL with sand	8.4	2.70	2.22	2.05	24.15	0.318	0.71	<0
16	BH-3	1.0-1.2			10.1	1.6	5.4	18.5	13.8	12.7	4.7	5.7	5.5	4.4	0.6	17.0	100.0	49.4	33.6	17.0	22.0	13.1	8.9			GC	Clayey GRAVEL with sand	10.2	2.7	2.16	1.96	27.40	0.378	0.73	<0
17	BH-3	2.9-3.1		27.9	6.4	3.8	3.2	9.4	9.8	10.2	4.1	3.2	3.0	3.1	0.5	15.4	100.0	60.5	24.1	15.4	22.8	13.8	9.0			GC	Clayey GRAVEL with sand	9.6	2.71	2.23	2.03	24.92	0.332	0.78	<0
18	BH-3	6.0-6.2		9.6	7.1	9.2	6.5	12.2	10.1	9.1	5.8	5.1	4.1	5.0	0.8	15.4	100.0	54.7	29.9	15.4	21.0	13.3	7.7			GC	Clayey GRAVEL with sand	12.7	2.7	2.20	1.95	27.70	0.383	0.89	<0
19	BH-3	7.8-8.0		17.5	12.3	4.9	4.8	7.4	7.9	9.4	5.4	4.2	3.9	5.0	0.8	16.5	100.0	54.8	28.7	16.5	20.6	13.7	6.9			GC	Clayey GRAVEL with sand	8.9	2.72	2.22	2.04	25.05	0.334	0.72	<0
20	BH-3	10.2-10.4		6.6	3.1	12.1	8.5	14.6	10.0	6.3	6.2	3.9	3.8	5.9	0.8	18.2	100.0	54.9	26.9	18.2	20.3	13.4	6.9			GC	Clayey GRAVEL with sand	9.6	2.70	2.19	2.00	25.99	0.351	0.74	<0
21	BH-3	14.0-14.2				10.1	5.9	11.9	9.2	12.0	9.2	5.8	5.2	5.7	0.6	24.4	100.0	37.1	38.5	24.4	20.8	13.8	7.0			SC	Clayey SAND with gravel	8.5	2.70	2.06	1.90	29.68	0.422	0.54	<0
22	BH-4	0.8-1.0		9.9	5.9	5.9	1.4	11.2	9.0	8.9	9.3	7.0	5.7	5.9	0.9	19.0	100.0	43.3	37.7	19.0	24.8	14.3	10.5			GC	Clayey GRAVEL with sand	9.6	2.71	2.13	1.94	28.29	0.394	0.66	<0
23	BH-4	2.8-3.0			11.5	11.6	7.8	11.7	10.5	11.6	7.3	5.6	4.1	4.2	0.7	13.4	100.0	53.1	33.5	13.4	23.9	13.7	10.2			GC	Clayey GRAVEL with sand	10.2	2.70	2.20	2.00	26.06	0.352	0.78	<0
24	BH-4	4.8-5.0			8.1	12.9	8.4	14.6	11.0	10.1	4.8	3.6	3.3	3.7	0.6	18.9	100.0	55.0	26.1	18.9	24.9	14.6	10.3			GC	Clayey GRAVEL with sand	9.8	2.70	2.18	1.99	26.47	0.360	0.74	<0
25	BH-4	6.4-6.6		35.0	2.4	7.2	4.5	6.1	5.0	4.9	4.5	3.0	2.9	4.1	0.7	19.7	100.0	60.2	20.1	19.7	25.2	14.7	10.5			GC	Clayey GRAVEL with sand	8.6	2.71	2.23	2.05	24.23	0.320	0.73	<0
26	BH-4	10.2-10.5			3.9	17.8	8.3	13.8	9.1	7.0	5.7	3.5	4.6	6.2	4.1	16.0	100.0	52.9	31.1	16.0	22.8	12.6	10.2			GC	Clayey GRAVEL with sand	8.4	2.69	2.21	2.04	24.21	0.319	0.71	<0
27	BH-4	13.8-14.0			4.2	12.6	5.2	5.8	4.6	5.2	10.1	9.8	6.5	7.8	1.9	26.3	100.0	32.4	41.3	26.3	24.8	16.2	8.6			SC	Clayey SAND with gravel	10.4	2.72	2.14	1.94	28.74	0.403	0.70	<0
28	BH-5	4.0-4.2			4.4	11.1	10.1	21.5	10.7	8.4	5.5	3.8	3.5	4.7	0.7	15.6	100.0	57.8	26.6	15.6	21.0	13.6	7.4			GC	Clayey GRAVEL with sand	11.6	2.7	2.21	1.98	26.66	0.363	0.86	<0
29	BH-5	1.0-1.2		9.6	0.0	15.7	6.9	13.4	7.0	6.0	5.9	4.5	4.2	4.4	0.5	21.9	100.0	52.6	25.5	21.9	21.0	14.1	6.9			GC	Clayey GRAVEL with sand	8.7	2.71	2.19	2.01	25.66	0.345	0.68	<0
30	BH-5	6.0-6.2			5.3	5.6	13.9	10.3	8.3	0.0	7.5	6.4	6.4	7.6	1.4	27.3	100.0	43.4	29.3	27.3	21.3	14.3	7.0			GC	Clayey GRAVEL with sand	9.6	2.70	2.14	1.95	27.68	0.383	0.68	<0
31	BH-5	9.0-9.4			9.3	14.8	10.5	15.9	9.4	9.2	3.7	2.4	2.1	3.1	0.6	19.0	100.0	59.9	21.1	19.0	20.9	13.5	7.4			GC	Clayey GRAVEL with sand	8.5	2.70	2.22	2.05	24.22	0.320	0.72	<0
32	BH-5	10.0-10.2		7.4	7.6	5.3	6.2	13.0	14.1	13.3	7.7	5.3	4.1	4.6	0.6	10.8	100.0	53.6	35.6	10.8	25.1	17.9	7.2			GP-GC	Poorly graded GRAVEL with sand and clay	7.6	2.68	2.23	2.07	22.67	0.293	0.69	<0
33	BH-6	0.6-0.8	15.9	9.8	4.4	9.0	1.7	5.6	8.6	5.0	6.0	4.3	4.2	8.9	2.8	13.8	100.0	55.0	31.2	13.8	21.1	15.3	5.8			GC	Clayey GRAVEL with sand	9.3	2.7	2.21	2.02	25.11	0.335	0.75	<0
34	BH-6	2.0-2.2	0.0	11.0	10.6	10.7	14.0	7.5	9.4	4.3	5.7	2.7	4.5	6.0	1.4	12.2	100.0	63.2	24.6	12.2	20.9	14.5	6.4			GC	Clayey GRAVEL with sand	11.2	2.7	2.24	2.01	25.39	0.340	0.89	<0
35	BH-6	4.0-4.4			10.4	13.4	7.0	15.6	9.9	7.8	4.9	4.2	4.1	4.0	0.6	18.1	100.0	56.3	25.6	18.1	19.1	13.3	5.8			GC	Clayey GRAVEL with sand	10.2	2.71	2.21	2.01	26.00	0.351	0.79	<0
36	BH-6	5.0-5.2		12.0	3.1	11.7	3.5	8.0	6.7	5.5	4.3	5.2	5.7	7.8	1.4	25.1	100.0	45.0	29.9	25.1	20.8	13.7	7.1			GC	Clayey GRAVEL with sand	8.8	2.70	2.12	1.95	27.83	0.386	0.62	<0
37	BH-6	6.8-7.0				10.4	10.6	13.0	11.4	13.1	6.6	5.9	5.1	4.3	0.7	18.9	100.0	45.4	35.7	18.9	20.1	14.9	5.2			GC	Clayey GRAVEL with sand	11.6	2.72	2.09	1.87	31.15	0.452	0.70	<0
38	BH-6	8.2-8.4		13.9	8.1	6.1	9.7	10.8	6.8	7.4	5.5	4.8	4.0	5.6	0.9	16.4	100.0	55.4	28.2	16.4	19.3	14.0	5.3			GC	Clayey GRAVEL with sand	9.2	2.70	2.21	2.02	25.04	0.334	0.74	<0
39	BH-6	12.0-12.4				0.0	15.2	9.3	8.6	10.4	9.3	9.7	8.1	7.6	1.2	20.6	100.0	33.1	46.																

Summary of classification by identical properties of soil

Client: Yamashita Sekkei INC

Location area: Ulaanbaatar city, BZD-12 district, Botanical garden

Object Name: The Project for Construction of Mongolia and Japanese Teaching Hospital

No.	Hole №	Depth (m)	Particle size, %															Particle Analysis (%)			Atterberg Limits			Cu	Cc	Soil Type	Soil name	Natural Moisture Content (W), %	Specific gravity G _s , g/cm ³	Density, ρ, g/cm ³	Dry density, ρ _d , g/cm ³	Porosity, n, %	Voids Ratio, e	Degree of Saturation, S _r	Consistency, J _L	
			75	50	37.5	25	19	9.5	4.75	2.00	0.850	0.425	0.250	0.106	0.075	<0.075	%	Gravel	Sand	Silt/Clay	LL	PL	PI													
1. Clayey GRAVEL with sand /GC/																																				
1	BH-1	1.0-1.2			14.1	7.0	7.3	18.4	12.2	10.3	6.5	5.4	3.1	3.0	0.5	12.2	100.0	59.0	28.8	12.2	24.1	14.6	9.5			GC	Clayey GRAVEL with sand	6.90	2.70	2.22	2.08	23.08	0.300	0.62	<0	
2	BH-1	3.8-4.0						9.2	17.4	12.5	13.3	6.4	4.2	3.9	7.7	0.8	24.5	100.0	39.2	36.3	24.5	23.3	13.9	9.4			GC	Clayey GRAVEL with sand	7.8	2.71	2.12	1.97	27.43	0.378	0.56	<0
9	BH-2	0.8-1.0			6.6	18.5	2.0	14.2	9.8	9.2	5.5	3.8	4.4	5.1	0.8	20.1	100.0	51.1	28.8	20.1	23.6	13.2	10.4			GC	Clayey GRAVEL with sand	12.1	2.69	2.20	1.96	27.04	0.371	0.88	<0	
10	BH-2	3.0-3.2				9.6	2.4	21.6	14.4	11.4	7.3	5.3	4.5	4.6	0.6	18.3	100.0	48.0	33.7	18.3	25.7	15.6	10.1			GC	Clayey GRAVEL with sand	10.6	2.71	2.16	1.95	27.93	0.388	0.74	<0	
12	BH-2	5.4-5.6	29.2	0.0	0.0	2.1	4.4	9.6	9.0	10.4	3.9	2.9	2.7	3.9	0.6	21.3	100.0	54.3	24.4	21.3	26.1	16.1	10.0			GC	Clayey GRAVEL with sand	11.2	2.72	2.22	2.00	26.60	0.362	0.84	<0	
14	BH-2	10.0-10.2		32.1	0.0	5.7	4.6	6.8	6.9	6.0	5.7	4.4	4.3	4.1	0.6	18.8	100.0	56.1	25.1	18.8	21.5	14.1	7.4			GC	Clayey GRAVEL with sand	9.6	2.69	2.21	2.02	25.04	0.334	0.77	<0	
15	BH-2	13.0-13.3				11.8	10.8	18.3	13.4	13.1	5.9	3.2	3.1	4.6	0.6	15.2	100.0	54.3	30.5	15.2	22.8	15.1	7.7			GC	Clayey GRAVEL with sand	8.4	2.70	2.22	2.05	24.15	0.318	0.71	<0	
16	BH-3	1.0-1.2			10.1	1.6	5.4	18.5	13.8	12.7	4.7	5.7	5.5	4.4	0.6	17.0	100.0	49.4	33.6	17.0	22.0	13.1	8.9			GC	Clayey GRAVEL with sand	10.2	2.7	2.16	1.96	27.40	0.378	0.73	<0	
9	BH-3	2.9-3.1		27.9	6.4	3.8	3.2	9.4	9.8	10.2	4.1	3.2	3.0	3.1	0.5	15.4	100.0	60.5	24.1	15.4	22.8	13.8	9.0			GC	Clayey GRAVEL with sand	9.6	2.71	2.23	2.03	24.92	0.332	0.78	<0	
10	BH-3	6.0-6.2		9.6	7.1	9.2	6.5	12.2	10.1	9.1	5.8	5.1	4.1	5.0	0.8	15.4	100.0	54.7	29.9	15.4	21.0	13.3	7.7			GC	Clayey GRAVEL with sand	12.7	2.7	2.20	1.95	27.70	0.383	0.89	<0	
11	BH-3	7.8-8.0		17.5	12.3	4.9	4.8	7.4	7.9	9.4	5.4	4.2	3.9	5.0	0.8	16.5	100.0	54.8	28.7	16.5	20.6	13.7	6.9			GC	Clayey GRAVEL with sand	8.9	2.72	2.22	2.04	25.05	0.334	0.72	<0	
12	BH-3	10.2-10.4		6.6	3.1	12.1	8.5	14.6	10.0	6.3	6.2	3.9	3.8	5.9	0.8	18.2	100.0	54.9	26.9	18.2	20.3	13.4	6.9			GC	Clayey GRAVEL with sand	9.6	2.70	2.19	2.00	25.99	0.351	0.74	<0	
22	BH-4	0.8-1.0		9.9	5.9	5.9	1.4	11.2	9.0	8.9	9.3	7.0	5.7	5.9	0.9	19.0	100.0	43.3	37.7	19.0	24.8	14.3	10.5			GC	Clayey GRAVEL with sand	9.6	2.71	2.13	1.94	28.29	0.394	0.66	<0	
23	BH-4	2.8-3.0			11.5	11.6	7.8	11.7	10.5	11.6	7.3	5.6	4.1	4.2	0.7	13.4	100.0	53.1	33.5	13.4	23.9	13.7	10.2			GC	Clayey GRAVEL with sand	10.2	2.70	2.20	2.00	26.06	0.352	0.78	<0	
15	BH-4	4.8-5.0			8.1	12.9	8.4	14.6	11.0	10.1	4.8	3.6	3.3	3.7	0.6	18.9	100.0	55.0	26.1	18.9	24.9	14.6	10.3			GC	Clayey GRAVEL with sand	9.8	2.70	2.18	1.99	26.47	0.360	0.74	<0	
25	BH-4	6.4-6.6		35.0	2.4	7.2	4.5	6.1	5.0	4.9	4.5	3.0	2.9	4.1	0.7	19.7	100.0	60.2	20.1	19.7	25.2	14.7	10.5			GC	Clayey GRAVEL with sand	8.6	2.71	2.23	2.05	24.23	0.320	0.73	<0	
17	BH-4	10.2-10.5			3.9	17.8	8.3	13.8	9.1	7.0	5.7	3.5	4.6	6.2	4.1	16.0	100.0	52.9	31.1	16.0	22.8	12.6	10.2			GC	Clayey GRAVEL with sand	8.4	2.69	2.21	2.04	24.21	0.319	0.71	<0	
18	BH-5	4.0-4.2			4.4	11.1	10.1	21.5	10.7	8.4	5.5	3.8	3.5	4.7	0.7	15.6	100.0	57.8	26.6	15.6	21.0	13.6	7.4			GC	Clayey GRAVEL with sand	11.6	2.7	2.21	1.98	26.66	0.363	0.86	<0	
19	BH-5	1.0-1.2		9.6	0.0	15.7	6.9	13.4	7.0	6.0	5.9	4.5	4.2	4.4	0.5	21.9	100.0	52.6	25.5	21.9	21.0	14.1	6.9			GC	Clayey GRAVEL with sand	8.7	2.71	2.19	2.01	25.66	0.345	0.68	<0	
20	BH-5	6.0-6.2			5.3	5.6	13.9	10.3	8.3	0.0	7.5	6.4	6.4	7.6	1.4	27.3	100.0	43.4	29.3	27.3	21.3	14.3	7.0			GC	Clayey GRAVEL with sand	9.6	2.70	2.14	1.95	27.68	0.383	0.68	<0	
31	BH-5	9.0-9.4			9.3	14.8	10.5	15.9	9.4	9.2	3.7	2.4	2.1	3.1	0.6	19.0	100.0	59.9	21.1	19.0	20.9	13.5	7.4			GC	Clayey GRAVEL with sand	8.5	2.70	2.22	2.05	24.22	0.320	0.72	<0	
22	BH-6	0.6-0.8	15.9	9.8	4.4	9.0	1.7	5.6	8.6	5.0	6.0	4.3	4.2	8.9	2.8	13.8	100.0	55.0	31.2	13.8	21.1	15.3	5.8			GC	Clayey GRAVEL with sand	9.3	2.7	2.21	2.02	25.11	0.335	0.75	<0	
23	BH-6	2.0-2.2	0.0	11.0	10.6	10.7	14.0	7.5	9.4	4.3	5.7	2.7	4.5	6.0	1.4	12.2	100.0	63.2	24.6	12.2	20.9	14.5	6.4			GC	Clayey GRAVEL with sand	11.2	2.7	2.24	2.01	25.39	0.340	0.89	<0	
35	BH-6	4.0-4.4			10.4	13.4	7.0	15.6	9.9	7.8	4.9	4.2	4.1	4.0	0.6	18.1	100.0	56.3	25.6	18.1	19.1	13.3	5.8			GC	Clayey GRAVEL with sand	10.2	2.71	2.21	2.01	26.00	0.351	0.79	<0	
36	BH-6	5.0-5.2		12.0	3.1	11.7	3.5	8.0	6.7	5.5	4.3	5.2	5.7	7.8	1.4	25.1	100.0	45.0	29.9	25.1	20.8	13.7	7.1			GC	Clayey GRAVEL with sand	8.8	2.70	2.12	1.95	27.83	0.386	0.62	<0	
26	BH-6	6.8-7.0				10.4	10.6	13.0	11.4	13.1	6.6	5.9	4.9	4.3	0.7	18.9	99.8	45.4	35.5	18.9	20.1	14.9	5.2			GC	Clayey GRAVEL with sand	11.6	2.72	2.09	1.87	31.15	0.452	0.70	<0	
27	BH-6	8.2-8.4		13.9	8.1	6.1	9.7	10.8	6.8	7.4	5.5	4.8	4.0	5.6	0.9	16.4	100.0	55.4	28.2	16.4	19.3	14.0	5.3			GC	Clayey GRAVEL with sand	9.2	2.70	2.21	2.02	25.04	0.334	0.74	<0	
28	BH-7	0.8-1.0				3.9	9.2	18.4	15.8	11.8	8.4	5.7	3.9	5.1	1.1	16.7	100.0	47.3	36.0	16.7	20.9	14.1	6.8			GC	Clayey GRAVEL with sand	8.7	2.70	2.16	1.99	26.40	0.359	0.65	<0	
29	BH-7	2.0-2.2	15.9	9.8	4.4	9.0	1.7	5.6	8.6	5.0	6.0	4.3	4.2	8.9	2.8	13.8	100.0	55.0	31.2	13.8	18.8	12.9	5.9			GC	Clayey GRAVEL with sand	9.3	2.69	2.21	2.02	24.83	0.330	0.76	<0	
30	BH-7	4.0-4.2					11.4	16.1	9.5	12.1	6.0	4.4	4.8	4.6	0.6	30.5	100.0	37.0	32.5	30.5	20.9	13.8	7.1			GC	Clayey GRAVEL with sand	8.7	2.7	2.10	1.93	28.45	0.398	0.59	<0	
31	BH-7	6.0-6.2			10.6	21.7	14.0	15.0	9.4	4.3	2.7	2.7	2.5	4.0	0.9	12.2	100.0	70.7	17.1	12.2	19.5	13.8	5.7			GC	Clayey GRAVEL with sand	11.2	2.69	2.24	2.01	25.12	0.335	0.90	<0	
47	BH-8	1.0-1.2		9.4	12.4	7.7	3.4	11.5	9.9	11.2	8.3	3.8	3.0	4.1	0.7	14.6	100.0	54.3	31.1	14.6	22.4	16.3	6.1			GC	Clayey GRAVEL with sand	9.8	2.70	2.20	2.00	25.79	0.348	0.76	<0	
48	BH-8	2.3-2.5		14.7	4.3	9.0	2.3	10.7	11.4	11.9	8.3	4.6	3.2	4.3	0.6	14.7	100.0	52.4	32.9	14.7	18.6	13.7	4.9			GC	Clayey GRAVEL with sand	10.5	2.70	2.21	2.00	25.93	0.350	0.81	<0	
34	BH-8	5.4-5.6			4.1	12.5	5.9	15.0	12.0	9.9	8.1	3.8	2.0	9.0	2.0	15.7	100.0	49.5	34.8	15.7	23.7	15.3	8.4			GC	Clayey GRAVEL with sand	4.6	2.69	2.17	2.07	22.88	0.297	0.42	<0	
35	BH-8	7.0-7.4			8.3	12.2	3.8	15.9	9.1	8.5	4.8	3.5	2.0	14.8	2.3	14.8	100.0	49.3	35.9	14.8	24.2	15.2	9.0			GC	Clayey GRAVEL with sand	4.6	2.69	2.18	2.08	22.52	0.291	0.43	<0	
A max			29.2	35.0	14.1	21.7	14.0	21.6	15.8	13.3	9.3	7.0	6.4	14.8	4.1	30.5		70.7	37.7	30.5	26.1	16.3	10.5					12.7	2.72	2.24	2.08	31.15	0.452	0.90		
A min			0.0	0.0	0.0	1.6	1.4	5.6	5.0	0.0	2.7	2.4	2.0	3.0	0.5	12.2		37.0	17.1	12.2	18.6	12.6	4.9					4.6	2.69	2.09	1.87	22.52	0.291	0.42		
A average			15.3	14.3	6.6	9.9	6.8	13.0	10.0	8.7	5.9	4.3	3.9	5.5	1.1	17.7	100.0	52.9	29.4	17.7	22.0	14.2	7.8			GC	Clayey GRAVEL with sand	9.4	2.70	2.19	2.00	25.95	0.351	0.72	<0	
																			σ	1.77	0.87	1.32						1.91	0.01	0.04	0.05	2.04	0.04			

APPENDIX D

Groundwater Chemical Test Result

APPENDIX D

CHEMICAL ANALYSES OF GROUNDWATER

PROJECT NAME: The Project for Construction of Mongolian and Japanese Teaching Hospital of Health Sciences University
 LOCATION OF SAMPLE: Ulaanbaatar city
 NUMBER AND TYPE OF WATER SOURCE: BH-2
 SAMPLED DEPTH: 9 m
 SAMPLED DATE: 17 SEP 2013
 TESTED DATE: 30 SEP 2013

Anion	Measurement per 1 dm ³			Cation	Measurement per 1 dm ³		
	Mg	mg-eq/l	equ%		mg	mg-eq/l	equ%
Cl ⁻	14.2	0.40	5.79	Na ⁺ +K ⁺	49.0	2.13	30.83
SO ₄ ²⁻	55.0	1.15	16.59	Ca ²⁺	58.1	2.90	41.99
NO ₂ ⁻	0.00	0.00	0.00	Mg ²⁺	17.0	1.40	20.27
NO ₃ ⁻	10.0	0.16	2.34	NH ₄ ⁺	8.5	0.47	6.84
CO ₃ ²⁻	0.0	0.00	0.00	Fe ²⁺	0.0	0.00	0.00
HCO ₃ ⁻	317.2	5.20	75.28	Fe ³⁺	0.1	0.01	0.08
Total	396.4	6.91	100.0	Total	132.7	6.91	100.0
∑ half of NCO ₃ ⁻ Anion+Cation	370.5 mg/dm ³			Total Dissolved Solids (TDS)	362 ppm		
∑ Total Anion+Cation	529.1 mg/dm ³			Free Co ₂	26.4 mg/l		
Dry Residual	- mg/dm ³			EC	680 μS/sm		
pH	6.85			Corrosion	-mg/dm ³		
General Hardness	4.30 mg-eq/dm ³			Oxygen Dissolved	-		
Solubility	10.24mg/dm ³			Oxygen Reduction potential	-		
Dissolved Hardness	- mg-eq/dm ³			Electrical Conductivity (EC)	-		
Alkalinity	94,6 mg/l			Oxygen	mg/dm ³		
Carbonate Hardness	4.3 mg-eq/l			Permanganate Oxidize	mg-O/l		
Silica Acidize SiO ₂				Caustic CO ₂	3 mg/l		
<i>Physical Properties</i>							
Color	grey			Turbidity	cm		
Odor	6 degree			Sediments	mudy		
Taste	0			Temperatur	-°C		
				Clarity	0 cm		

Formula of chemical composition is given by following equation:

$$M_{0.5} \frac{HCO_3^{2-} 75SO_4^{2-} 16}{Ca^{2+} 42(Na + K)31Mg^{2+} 20}$$

Chemical laboratory analysis indicates as nearly to a soft and clear water of hydrocarbon type of calcium group, 1st class. Based on laboratory testing result content carbonate hardness varies high but caustic properties ranges low. The water sample meets to the requirement of norm and standard “Specifications of Water Usage for Concrete Mixture” MNS 12439-2012.

Water sample was analyzed by chemist B.Oyu-Erdene
 approved by M.Enkhtuya

APPENDIX E Soil Chemical Test Result

Soil Chemical Test Result
1/312

Soil Trade, LLC 2013.10.02

On following soil sample was conducted Reduction (R_c), Dissolved Silica (S_c):

No.	Soil Sample (depth) date	Reduction in Alkalinity (R_c , mmol/l)	Dissolved Silica (S_c , mmol/l)
1	BH-02 (0.8-1.0m)	0.0215	22.0

Tested by Dr. Sh.Nyamdelger, Magister O.Nasantogtoh

Approved by Academician D. Batsuren

APPENDIX F Technical Specification

A. SPECIFICATION OF THE SOIL INVESTIGATION

This specification is applied to the subsoil exploration to carry out the study on "The Project for Construction of Mongolia and Japanese Teaching Hospital" in Mongolia.

1. Scope of Work

(1) Site Location:

The project site for construction is one block of the botanical garden, Ulaanbaatar.

The exploration shall be carried out to research the stratum, soil condition, characteristics of the soil dynamics, etc. of the site necessary for building construction.

(2) Field Test

1) Boring:

The number of boreholes shall be 6 and the depth of boreholes shall be maximum 12 meters or 4 meters deeper from the supporting layer if the supporting layer appears within 10 meters.

Expenses for increase/decrease of borehole depth shall be adjusted at the time of completion of the work.

The standard penetration test shall be required at every 1.0m intervals and/or at each different stratum.

2) Collection of the sample soils:

Undisturbed samples of soil shall be obtained from where the standard penetration tests are not carried out at every borehole.

(3) Laboratory Test

- 1) Atterburge limit test
- 2) Specific gravity of soil
- 3) Moisture content test
- 4) Wet & dry density
- 5) Unconfined compression test
- 6) Consolidation test

All field and laboratory tests shall be performed in accordance with ASTM specifications.

2. Expenses of the Contractor

The expenses such as materials, tools, articles of consumption, water and power supply, to carry out the work shall be borne by the Contractor.

3. The Contractor should obtain permission from the Client for the following cases;

- (1) Any revision of this specification, caused by inevitable reason.
- (2) Accident or incident during the exploration.

4. Submission of the Report

4 sets of technical report required should be submitted to the Client within the period contracted.

The technical report should include;

- (1) Introduction
- (2) Scope of work
- (3) Geological setup
- (4) Engineering properties of soil samples & foundation type
- (5) General notes on soil investigation review
- (6) Conclusion and recommendations
- (7) Site plan
- (8) Soil investigation review sheet
- (9) Bore chart of boreholes
- (10) Photograph of undisturbed samples of soil
- (11) Geological section diagram

B. SPECIFICATION OF THE SITE SURVEY

This specification is applied to the site survey to carry out the study on "The Project for Construction of Mongolia and Japanese Teaching Hospital" in Mongolia."in Mongolia

1. Scope of Work

The site survey shall be carried out by means of transit and level to set out the boundary line, elevation of site, location of existing facilities and roads within the site.

(1) Condition

- 1) Site Location: The project site for construction is one block of the botanical garden, Ulaanbaatar.
- 2) Survey Area: approx. 10 ha.
- 3) Survey Map:
A map which indicates the topographic conditions, site boundaries, location of internal roads, location of infrastructures (electricity power line, water line, sewage line with depth, telephone line) and location of existing building.
- 4) Longitudinal and cross section:
which indicates levels of the site per 0.5m contour lines

(2) Final Product to be submitted

- 1) Survey map in scale of 1:200 and AutoCAD file indicating;
① the boundary line, ② elevation of the site in every 5 meter grid, ③ location of existing facilities and roads within the survey area.
- 2) Longitudinal and cross section in scale of 1:200
sectional drawings.

2. Expenses of the Contractor

The expenses such as materials, tools, articles of consumption, etc. to carry out the works shall be borne by the Contractor.

3. Submission

4 sets of blue print copy of survey map and one CD listed in 1-2) of this specification shall be submitted to the Client within the period contracted.

