

THE HASHEMITE KINGDOM OF JORDAN
MINISTRY OF WATER AND IRRIGATION (MWI)
WATER AUTHORITY OF JORDAN (WAJ)
YARMOUK WATER COMPANY (YWC)

THE STUDY FOR BASIC/DETAILED DESIGN AND
DRAFT BIDDING DOCUMENTS (COMPONENT B)
UNDER
THE PROJECT FOR THE STUDY ON WATER SECTOR FOR
THE HOST COMMUNITIES OF SYRIAN REFUGEES
IN NORTHERN GOVERNORATES
IN THE HASHEMITE KINGDOM OF JORDAN

DRAFT BIDDING DOCUMENTS

(2/6)

MARCH 2017

JAPAN INTERNATIONAL COOPERATION AGENCY

TEC INTERNATIONAL CO., LTD., JAPAN
IN ASSOCIATION WITH
ARABTECH JARDANEH, JORDAN

BIDDING DOCUMENTS

for

Procurement of

*Construction of Drinking Water Distribution Pipelines including DMA formation in Irbid
City and Suburbs (Package 1)*

Vol. IV

ICB No: *[insert ICB number]*

Project: *[insert name of Project]*

Employer: *Water Authority of Jordan*

Country: *The Hashemite Kingdom of Jordan*

Issued on: *[insert date]*

Vol. IV: Drawings

No	T i t l e
L-01	List of Drawings
KM-G-01	Project Layout Key Map (Gravity System)
GN-01	General Notes
GN-02	General Notes
GN-03	General Notes
GN-04	General Notes
Survey Works	
SU-00	Survey Works-Key Map
SU-01	Survey Works Sheet(01 of 29)
SU-02	Survey Works Sheet(02 of 29)
SU-03	Survey Works Sheet(03 of 29)
SU-04	Survey Works Sheet(04 of 29)
SU-05	Survey Works Sheet(05 of 29)
SU-06	Survey Works Sheet(06 of 29)
SU-07	Survey Works Sheet(07 of 29)
SU-08	Survey Works Sheet(08 of 29)
SU-09	Survey Works Sheet(09 of 29)
SU-10	Survey Works Sheet(10 of 29)
SU-11	Survey Works Sheet(11 of 29)
SU-12	Survey Works Sheet(12 of 29)
SU-13	Survey Works Sheet(13 of 29)
SU-14	Survey Works Sheet(14 of 29)
SU-15	Survey Works Sheet(15 of 29)
SU-16	Survey Works Sheet(16 of 29)
SU-17	Survey Works Sheet(17 of 29)
SU-18	Survey Works Sheet(18 of 29)
SU-19	Survey Works Sheet(19 of 29)
SU-20	Survey Works Sheet(20 of 29)
SU-21	Survey Works Sheet(21 of 29)
SU-22	Survey Works Sheet(22 of 29)
SU-23	Survey Works Sheet(23 of 29)
SU-24	Survey Works Sheet(24 of 29)
SU-25	Survey Works Sheet(25 of 29)
SU-26	Survey Works Sheet(26 of 29)
SU-27	Survey Works Sheet(27 of 29)
SU-28	Survey Works Sheet(28 of 29)
SU-29	Survey Works Sheet(29 of 29)


No	T i t l e
Water Networks Layout (Gravity System) PACKAGE-1	
G-01	Water Network Layout Gravity System sheet(01 of 52)
G-02	Water Network Layout Gravity System sheet(02 of 52)
G-03	Water Network Layout Gravity System sheet(03 of 52)
G-04	Water Network Layout Gravity System sheet(04 of 52)
G-05	Water Network Layout Gravity System sheet(05 of 52)
G-06	Water Network Layout Gravity System sheet(06 of 52)
G-07	Water Network Layout Gravity System sheet(07 of 52)
G-08	Water Network Layout Gravity System sheet(08 of 52)
G-09	Water Network Layout Gravity System sheet(09 of 52)
G-10	Water Network Layout Gravity System sheet(10 of 52)
G-11	Water Network Layout Gravity System sheet(11 of 52)
G-12	Water Network Layout Gravity System sheet(12 of 52)
G-13	Water Network Layout Gravity System sheet(13 of 52)
G-14	Water Network Layout Gravity System sheet(14 of 52)

No	T i t l e
Water Networks Layout (Gravity System)	
G-15	Water Network Layout Gravity System sheet(15 of 52)
G-16	Water Network Layout Gravity System sheet(16 of 52)
G-17	Water Network Layout Gravity System sheet(17 of 52)
G-18	Water Network Layout Gravity System sheet(18 of 52)
G-19	Water Network Layout Gravity System sheet(19 of 52)
G-20	Water Network Layout Gravity System sheet(20 of 52)
G-21	Water Network Layout Gravity System sheet(21 of 52)
G-22	Water Network Layout Gravity System sheet(22 of 52)
G-23	Water Network Layout Gravity System sheet(23 of 52)
G-24	Water Network Layout Gravity System sheet(24 of 52)
G-25	Water Network Layout Gravity System sheet(25 of 52)
G-26	Water Network Layout Gravity System sheet(26 of 52)
G-27	Water Network Layout Gravity System sheet(27 of 52)
G-28	Water Network Layout Gravity System sheet(28 of 52)
G-29	Water Network Layout Gravity System sheet(29 of 52)
G-30	Water Network Layout Gravity System sheet(30 of 52)
G-31	Water Network Layout Gravity System sheet(31 of 52)
G-32	Water Network Layout Gravity System sheet(32 of 52)
G-33	Water Network Layout Gravity System sheet(33 of 52)
G-34	Water Network Layout Gravity System sheet(34 of 52)
G-35	Water Network Layout Gravity System sheet(35 of 52)
G-36	Water Network Layout Gravity System sheet(36 of 52)
G-37	Water Network Layout Gravity System sheet(37 of 52)
G-38	Water Network Layout Gravity System sheet(38 of 52)
G-39	Water Network Layout Gravity System sheet(39 of 52)
G-40	Water Network Layout Gravity System sheet(40 of 52)
G-41	Water Network Layout Gravity System sheet(41 of 52)
G-42	Water Network Layout Gravity System sheet(42 of 52)
G-43	Water Network Layout Gravity System sheet(43 of 52)
G-44	Water Network Layout Gravity System sheet(44 of 52)
G-45	Water Network Layout Gravity System sheet(45 of 52)
G-46	Water Network Layout Gravity System sheet(46 of 52)
G-47	Water Network Layout Gravity System sheet(47 of 52)
G-48	Water Network Layout Gravity System sheet(48 of 52)
G-49	Water Network Layout Gravity System sheet(49 of 52)
G-50	Water Network Layout Gravity System sheet(50 of 52)
G-51	Water Network Layout Gravity System sheet(51 of 52)
G-52	Water Network Layout Gravity System sheet(52 of 52)

No	T i t l e
Water Networks Profiles (Gravity System)	
PRG-01	Profile of Line PKG1-A from Sta.0+00 to 1+040.00
PRG-02	Profile of Line PKG1-A from Sta. 1+040.00 to 2+160.00
PRG-03	Profile of Line PKG1-A from Sta. 2+160.00 to 3+340.00
PRG-04	Profile of Line PKG1-A from Sta. 3+340.00 to 4+490.00
PRG-05	Profile of Line PKG1-A from Sta. 4+490.00 to 5+680.00
PRG-06	Profile of Line PKG1-A from Sta. 5+680.00 to 6+795.00
PRG-07	Profile of Line PKG1-A from Sta. 6+795.00 to 7+875.00
PRG-08	Profile of Line PKG1-A from Sta. 7+875.00 to 8+277.98 & Profile of Line PKG1-A1 from Sta. 0+00 to 0+259.81
PRG-09	Profile of Line PKG1-A2 from Sta. 0+00 to 0+510.59 ,Profile of Line PKG1-A2-1 from Sta. 0+000 to 0+152.23 Profile of Line PKG1-A3 from Sta. 0+00 to 0+295.00
PRG-10	Profile of Line PKG1-A-3 from Sta. 0+295.00 to 1+314.92
PRG-11	Profile of Line PKG1-A-3 from Sta.1+314.92 to 2+400.00
PRG-12	Profile of Line PKG1-A-3 from Sta.2+400.00 to 2+965.35 & PKG1-A-3-1 0+000 to 0+557.56
PRG-13	Profile of Line PKG1-A-3-1 from Sta 0+557.56 to 0+715.36 PKG1-A-3-2 & PKG1-A-4 from Sta.0+000.00 to 0+545.00
PRG-14	Profile of Line PKG1-A-4 from Sta.0+545.00 to 1+650.00
PRG-15	Profile of Line PKG1-A-4 from Sta.1+650.00 to 2+374.54 & PKG1-B
PRG-16	Profile of Line PKG1-C,PKG1-C-1
PRG-17	Profile of Line PKG1-D,from Sta. 0+000 to 1+135.00
PRG-18	Profile of Line PKG1-D,from Sta. 1+135.00 to 2+215.00
PRG-19	Profile of Line PKG1-D,from Sta. 2+215.00 to 2+347.39 , PKG1-D-1 &PKG1-D-2
PRG-20	Profile of Line PKG1-E & PKG1-F
PRG-20A	Profile of Line PKG1-G from Sta. 0+000 to 0+565.00
PRG-21	Profile of Line PKG1-G from Sta. 0+565.00 to 1+530.00
PRG-22	Profile of Line PKG1-G from Sta.1+530.00 to 1+786.15 & PKG1-H
PRG-23	Profile of Line PKG1-I & PKG1-J
PRG-24	Profile of Line PKG1-K & PKG1-L & PKG1-M

No	T i t l e
Typical Details	
ST 01	Standard Details Schedule of Connection Details
ST 02	Standard Details Schedule of Connection Details
ST 03	Standard Details Connection Structural Chamber & Disconnection Details
ST 04	Standard Details Air Valve Chambers
ST 05	Standard Details Air Valve Chambers
ST 06	Standard Details Washout Chambers
ST 07	Standard Details Washout Chambers
ST 08	Standard Details Fire Hydrant
ST 09	Standard Details Typical Trench Cross Sections For Ductile Iron Pipes And Pe Dn ≥ 90
ST 10	Standard Details Typical Cross Sections For Two Ductile Iron Pipes In One Trench
ST 11	Standard Details Cross Section For Road Crossing Pipeline
ST 12	Standard Details Concrete Chambers For Electro Magnetic Flow Meter
ST 13	Standard Details Pressure Reducing Station Valve
ST 14	Standard Details Installation Of Di Pipes On Slope And Crossing Sewer Line
ST 15	Standard Details Thrust Blocks For Pipe Line Installation
ST 16	Zebdat Reservoir Connection Details

R E V I S I O N S			
No.	DESCRIPTION	BY	DATE
Consultant TEC INTERNATIONAL CO., LTD., JAPAN in association with ARABTECH JARDANEH, JORDAN			
Project Title THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN			
Drawing Title List of Drawings			
Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	L-01	Scale	Size A1




LEGEND:

- PROPOSED DN-1200mm
- PROPOSED DN-1000mm
- PROPOSED DN-800mm
- PROPOSED DN-600mm
- PROPOSED DN-400mm
- PROPOSED DN-300mm
- PROPOSED DN-250mm
- PROPOSED DN-200mm
- PROPOSED DN-150mm
- PROPOSED OD-125mm
- DMA BOUNDARY

Notes:

Pipeline name is shown in Profile drawings.



REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant
TEC INTERNATIONAL CO., LTD., JAPAN
in association with
ARABTECH JARDANEH, JORDAN

Project Title
THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT
BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT
FOR THE STUDY ON WATER SECTOR FOR THE HOST
COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN
GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN

Drawing Title
Project Layout Key Map
(Gravity System) PACKAGE1


Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	KM-G-01	Scale	Size
			A1

list of Triangle & BENCHMARK - Irbed Water				
Point	Easting	Northing	Elevation	Name
1			553.221	BH3
2	225922.434	223179.297		IR35
3	231053.835	223000.749		IR40
4	232240.492	222816.731		IR41
5	228972.164	221045.08		IR71
6	230141.041	219854.667		IR91
7	228037.112	220076.028		IR93
8	229939.78	214819.71		IR181

General Notes:

1. All pipes dimensions are indicated in millimeters (mm).
2. Jordan- Palestine (Cassini) Grid System has been used.
3. All elevations are in above mean sea level (amsl).
4. It's the Contractor's responsibility to coordinate with the Local Authorities and service providers.
5. It's the Contractor responsibility to avoid any crossing with existing utilities wherever possible.
6. It's the Contractor responsibility to coordinate with Ministry of Public. works & Housing (MoPWH) in case of passing through a jurisdiction road of MoPWH.
7. It's the Contractor responsibility to coordinate with WAJ & YWC.
8. All provided data about the existing utilities are indicative.
9. The depths of the connection points are approximate and need to be verified at site.
10. The disconnection points between any two different packages will be included in the scope of succeeding construction package.
11. All pipeline's alignment are indicative in the drawings. It's Contractor's responsibility to lay the proposed pipelines within boundaries of municipality planned roads taking into consideration of Water Authority of Jordan general specifications (Sewerage Works and Water Mains & Distribution systems & Appurtenances) to minimize any interruption to the existing utilities and to comply with minimum distance between water and wastewater pipelines according to the instruction and approval of Engineer.

REVISIONS			
No.	DESCRIPTION	BY	DATE
Consultant TEC INTERNATIONAL CO., LTD., JAPAN in association with ARABTECH JARDANEH, JORDAN			
Project Title THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN			
Drawing Title General Notes			
Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	GN-01	Scale	Size A1



*Only the Primary Main pipe which straddles a package is shown in the drawing.

Construction Package

Pkg1;

- 1.Primary Main pipe : A to B, B to C
- 2.Distribution pipe in DMAs
(GR-01,GR-02,GR-03,GR-06,GR-07,GR-08,Bani Kinanah)
- 3.Connections : Between each Primary Main pipe and Distribution pipe. Point B is Included.
- 4.Disconnections : Across the DMAs shown by Blue-lines in the drawing
- 5.Pipe Connections to the Existing Reservoir

Pkg2;

- 1.Primary Main pipe : B to D, D to E, D to F
- 2.Distribution pipe in DMAs
(GR-04,GR-05,GR-09)
- 3.Connections : Between each Primary Main pipe and Distribution pipe.
- 4.Disconnections : Across the DMAs shown by Red-lines in the drawing

Pkg3;

- 1.Primary Main pipe
- 2.Distribution pipe in DMAs
(P-01,P-02)
- 3.Connections : Between each Primary Main pipe and Distribution pipe.
- 4.Disconnections : Across the DMAs shown by Green-lines in the drawing

REVISIONS			
No.	DESCRIPTION	BY	DATE
Consultant			
TEC INTERNATIONAL CO., LTD., JAPAN			
in association with			
ARABTECH JARDANEH, JORDAN			
Project Title			
THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN			
Drawing Title			
General Notes			
Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	GN-02	Scale	Size
			A1

list of benchmarks-Irbed Water				
Point	Easting	Northing	Elevation	Name
1	232741.52	215386.15	579.66	I98
2	232747.73	214954.25	581.06	I97
3	232876.54	216394.14	568.5	I101
4	233105.99	217551.75	558.82	T3
5	232362.49	218445.04	560.04	T17
6	231604.04	217290.22	564.04	T22
7	231945.32	215613.68	587.34	T27
8	232016.57	215208.62	592.94	T28
9	227727.89	216256.82	558.11	WA34
10	227505.34	216105.64	569.79	WA35
11	228492.85	216301.25	592.99	WA36
12	231922.42	215212.04	594.55	A1
13	231801.15	215556.47	589.49	A2
14	231565.21	216434.35	581.33	A5
15	231567.45	215998.65	588.28	A5-
16	231350.44	216421.32	583.99	A7
17	232067.22	215627.26	584.36	A8
18	227847.05	215767.96	623.43	AM1
19	228202.9	215814.96	601.41	AM2
20	228525.36	215853.96	625.27	AM3
21	228259.36	216095.06	604.04	AM4
22	228338.64	216080.98	607.57	AM5
23	228309.68	215966.43	611.38	AM6
24	228375.32	215963.93	615.3	AM7
25	231693.77	220788.52	547.77	AA1
26	231309.65	221915.4	579.73	B29
27	231066.03	222388.24	590.32	B34
28	231057.29	214263.28	624.76	M1
29	231057.81	214625.48	621.41	M2
30	231085.7	214908.68	633.75	M3
31	231176.19	214945.46	630.38	M4
32	231363.61	214985.76	623.45	M5
33	231367.96	214841.78	629.77	M6
34	231359.7	214701.45	625.01	M7
35	231618.62	214378.53	604.77	M8
36	231861.35	214470.73	599.9	M9
37	230994.9	215161.13	627.54	M10
38	231298.23	215301.87	609.34	M11
39	230909.59	215081.35	636.1	M12
40	230834.09	215283.44	624.17	M13
41	230716.94	215547.13	613.2	M14

42	230543.31	215474.31	620.18	M15
43	230616.72	215254.57	627.68	M16
44	230317.51	215448.12	626.82	M17
45	230202.07	215423.32	632.42	M18
46	230121.56	215495.3	627.16	M19
47	229650.17	215571.39	635.42	M20
48	229444.58	215619.78	635.81	M21
49	229291.22	215644.98	629.41	M22
50	229104.48	215672.58	621.84	M23
51	229064.71	215535.89	627.44	M24
52	228889.39	215566.91	612.67	M25
53	228749.64	215337.3	643.82	M26
54	228619.03	215356.88	645.35	M27
55	228416.56	215378.04	635.28	M28
56	228364.91	215506.92	628.93	M29
57	228378.32	215623.73	631.24	M30
58	228243.38	215699.59	614.85	M31
59	228121.36	215581.33	613.29	M32
60	228507.49	215697.68	638.75	M33
61	228582.91	215684.86	636.93	M34
62	228701.1	215692.63	626.91	M35
63	228817.4	215741.51	611.69	M36
64	228455.78	216044.3	609.93	M37
65	228471.05	216177.46	600.31	M38
66	228567.64	216007.44	609.52	M39
67	228700.51	215926.05	609.87	M40
68	228829.64	215949.12	600.66	M41
69	228971.13	215965.6	584.93	M42
70	229191.44	216028.25	597.96	M43
71	229204.14	216086.82	594.21	M44
72	229428.11	216071.36	590.03	M45
73	229744.2	216040.77	599.16	M46
74	229808.93	216075.57	599.05	M47
75	230120.85	216200.09	587.88	M48
76	230009.1	216176.63	588.92	M49
77	229769.06	216160.92	590.05	M50
78	229770.13	216377.78	577.26	M51
79	229727.93	216492.16	572.88	M52
80	229582.5	216427.35	569.19	M53
81	229343.58	216408.95	567.67	M54
82	229025.42	216398.43	571.59	M55
83	228894.93	216260.79	573.93	M56
84	228879.51	216368.01	566.04	M57
85	228835.73	216650.87	553.63	M58
86	228656.98	216355.33	581.67	M59
87	228522.32	216408.6	590.57	M60
88	228392.38	216362.75	593.93	M61
89	228305.64	216406.08	584.72	M62
90	227904.97	216365.18	573.34	M63

91	227963.88	216747.69	578.37	M64
92	228158.94	217057.31	546.47	M65
93	229564.24	216539.53	575.41	M66
94	229339.65	216599.68	568.94	M67
95	229098.28	216721.1	567.34	M68
96	228797.69	216978.76	566.75	M69
97	228766.93	217196.68	555.49	M70
98	228752.06	217385.65	541.03	M71
99	228733.49	217598.05	530.41	M72
100	228497.31	217567.4	525.64	M73
101	228311.99	217694.82	528.48	M74
102	228330.11	217785.2	540.23	M75
103	228338.65	217877.87	546.93	M76
104	228287.19	217901.98	544.17	M77
105	228300.58	218094.56	559.12	M78
106	228297.21	218275.63	560.85	M79
107	228486.08	218242.57	554.44	M80
108	228500.79	218360.06	541.7	M81
109	228082.72	218308.75	553.59	M82
110	227938.98	218344.84	547.55	M83
111	227721.19	218386.32	529.61	M84
112	227796.46	218473.89	536.05	M85
113	227901.2	218542.13	532.93	M86
114	228028.34	218657.61	521.84	M87
115	228077.46	218718.9	516.2	M88
116	227948.85	218762.12	516.6	M89
117	227688.41	218803.13	516.96	M90
118	227665.74	218214.55	515.68	M91
119	227680.36	218154.92	509.73	M92
120	228956.96	216785.7	560.68	M93
121	229653.27	216585.13	578.78	M94
122	229637.01	216734.5	585.72	M95
123	229614.17	216923.16	588.36	M96
124	229593.93	217016.63	584.94	M97
125	229662.58	217034.53	583.58	M98
126	229659.65	217114.9	578.61	M99
127	229822.54	217129.62	579.57	M100
128	229780.35	217404.01	565.01	M101
129	229550.64	217398.24	562.37	M102
130	230024.42	217418.77	566.48	M103
131	230134.15	217412.79	567.77	M104


REVISIONS			
No.	DESCRIPTION	BY	DATE
Consultant TEC INTERNATIONAL CO., LTD., JAPAN in association with ARABTECH JARDANEH, JORDAN			
Project Title THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN			
Drawing Title General Notes			
Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	GN-03	Scale	Size A1

Point	Easting	Northing	Elevation	Name
132	230307.36	217396.11	569.5	M105
133	230461.48	217394.48	570.66	M106
134	230926.83	216652.16	583.79	M107
135	231038.22	216472.52	586.07	M108
136	231189.08	216186.72	591.84	M109
137	231324.58	215980.11	593.39	M110
138	231362.78	215918.18	593.54	M111
139	231456.82	215764.07	593.79	M112
140	231616.29	215512.63	595.75	M113
141	231807	215118.41	599.46	M114
142	228280.67	219089.59	510.2	M116
143	228331.28	219148.07	512.38	M117
144	228558.15	219305.71	507.39	M118
145	228689.3	219327.99	507.95	M119
146	228923.98	219432.18	505.6	M120
147	229124.66	219511.3	503.81	M121
148	229333.01	219596.95	501.05	M122
149	229393.29	219617.83	500.91	M123
150	229349.17	219638.19	499.56	M124
151	229605.07	219694.02	499.68	M125
152	229853.06	219769.41	498.81	M126
153	230084.88	219828.42	497.93	M127
154	230355.81	220062.7	501.89	M128
155	230340.4	220160.27	498.2	M129
156	229371.99	219330.78	510.93	M130
157	229268.57	219306.21	511.31	M131
158	229177.44	219211.67	515.16	M132
159	228889.79	219114.09	518.14	M133
160	228925.47	219103.1	518.79	M134
161	229048.02	218961.57	526.77	M135
162	228715.25	218878.33	531.33	M136
163	228558.19	218973.29	522.16	M137
164	229096.16	218287.17	532.65	M138
165	229198.88	218379.88	546.23	M139
166	229288.22	218479.57	553.03	M140
167	229117.86	218610.63	550.66	M141
168	229014.28	218672.5	547.9	M142
169	229309.53	219001.37	526.04	M143
170	229428.68	219034.33	524.65	M144
171	229445.16	218876.91	534.29	M145
172	229486.26	219162.92	518.3	M146
173	229505.06	219032.06	525.16	M147
174	229555.05	218905.18	533.31	M148
175	229630.69	218937.52	532.19	M149
176	229583.56	219202.84	517.07	M150
177	229809.45	219291.85	514.97	M151
178	229926.59	219329.19	513.82	M152
179	230133.14	219409.77	512.91	M153
180	230111.75	219267.04	519.13	M154

Point	Easting	Northing	Elevation	Name
181	230198.67	219233.41	521.51	M155
182	230504.55	219177.04	532.7	M156
183	230452.42	219031.06	537.41	M157
184	230156.9	219097.19	527.35	M158
185	230874.99	219645.51	543.53	M159
186	230705.23	219495.1	540.17	M160
187	230581.49	219377.5	538.46	M161
188	230542.29	219165.47	538.3	M162
189	230501.11	218894.03	547.75	M163
190	230360.05	218713.88	552.38	M164
191	230281.67	218615.7	558.05	M165
192	230234.08	218561.81	561.11	M166
193	229975.7	217996.44	553.76	M167
194	229845.27	217984.45	549.95	M168
195	229715.99	218016.62	546.1	M169
196	229471.82	218120.55	540.31	M170
197	229154.13	218174.29	530.69	M171
198	228686.42	219528.57	501.08	M172
199	228872.72	219560.97	501.28	M173
200	228662.15	219640.83	498.47	M174
201	228458.24	219726.36	494.26	M175
202	228428.34	219628.14	495.29	M176
203	228563.63	219977.78	494.77	M177
204	228601.76	220237.29	488.07	M178
205	228278.29	220309.19	495.31	M179
206	227826.77	220456.79	511.61	M180
207	227645.08	220511.81	513.56	M181
208	227561.27	220319.09	519.86	M182
209	227378.15	220521.47	509.51	M183
210	227295.98	220619.12	503.1	M184
211	227092.32	220824.41	490.7	M185
212	227036.86	221030.45	484.43	M186
213	226830.6	221115.04	477.17	M187
214	226670.38	221282.77	467.64	M188
215	226481.08	221520.97	458.57	M189
216	226615.9	221365.66	464.37	M190
217	228117.13	220136.98	507.09	M191
218	228019.61	220173.16	509.65	M192
219	228866.68	220218.58	483.84	M193
220	229177.01	220204.22	482.22	M194
221	229216.11	220237.44	481.64	M195
222	229165.86	220480.99	475.56	M196
223	228959.74	220706.54	476.94	M197
224	228826.95	220926.09	483.64	M198
225	228698.01	221071.41	484.75	M199
226	228417.04	221241.47	487.19	M200
227	228131.95	221472.61	484.74	M201
228	230883.4	220235.96	527.74	M202
229	230964.94	220266.5	534.33	M203
230	230974.64	220097.72	535.62	M204


Point	Easting	Northing	Elevation	Name
231	231005.21	219854.32	531.97	M205
232	230884.6	220411.57	540.06	M206
233	230882.88	220610.04	554.68	M207
234	231296.6	220362.12	548.62	M208
235	231471.11	220362.35	547.6	M209
236	231744.02	220360.88	543.72	M210
237	231878.62	220402.89	541.57	M211
238	232498.51	220463.11	534.79	M212
239	232571.82	220149.19	537.17	M213
240	232625.38	219862.82	540.97	M214
241	230931.78	218272.42	564.55	M215
242	231197.17	218296.5	565.41	M216
243	231319.94	218310.03	566.11	M217
244	231263.66	218346.44	565.89	M218
245	231241.29	218566.76	563.43	M219
246	231467.65	218326.66	564.54	M220
247	231726.28	218366.7	560.98	M221
248	232326.36	218521.66	558.08	M222
249	232308.02	218698.03	555.44	M223
250	232395.08	219095.27	553.12	M224
251	232645.98	219209.39	550.26	M225
252	232686.42	218370.81	561.81	M226
253	232691.59	218279.95	561.85	M227
254	231720.68	218265.29	560.66	M228
255	231503.92	218235.22	563.14	M229
256	231334.48	218220.42	566.28	M230
257	231289.27	217967.2	567.93	M231
258	231259.49	217715	567.48	M232
259	231224.82	217812.95	569.29	M233
260	231476.19	217387.6	564.36	M234
261	231242.38	217492.37	566.25	M235
262	231042.32	217611.81	569.93	M236
263	230754.09	217797.05	567.85	M237
264	230614.95	217863.99	566.69	M238
265	230471.43	217954.6	564.77	M239
266	230082.45	218027.11	557	M240
267	231006.99	217452.63	571.26	M241
268	230982.23	217146.13	575.13	M242
269	230780.93	216643.69	585.4	M243
270	230601.29	216641.13	587.81	M244
271	230187.05	216516.63	593.31	M245
272	230229.14	216404.24	596.21	M246
273	231510.29	213722.11	618.79	M247
274	231589.68	213446.91	630.46	M248
275	231866.37	213532.05	617.69	M249
276	227201.55	219505.65	507.41	M250
277	227018.72	219540.33	498.29	M251

REVISIONS			
No.	DESCRIPTION	BY	DATE
Consultant TEC INTERNATIONAL CO., LTD., JAPAN in association with ARABTECH JARDANEH, JORDAN			
Project Title THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN			
Drawing Title General Notes			
Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	Scale		Size
GN-04			A1



Legend:

- ASPHALTED ROADS
- BUILDING
- FENCE
- WALL
- CURBSTONE
- TRACK
- CONCRETE
- WATER TANK
- CULVERT
- EXISTING ELECTRICAL POLE
- EXISTING TELEPHONE POST
- EXISTING TELEPHONE MANHOLE
- BENCHMARK
- ELECTRICAL MANHOLE
- STORM WATER MANHOLE
- EXISTING WATER VALVE
- EXISTING MANHOLE
- EXISTING LIGHT POST
- HIGH ELECTRIC POST





REVISIONS			
No.	DESCRIPTION	BY	DATE
Consultant			
TEC INTERNATIONAL CO., LTD., JAPAN			
in association with			
ARABTECH JARDANEH, JORDAN			
Project Title			
THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN			
Drawing Title			
Survey Works			
Sheet (03 of 29)			
Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	SU-03	Scale	1/2000
		Size	A1



Legend:

- ASPHALTED ROADS
- BUILDING
- FENCE
- WALL
- CURBSTONE
- TRACK
- CONCRETE
- WATER TANK
- CULVERT
- EXISTING ELECTRICAL POLE
- EXISTING TELEPHONE POST
- EXISTING TELEPHONE MANHOLE
- BENCHMARK
- ELECTRICAL MANHOLE
- STORM WATER MANHOLE
- EXISTING WATER VALVE
- EXISTING MANHOLE
- EXISTING LIGHT POST
- HIGH ELECTRIC POST




REVISIONS			
No.	DESCRIPTION	BY	DATE
Consultant			
TEC INTERNATIONAL CO., LTD., JAPAN			
in association with			
ARABTECH JARDANEH, JORDAN			
Project Title			
THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN			
Drawing Title			
Survey Works			
Sheet (04 of 29)			
Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	SU-04	Scale	1/2000
		Size	A1



Legend:




















- ASPHALTED ROADS
- BUILDING
- FENCE
- WALL
- CURBSTONE
- TRACK
- CONCRETE
- WATER TANK
- CULVERT
- EXISTING ELECTRICAL POLE
- EXISTING TELEPHONE POST
- EXISTING TELEPHONE MANHOLE
- BENCHMARK
- ELECTRICAL MANHOLE
- STORM WATER MANHOLE
- EXISTING WATER VALVE
- EXISTING MANHOLE
- EXISTING LIGHT POST
- HIGH ELECTRIC POST




REVISIONS			
No.	DESCRIPTION	BY	DATE
Consultant			
TEC INTERNATIONAL CO., LTD., JAPAN			
in association with			
ARABTECH JARDANEH, JORDAN			
Project Title			
THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN			
Drawing Title			
Survey Works			
Sheet (10 of 29)			
Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	SU-10	Scale	1/2000
		Size	A1




Legend:

- | | |
|---|----------------------------|
|  | ASPHALTED ROADS |
|  | BUILDING |
|  | FENCE |
|  | WALL |
|  | CURBSTONE |
|  | TRACK |
|  | CONCRETE |
|  | WATER TANK |
|  | CULVERT |
|  | EXISTING ELECTRIC POLE |
|  | EXISTING TELEPHONE POST |
|  | EXISTING TELEPHONE MANHOLE |
|  | BENCHMARK |
|  | ELECTRIC MANHOLE |
|  | STORM WATER MANHOLE |
|  | EXISTING WATER VALVE |
|  | EXISTING MANHOLE |
|  | EXISTING LIGHT POST |
|  | HIGH ELECTRIC POST |



KEY PLAN



SCALE 1:2000

REVISIONS			
No.	DESCRIPTION	BY	DATE


Consultant
TEC INTERNATIONAL CO., LTD., JAPAN
in association with
ARABTECH JARDANEH, JORDAN

Project Title	THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN
---------------	---

Drawing Title

Survey Works
Sheet (13 of 29)

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	Scale	Size	
SU-13	1/2000	A1	



Legend:

ASPHALTED ROADS

BUILDING

FENCE

WALL

CURBSTONE

TRACK

CONCRETE

WATER TANK

CULVERT

EXISTING ELECTRICAL POLE

EXISTING TELEPHONE POST

EXISTING TELEPHONE MANHOLE

BENCHMARK

ELECTRICAL MANHOLE

STORM WATER MANHOLE

EXISTING WATER VALVE

EXISTING MANHOLE

EXISTING LIGHT POST

HIGH ELECTRIC POST

2

1

6

5

4

3

11

10

9

8

7

15

14

13

12

19

18

17

16

23

22

21

20

27

26

25

24

28

29

N

KEY PLAN

40m

0

20m

40m

SCALE 1:2000

REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant

TEC INTERNATIONAL CO., LTD., JAPAN

in association with

ARABTECH JARDANEH, JORDAN

Project Title

THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN

Drawing Title

Survey Works



Sheet (14 of 29)

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	SU-14	Scale	1/2000
		Size	A1



Legend:

- ASPHALTED ROADS
- BUILDING
- FENCE
- WALL
- CURBSTONE
- TRACK
- CONCRETE
- WATER TANK
- CULVERT
- EXISTING ELECTRICAL POLE
- EXISTING TELEPHONE POST
- EXISTING TELEPHONE MANHOLE
- BENCHMARK
- ELECTRICAL MANHOLE
- STORM WATER MANHOLE
- EXISTING WATER VALVE
- EXISTING MANHOLE
- EXISTING LIGHT POST
- HIGH ELECTRIC POST





REVISIONS			
No.	DESCRIPTION	BY	DATE
Consultant			
TEC INTERNATIONAL CO., LTD., JAPAN			
in association with			
ARABTECH JARDANEH, JORDAN			
Project Title			
THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN			
Drawing Title			
Survey Works			
Sheet (21 of 29)			
Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	SU-21	Scale	1/2000
		Size	A1



Legend:

- ASPHALTED ROADS
- BUILDING
- FENCE
- WALL
- CURBSTONE
- TRACK
- CONCRETE
- WATER TANK
- CULVERT
- EXISTING ELECTRICAL POLE
- EXISTING TELEPHONE POST
- EXISTING TELEPHONE MANHOLE
- BENCHMARK
- ELECTRICAL MANHOLE
- STORM WATER MANHOLE
- EXISTING WATER VALVE
- EXISTING MANHOLE
- EXISTING LIGHT POST
- HIGH ELECTRIC POST




REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant
TEC INTERNATIONAL CO., LTD., JAPAN
in association with
ARABTECH JARDANEH, JORDAN

Project Title
THE STUDY FOR BASIC DETAILED DESIGN AND
DRAFT BIDDING DOCUMENTS (COMPONENT B)
UNDER THE PROJECT FOR THE STUDY ON WATER
SECTOR FOR THE HOST COMMUNITIES OF SYRIAN
REFUGEES IN NORTHERN GOVERNORATES IN THE
HASHEMITE KINGDOM OF JORDAN

Drawing Title
Survey Works
Sheet (29 of 29)

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	SU-29	Scale	1/2000
		Size	A1



NOTES:

1.All Pipelines Diameters Less Than 150mm are PE.

2.All Pipelines Diameters Greater and Equal to 150mm are Ductile Iron DI.

3.Arrangement of the Connection to Existing Pipelines Shall be Verified by the Contractor.

LEGEND:

- PROPOSED DN-1200mm
- PROPOSED DN-1000mm
- PROPOSED DN-800mm
- PROPOSED DN-600mm
- PROPOSED DN-400mm
- PROPOSED DN-300mm
- PROPOSED DN-250mm
- PROPOSED DN-200mm
- PROPOSED DN-150mm
- PROPOSED OD-125mm
- EXISTING SEWER PIPE
- EXISTING WATER PIPE
- DMA BOUNDARY
- LINE ASPHALT
- FLOW METER
- FLOW CONTROL VALVE
- PRESSURE REDUCING VALVE
- CONNECTION TYPE CX
- *CONNECTION TYPE is shown in Drawing No.ST-01,02
- NORMALLY CLOSED VALVE
- DISCONNECTION
- AIR VALVE CHAMBER
- WASHOUT CHAMBER
- FIRE HYDRANT
- EXISTING MANHOLE
- EXISTING ELECTRICAL POLE
- EXISTING TELEPHONE POLE
- EXISTING TELEPHONE MANHOLE
- EXISTING WATER VALVE
- STORM WATER MANHOLE
- ELECTRICAL MANHOLE
- EXISTING LIGHT POLE
- BENCHMARK

1	2						
3	4	5					
6	7	8	9	10	11	12	
13	14	15	16	17	18	19	
20	21	22	23	24	25	26	
27	28	29	30	31	32	33	34
35	36	37	38				
39	40	41	42				
43	44	45					
46	47						
48	49						
50	51						
52							

KEY PLAN

50m 0 25m 50m

SCALE 1:1000

REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant
TEC INTERNATIONAL CO., LTD., JAPAN
in association with
ARABTECH JARDANEH, JORDAN

Project Title
THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B)
UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN

Drawing Title
Water Network Layout
Gravity System - Package-1
Sheet(01 of 52)

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	G-01	Scale	1/1000
		Size	A1



NOTES:

1.All Pipelines Diameters Less Than 150mm are PE.

2.All Pipelines Diameters Greater and Equal to 150mm are Ductile Iron DI.

3.Arrangement of the Connection to Existing Pipelines Shall be Verified by the Contractor.

LEGEND:

- PROPOSED DN-1200mm
- PROPOSED DN-1000mm
- PROPOSED DN-800mm
- PROPOSED DN-600mm
- PROPOSED DN-400mm
- PROPOSED DN-300mm
- PROPOSED DN-250mm
- PROPOSED DN-200mm
- PROPOSED DN-150mm
- PROPOSED OD-125mm
- EXISTING SEWER PIPE
- EXISTING WATER PIPE
- DMA BOUNDARY
- LINE ASPHALT
- FLOW METER
- FLOW CONTROL VALVE
- PRESSURE REDUCING VALVE
- CONNECTION TYPE CX
- CONNECTION TYPE CX NORMALLY CLOSED VALVE
- DISCONNECTION
- AIR VALVE CHAMBER
- WASHOUT CHAMBER
- FIRE HYDRANT
- EXISTING MANHOLE
- EXISTING ELECTRICAL POLE
- EXISTING TELEPHONE POLE
- EXISTING TELEPHONE MANHOLE
- EXISTING WATER VALVE
- STORM WATER MANHOLE
- ELECTRICAL MANHOLE
- EXISTING LIGHT POLE
- BENCHMARK

KEY PLAN

50m 0 25m 50m

SCALE 1:1000

REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant

TEC INTERNATIONAL CO., LTD., JAPAN

in association with

ARABTECH JARDANEH, JORDAN

Project Title

THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN


Drawing Title

Water Network Layout

Gravity System - Package-1

Sheet(02 of 52)

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	G-02	Scale	1/1000
		Size	A1



NOTES:

1.All Pipelines Diameters Less Than 150mm are PE.

2.All Pipelines Diameters Greater and Equal to 150mm are Ductile Iron DI.

3.Arrangement of the Connection to Existing Pipelines Shall be Verified by the Contractor.

LEGEND:

- PROPOSED DN-1200mm
- PROPOSED DN-1000mm
- PROPOSED DN-800mm
- PROPOSED DN-600mm
- PROPOSED DN-400mm
- PROPOSED DN-300mm
- PROPOSED DN-250mm
- PROPOSED DN-200mm
- PROPOSED DN-150mm
- PROPOSED OD-125mm
- EXISTING SEWER PIPE
- EXISTING WATER PIPE
- DMA BOUNDARY
- LINE ASPHALT
- FLOW METER
- FLOW CONTROL VALVE
- PRESSURE REDUCING VALVE
- CONNECTION TYPE CX
- CONNECTION TYPE
- NORMALLY CLOSED VALVE
- DISCONNECTION
- AIR VALVE CHAMBER
- WASHOUT CHAMBER
- FIRE HYDRANT
- EXISTING MANHOLE
- EXISTING ELECTRICAL POLE
- EXISTING TELEPHONE POLE
- EXISTING TELEPHONE MANHOLE
- EXISTING WATER VALVE
- STORM WATER MANHOLE
- ELECTRICAL MANHOLE
- EXISTING LIGHT POLE
- BENCHMARK

1 2

3 4 5

6 7 8 9 10 11 12

13 14 15 16 17 18 19

20 21 22 23 24 25 26

27 28 29 30 31 32 33 34

35 36 37 38

39 40 41 42

43 44 45

46 47

48 49

50 51

52

N

KEY PLAN

50m 0 25m 50m

SCALE 1:1000

REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant

TEC INTERNATIONAL CO., LTD., JAPAN

in association with

ARABTECH JARDANEH, JORDAN


Project Title

THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN

Drawing Title

Water Network Layout Gravity System - Package-1 Sheet(04 of 52)

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	G-04	Scale	1/1000
		Size	A1



NOTES:

- 1.All Pipelines Diameters Less Than 150mm are PE.
- 2.All Pipelines Diameters Greater and Equal to 150mm are Ductile Iron DI.
- 3.Arrangement of the Connection to Existing Pipelines Shall be Verified by the Contractor.

LEGEND:

- PROPOSED DN-1200mm
- PROPOSED DN-1000mm
- PROPOSED DN-800mm
- PROPOSED DN-600mm
- PROPOSED DN-400mm
- PROPOSED DN-300mm
- PROPOSED DN-250mm
- PROPOSED DN-200mm
- PROPOSED DN-150mm
- PROPOSED OD-125mm
- EXISTING SEWER PIPE
- EXISTING WATER PIPE
- DMA BOUNDARY
- LINE ASPHALT
- FLOW METER
- FLOW CONTROL VALVE
- PRESSURE REDUCING VALVE
- CONNECTION TYPE CX
- NORMALLY CLOSED VALVE
- DISCONNECTION
- AIR VALVE CHAMBER
- WASHOUT CHAMBER
- FIRE HYDRANT
- EXISTING MANHOLE
- EXISTING ELECTRICAL POLE
- EXISTING TELEPHONE POLE
- EXISTING TELEPHONE MANHOLE
- EXISTING WATER VALVE
- STORM WATER MANHOLE
- ELECTRICAL MANHOLE
- EXISTING LIGHT POLE
- BENCHMARK

KEY PLAN

50m 0 25m 50m

SCALE 1:1000


REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant
TEC INTERNATIONAL CO., LTD., JAPAN
 in association with
ARABTECH JARDANEH, JORDAN

Project Title
 THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN

Drawing Title
Water Network Layout
Gravity System - Package-1
 Sheet(05 of 52)

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	G-05	Scale	1/1000
		Size	A1



NOTES:

1.All Pipelines Diameters Less Than 150mm are PE.

2.All Pipelines Diameters Greater and Equal to 150mm are Ductile Iron DI.

3.Arrangement of the Connection to Existing Pipelines Shall be Verified by the Contractor.

LEGEND:

- PROPOSED DN-1200mm
- PROPOSED DN-1000mm
- PROPOSED DN-800mm
- PROPOSED DN-600mm
- PROPOSED DN-400mm
- PROPOSED DN-300mm
- PROPOSED DN-250mm
- PROPOSED DN-200mm
- PROPOSED DN-150mm
- PROPOSED OD-125mm
- EXISTING SEWER PIPE
- EXISTING WATER PIPE
- DMA BOUNDARY
- LINE ASPHALT
- FLOW METER
- FLOW CONTROL VALVE
- PRESSURE REDUCING VALVE
- CONNECTION TYPE CX
- NORMALLY CLOSED VALVE
- DISCONNECTION
- AIR VALVE CHAMBER
- WASHOUT CHAMBER
- FIRE HYDRANT
- EXISTING MANHOLE
- EXISTING ELECTRICAL POLE
- EXISTING TELEPHONE POLE
- EXISTING TELEPHONE MANHOLE
- EXISTING WATER VALVE
- STORM WATER MANHOLE
- ELECTRICAL MANHOLE
- EXISTING LIGHT POLE
- BENCHMARK

	1	2					
	3	4	5				
6	7	8	9	10	11	12	
13	14	15	16	17	18	19	
20	21	22	23	24	25	26	
27	28	29	30	31	32	33	34
	35	36	37	38			
39	40	41	42				
43	44	45					
	46	47					
	48	49					
	50	51					
	52						

KEY PLAN

50m 0 25m 50m

SCALE 1:1000

REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant

TEC INTERNATIONAL CO., LTD., JAPAN

in association with

ARABTECH JARDANEH, JORDAN

Project Title

THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN


Drawing Title

Water Network Layout

Gravity System - Package-1

Sheet(06 of 52)

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	G-06	Scale	1/1000
		Size	A1



NOTES:

1.All Pipelines Diameters Less Than 150mm are PE.

2.All Pipelines Diameters Greater and Equal to 150mm are Ductile Iron DI.

3.Arrangement of the Connection to Existing Pipelines Shall be Verified by the Contractor.

LEGEND:

- PROPOSED DN-1200mm
- PROPOSED DN-1000mm
- PROPOSED DN-800mm
- PROPOSED DN-600mm
- PROPOSED DN-400mm
- PROPOSED DN-300mm
- PROPOSED DN-250mm
- PROPOSED DN-200mm
- PROPOSED DN-150mm
- PROPOSED OD-125mm
- EXISTING SEWER PIPE
- EXISTING WATER PIPE
- DMA BOUNDARY
- LINE ASPHALT
- FLOW METER
- FLOW CONTROL VALVE
- PRESSURE REDUCING VALVE
- CONNECTION TYPE CX
- *CONNECTION TYPE is shown in Drawing No.ST-01,02
- NORMALLY CLOSED VALVE
- DISCONNECTION
- AIR VALVE CHAMBER
- WASHOUT CHAMBER
- FIRE HYDRANT
- EXISTING MANHOLE
- EXISTING ELECTRICAL POLE
- EXISTING TELEPHONE POLE
- EXISTING TELEPHONE MANHOLE
- EXISTING WATER VALVE
- STORM WATER MANHOLE
- ELECTRICAL MANHOLE
- EXISTING LIGHT POLE
- BENCHMARK

KEY PLAN

SCALE 1:1000

REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant

TEC INTERNATIONAL CO., LTD., JAPAN

in association with

ARABTECH JARDANEH, JORDAN

Project Title

THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN

Drawing Title

Water Network Layout

Gravity System - Package-1

Sheet(07 of 52)

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	G-07	Scale	1/1000
		Size	A1



NOTES:

1.All Pipelines Diameters Less Than 150mm are PE.

2.All Pipelines Diameters Greater and Equal to 150mm are Ductile Iron DI.

3.Arrangement of the Connection to Existing Pipelines Shall be Verified by the Contractor.

LEGEND:

	PROPOSED DN-1200mm
	PROPOSED DN-1000mm
	PROPOSED DN-800mm
	PROPOSED DN-600mm
	PROPOSED DN-400mm
	PROPOSED DN-300mm
	PROPOSED DN-250mm
	PROPOSED DN-200mm
	PROPOSED DN-150mm
	PROPOSED OD-125mm
	EXISTING SEWER PIPE
	EXISTING WATER PIPE
	DMA BOUNDARY
	LINE ASPHALT
	FLOW METER
	FLOW CONTROL VALVE
	PRESSURE REDUCING VALVE
	CONNECTION TYPE CX
	*CONNECTION TYPE is shown in Drawing No.ST-01,02
	NORMALLY CLOSED VALVE
	DISCONNECTION
	AIR VALVE CHAMBER
	WASHOUT CHAMBER
	FIRE HYDRANT
	EXISTING MANHOLE
	EXISTING ELECTRICAL POLE
	EXISTING TELEPHONE POLE
	EXISTING TELEPHONE MANHOLE
	EXISTING WATER VALVE
	STORM WATER MANHOLE
	ELECTRICAL MANHOLE
	EXISTING LIGHT POLE
	BENCHMARK

KEY PLAN

50m 0 25m 50m

SCALE 1:1000

REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant

TEC INTERNATIONAL CO., LTD., JAPAN

in association with

ARABTECH JARDANEH, JORDAN

Project Title

THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN


Drawing Title

Water Network Layout

Gravity System - Package-1

Sheet(08 of 52)

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	G-08	Scale	1/1000
		Size	A1



NOTES:

1.All Pipelines Diameters Less Than 150mm are PE.

2.All Pipelines Diameters Greater and Equal to 150mm are Ductile Iron DI.

3.Arrangement of the Connection to Existing Pipelines Shall be Verified by the Contractor.

LEGEND:

	PROPOSED DN-1200mm
	PROPOSED DN-1000mm
	PROPOSED DN-800mm
	PROPOSED DN-600mm
	PROPOSED DN-400mm
	PROPOSED DN-300mm
	PROPOSED DN-250mm
	PROPOSED DN-200mm
	PROPOSED DN-150mm
	PROPOSED OD-125mm
	EXISTING SEWER PIPE
	EXISTING WATER PIPE
	DMA BOUNDARY
	LINE ASPHALT
	FLOW METER
	FLOW CONTROL VALVE
	PRESSURE REDUCING VALVE
	CONNECTION TYPE CX
	NORMALLY CLOSED VALVE
	DISCONNECTION
	AIR VALVE CHAMBER
	WASHOUT CHAMBER
	FIRE HYDRANT
	EXISTING MANHOLE
	EXISTING ELECTRICAL POLE
	EXISTING TELEPHONE POLE
	EXISTING TELEPHONE MANHOLE
	EXISTING WATER VALVE
	STORM WATER MANHOLE
	ELECTRICAL MANHOLE
	EXISTING LIGHT POLE
	BENCHMARK

1	2						
3	4	5					
6	7	8	9	10	11	12	
13	14	15	16	17	18	19	
20	21	22	23	24	25	26	
27	28	29	30	31	32	33	34
35	36	37	38				
39	40	41	42				
43	44	45					
46	47						
48	49						
50	51						
52							

N

KEY PLAN

50m

025m50m

SCALE 1:1000

REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant

TEC INTERNATIONAL CO., LTD., JAPAN

in association with

ARABTECH JARDANEH, JORDAN

Project Title

THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN

Drawing Title

Water Network Layout

Gravity System - Package-1

Sheet(09 of 52)

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	G-09	Scale	1/1000
Size	A1		



NOTES:

1.All Pipelines Diameters Less Than 150mm are PE.

2.All Pipelines Diameters Greater and Equal to 150mm are Ductile Iron DI.

3.Arrangement of the Connection to Existing Pipelines Shall be Verified by the Contractor.

LEGEND:

PROPOSED DN-1200mm

PROPOSED DN-1000mm

PROPOSED DN-800mm

PROPOSED DN-600mm

PROPOSED DN-400mm

PROPOSED DN-300mm

PROPOSED DN-250mm

PROPOSED DN-200mm

PROPOSED DN-150mm

PROPOSED OD-125mm

EXISTING SEWER PIPE

EXISTING WATER PIPE

DMA BOUNDARY

LINE ASPHALT

FLOW METER

FLOW CONTROL VALVE

PRESSURE REDUCING VALVE

CONNECTION TYPE CX

CONNECTION TYPE CX

NORMALLY CLOSED VALVE

DISCONNECTION

AIR VALVE CHAMBER

WASHOUT CHAMBER

FIRE HYDRANT

EXISTING MANHOLE

EXISTING ELECTRICAL POLE

EXISTING TELEPHONE POLE

EXISTING TELEPHONE MANHOLE

EXISTING WATER VALVE

STORM WATER MANHOLE

ELECTRICAL MANHOLE

EXISTING LIGHT POLE

BENCHMARK

1	2						
3	4	5					
6	7	8	9	10	11	12	
13	14	15	16	17	18	19	
20	21	22	23	24	25	26	
27	28	29	30	31	32	33	34
35	36	37	38				
39	40	41	42				
43	44	45					
46	47						
48	49						
50	51						
52							

N

KEY PLAN

50m

0

25m

50m

SCALE 1:1000

REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant

TEC INTERNATIONAL CO., LTD., JAPAN

in association with

ARABTECH JARDANEH, JORDAN

Project Title

THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN

Drawing Title

Water Network Layout

Gravity System - Package-1

Sheet(10 of 52)

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	G-10	Scale	1/1000
		Size	A1

11




















GR-06

GR-08

NOTES:

- 1.All Pipelines Diameters Less Than 150mm are PE.
- 2.All Pipelines Diameters Greater and Equal to 150mm are Ductile Iron DI.
- 3.Arrangement of the Connection to Existing Pipelines Shall be Verified by the Contractor.

LEGEND:

-  PROPOSED DN=1200mm
-  PROPOSED DN=1000mm
-  PROPOSED DN=800mm
-  PROPOSED DN=600mm
-  PROPOSED DN=400mm
-  PROPOSED DN=300mm
-  PROPOSED DN=250mm
-  PROPOSED DN=200mm
-  PROPOSED DN=150mm
-  PROPOSED OD=125mm
-  EXISTING SEWER PIPE
-  EXISTING WATER PIPE
-  DMA BOUNDARY
-  LINE ASPHALT
-  FLOW METER
-  FLOW CONTROL VALVE
-  PRESSURE REDUCING VALVE
-  CONNECTION TYPE CX
-  NORMALLY CLOSED VALVE

BENCHMARK

												1	2	
												3	4	5
			6	7	8	9			10	11				12
	13	14	15	16	17	18	19							
	20	21	22	23	24	25	26							
27	28	29	30	31	32	33	34							
		35	36	37		38								
		39	40	41	42									
		43	44	45										
			46	47										
				48	49									
				50	51									
					52									



KEY PLAN



SCALE 1:1000

REVISIONS			
No.	DESCRIPTION	BY	DATE


Consultant
TEC INTERNATIONAL CO., LTD., JAPAN
in association with
ARABTECH JARDANEH, JORDAN

Project Title

THE STUDY FOR BASIC DETAILED DESIGN AND
DRAFT BIDDING DOCUMENTS (COMPONENT B)
UNDER THE PROJECT FOR THE STUDY ON WATER
SECTOR FOR THE HOST COMMUNITIES OF SYRIAN
REFUGEES IN NORTHERN GOVERNORATES IN THE
HASHEMITE KINGDOM OF JORDAN

Drawing Title	Water Network Layout Gravity System - Package-1 Sheet(11 of 52)
---------------	---

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	G-11	Scale	1/1000
		Size	A1



NOTES:

1.All Pipelines Diameters Less Than 150mm are PE.

2.All Pipelines Diameters Greater and Equal to 150mm are Ductile Iron DI.

3.Arrangement of the Connection to Existing Pipelines Shall be Verified by the Contractor.

LEGEND:

- PROPOSED DN-1200mm
- PROPOSED DN-1000mm
- PROPOSED DN-800mm
- PROPOSED DN-600mm
- PROPOSED DN-400mm
- PROPOSED DN-300mm
- PROPOSED DN-250mm
- PROPOSED DN-200mm
- PROPOSED DN-150mm
- PROPOSED OD-125mm
- EXISTING SEWER PIPE
- EXISTING WATER PIPE
- DMA BOUNDARY
- LINE ASPHALT
- FLOW METER
- FLOW CONTROL VALVE
- PRESSURE REDUCING VALVE
- CONNECTION TYPE CX
- CONNECTION TYPE CX
- NORMALLY CLOSED VALVE
- DISCONNECTION
- AIR VALVE CHAMBER
- WASHOUT CHAMBER
- FIRE HYDRANT
- EXISTING MANHOLE
- EXISTING ELECTRICAL POLE
- EXISTING TELEPHONE POLE
- EXISTING TELEPHONE MANHOLE
- EXISTING WATER VALVE
- STORM WATER MANHOLE
- ELECTRICAL MANHOLE
- EXISTING LIGHT POLE
- BENCHMARK

1 2

3 4 5

6 7 8 9 10 11 12

13 14 15 16 17 18 19

20 21 22 23 24 25 26

27 28 29 30 31 32 33 34

35 36 37 38

39 40 41 42

43 44 45

46 47

48 49

50 51

52

N

KEY PLAN

50m 0 25m 50m

SCALE 1:1000

REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant

TEC INTERNATIONAL CO., LTD., JAPAN

in association with

ARABTECH JARDANEH, JORDAN

Project Title

THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN


Drawing Title

Water Network Layout

Gravity System - Package-1

Sheet(12 of 52)

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	G-12	Scale	1/1000
		Size	A1



NOTES:

1.All Pipelines Diameters Less Than 150mm are PE.

2.All Pipelines Diameters Greater and Equal to 150mm are Ductile Iron DI.

3.Arrangement of the Connection to Existing Pipelines Shall be Verified by the Contractor.

LEGEND:

- PROPOSED DN-1200mm
- PROPOSED DN-1000mm
- PROPOSED DN-800mm
- PROPOSED DN-600mm
- PROPOSED DN-400mm
- PROPOSED DN-300mm
- PROPOSED DN-250mm
- PROPOSED DN-200mm
- PROPOSED DN-150mm
- PROPOSED OD-125mm
- EXISTING SEWER PIPE
- EXISTING WATER PIPE
- DMA BOUNDARY
- LINE ASPHALT
- FLOW METER
- FLOW CONTROL VALVE
- PRESSURE REDUCING VALVE
- CONNECTION TYPE CX
- CONNECTION TYPE is shown in Drawing No.ST-01,02
- NORMALLY CLOSED VALVE
- DISCONNECTION
- AIR VALVE CHAMBER
- WASHOUT CHAMBER
- FIRE HYDRANT
- EXISTING MANHOLE
- EXISTING ELECTRICAL POLE
- EXISTING TELEPHONE POLE
- EXISTING TELEPHONE MANHOLE
- EXISTING WATER VALVE
- STORM WATER MANHOLE
- ELECTRICAL MANHOLE
- EXISTING LIGHT POLE
- BENCHMARK

1 2
3 4 5
6 7 8 9 10 11 12
13 14 15 16 17 18 19
20 21 22 23 24 25 26
27 28 29 30 31 32 33 34
35 36 37 38
39 40 41 42
43 44 45
46 47
48 49
50 51
52

N

50m 0 25m 50m

SCALE 1:1000

REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant

TEC INTERNATIONAL CO., LTD., JAPAN

in association with

ARABTECH JARDANEH, JORDAN

Project Title

THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN


Drawing Title

Water Network Layout

Gravity System - Package-1

Sheet(13 of 52)

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	G-13	Scale	1/1000
Size	A1		



NOTES:

1.All Pipelines Diameters Less Than 150mm are PE.

2.All Pipelines Diameters Greater and Equal to 150mm are Ductile Iron DI.

3.Arrangement of the Connection to Existing Pipelines Shall be Verified by the Contractor.

LEGEND:

- PROPOSED DN-1200mm
- PROPOSED DN-1000mm
- PROPOSED DN-800mm
- PROPOSED DN-600mm
- PROPOSED DN-400mm
- PROPOSED DN-300mm
- PROPOSED DN-250mm
- PROPOSED DN-200mm
- PROPOSED DN-150mm
- PROPOSED OD-125mm
- EXISTING SEWER PIPE
- EXISTING WATER PIPE
- DMA BOUNDARY
- LINE ASPHALT
- FLOW METER
- FLOW CONTROL VALVE
- PRESSURE REDUCING VALVE
- CONNECTION TYPE CX
- NORMALLY CLOSED VALVE
- DISCONNECTION
- AIR VALVE CHAMBER
- WASHOUT CHAMBER
- FIRE HYDRANT
- EXISTING MANHOLE
- EXISTING ELECTRICAL POLE
- EXISTING TELEPHONE POLE
- EXISTING TELEPHONE MANHOLE
- EXISTING WATER VALVE
- STORM WATER MANHOLE
- ELECTRICAL MANHOLE
- EXISTING LIGHT POLE
- BENCHMARK

1	2						
3	4	5					
6	7	8	9	10	11	12	
13	14	15	16	17	18	19	
20	21	22	23	24	25	26	
27	28	29	30	31	32	33	34
	35	36	37	38			
39	40	41	42				
43	44	45					
	46	47					
		48	49				
		50	51				
		52					

N

KEY PLAN

50m

025m50m

SCALE 1:1000

REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant

TEC INTERNATIONAL CO., LTD., JAPAN

in association with

ARABTECH JARDANEH, JORDAN

Project Title

THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN


Drawing Title

Water Network Layout

Gravity System - Package-1

Sheet(14 of 52)












Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	G-14	Scale	1/1000
		Size	A1



NOTES:

1. All Pipelines Diameters Less Than 150mm are PE.
2. All Pipelines Diameters Greater and Equal to 150mm are Ductile Iron DI.
3. Arrangement of the Connection to Existing Pipelines Shall be Verified by the Contractor.


LEGEND:

-  PROPOSED DN-1200mm
 PROPOSED DN-1000mm
 PROPOSED DN-800mm
 PROPOSED DN-600mm
 PROPOSED DN-400mm
 PROPOSED DN-300mm
 PROPOSED DN-250mm
 PROPOSED DN-200mm
 PROPOSED DN-150mm
 PROPOSED OD-125mm
 EXISTING SEWER PIPE
 EXISTING WATER PIPE
 DMA BOUNDARY
 I N F A S P H A L T

④ FLOW METER

CV FLOW CONTROL

 FLOW CONTROL VALVE

 PRESSURE REDUCING VALVE

CONNECTION TYPE CX

*CONNECTION TYPE is shown in Drawing No.ST-01,02

 DISCONNECTION

DISCONNECTION


AR AIR VALVE CHAMBER

WO WASHOUT CHAMBER

 FIRE HYDRANT


 FIRE HYDRANT

 EXISTING MANHOLE

 EXISTING ELECTRICAL POLE

● EXISTING TELEPHONE POLE

EXISTING TELEPHONE POLE

 EXISTING TELEPHONE
MANHOLE

MANHOLE
EXISTING WATER VALVE

—

■ STORM WATER MANHOLE

 ELECTRICAL MANHOLE

EXISTING LIGHT POLE

EXISTING E

 BENCHMARK

					3	4
	6	7	8	9	10	11
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30	31	32	33
	35	36	37	38		
39	40	41	42			
43	44	45				
	46	47				
		48	49			
		50	51			
		52				



KEY PLAN



SCALE 1:1000

REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant

TEC INTERNATIONAL CO., LTD., JAPAN
in association with
ARABTECH JARDANEH, JORDAN

Project Title

THE STUDY FOR BASIC DETAILED DESIGN AND
DRAFT BIDDING DOCUMENTS (COMPONENT B)
UNDER THE PROJECT FOR THE STUDY ON WATER
SECTOR FOR THE HOST COMMUNITIES OF SYRIAN
REFUGEES IN NORTHERN GOVERNORATES IN THE
HASHEMITE KINGDOM OF JORDAN

Drawing Title

Water Network Layout
Gravity System - Package-1
Sheet(15 of 52)

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	Scale	Size	
G-15	1/1000	A1	



NOTES:

1.All Pipelines Diameters Less Than 150mm are PE.

2.All Pipelines Diameters Greater and Equal to 150mm are Ductile Iron DI.

3.Arrangement of the Connection to Existing Pipelines Shall be Verified by the Contractor.

LEGEND:

- PROPOSED DN-1200mm
- PROPOSED DN-1000mm
- PROPOSED DN-800mm
- PROPOSED DN-600mm
- PROPOSED DN-400mm
- PROPOSED DN-300mm
- PROPOSED DN-250mm
- PROPOSED DN-200mm
- PROPOSED DN-150mm
- PROPOSED OD-125mm
- EXISTING SEWER PIPE
- EXISTING WATER PIPE
- DMA BOUNDARY
- LINE ASPHALT
- FLOW METER
- FLOW CONTROL VALVE
- PRESSURE REDUCING VALVE
- CONNECTION TYPE CX
- NORMALLY CLOSED VALVE
- DISCONNECTION
- AIR VALVE CHAMBER
- WASHOUT CHAMBER
- FIRE HYDRANT
- EXISTING MANHOLE
- EXISTING ELECTRICAL POLE
- EXISTING TELEPHONE POLE
- MANHOLE
- EXISTING WATER VALVE
- STORM WATER MANHOLE
- ELECTRICAL MANHOLE
- EXISTING LIGHT POLE
- BENCHMARK

1	2						
3	4	5					
6	7	8	9	10	11	12	
13	14	15	16	17	18	19	
20	21	22	23	24	25	26	
27	28	29	30	31	32	33	34
35	36	37	38				
39	40	41	42				
43	44	45					
46	47						
48	49						
50	51						
52							

N

KEY PLAN

50m 0 25m 50m

SCALE 1:1000

REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant

TEC INTERNATIONAL CO., LTD., JAPAN

in association with

ARABTECH JARDANEH, JORDAN

Project Title

THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN

Drawing Title

Water Network Layout

Gravity System - Package-1

Sheet(16 of 52)

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	G-16	Scale	1/1000
Size	A1		



NOTES:

1.All Pipelines Diameters Less Than 150mm are PE.

2.All Pipelines Diameters Greater and Equal to 150mm are Ductile Iron DI.

3.Arrangement of the Connection to Existing Pipelines Shall be Verified by the Contractor.

LEGEND:

- PROPOSED DN-1200mm
- PROPOSED DN-1000mm
- PROPOSED DN-800mm
- PROPOSED DN-600mm
- PROPOSED DN-400mm
- PROPOSED DN-300mm
- PROPOSED DN-250mm
- PROPOSED DN-200mm
- PROPOSED DN-150mm
- PROPOSED OD-125mm
- EXISTING SEWER PIPE
- EXISTING WATER PIPE
- DMA BOUNDARY
- LINE ASPHALT
- FLOW METER
- FLOW CONTROL VALVE
- PRESSURE REDUCING VALVE
- CONNECTION TYPE CX
- NORMALLY CLOSED VALVE
- DISCONNECTION
- AIR VALVE CHAMBER
- WASHOUT CHAMBER
- FIRE HYDRANT
- EXISTING MANHOLE
- EXISTING ELECTRICAL POLE
- EXISTING TELEPHONE POLE
- EXISTING TELEPHONE MANHOLE
- EXISTING WATER VALVE
- STORM WATER MANHOLE
- ELECTRICAL MANHOLE
- EXISTING LIGHT POLE
- BENCHMARK

1	2						
3	4	5					
6	7	8	9	10	11	12	
13	14	15	16	17	18	19	
20	21	22	23	24	25	26	
27	28	29	30	31	32	33	34
35	36	37	38				
39	40	41	42				
43	44	45					
46	47						
48	49						
50	51						
52							

N

KEY PLAN

50m

025m50m

SCALE 1:1000

REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant

TEC INTERNATIONAL CO., LTD., JAPAN

in association with

ARABTECH JARDANEH, JORDAN

Project Title

THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN

Drawing Title

Water Network Layout

Gravity System - Package-1

Sheet(17 of 52)

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	G-17	Scale	1/1000
		Size	A1



NOTES:

1.All Pipelines Diameters Less Than 150mm are PE.

2.All Pipelines Diameters Greater and Equal to 150mm are Ductile Iron DI.

3.Arrangement of the Connection to Existing Pipelines Shall be Verified by the Contractor.

LEGEND:

- PROPOSED DN-1200mm
- PROPOSED DN-1000mm
- PROPOSED DN-800mm
- PROPOSED DN-600mm
- PROPOSED DN-400mm
- PROPOSED DN-300mm
- PROPOSED DN-250mm
- PROPOSED DN-200mm
- PROPOSED DN-150mm
- PROPOSED OD-125mm
- EXISTING SEWER PIPE
- EXISTING WATER PIPE
- DMA BOUNDARY
- LINE ASPHALT
- FLOW METER
- FLOW CONTROL VALVE
- PRESSURE REDUCING VALVE
- CONNECTION TYPE CX
- NORMALLY CLOSED VALVE
- DISCONNECTION
- AIR VALVE CHAMBER
- WASHOUT CHAMBER
- FIRE HYDRANT
- EXISTING MANHOLE
- EXISTING ELECTRICAL POLE
- EXISTING TELEPHONE POLE
- EXISTING TELEPHONE MANHOLE
- EXISTING WATER VALVE
- STORM WATER MANHOLE
- ELECTRICAL MANHOLE
- EXISTING LIGHT POLE
- BENCHMARK

123456789101112

13141516171819

20212223242526

2728293031323334

35363738

39404142

434445

4647

4849

5051

52

N

KEY PLAN

50m025m50m

SCALE 1:1000

REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant

TEC INTERNATIONAL CO., LTD., JAPAN

in association with

ARABTECH JARDANEH, JORDAN

Project Title

THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN


Drawing Title

Water Network Layout

Gravity System - Package-1

Sheet(18 of 52)

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	G-18	Scale	1/1000
		Size	A1



NOTES:

1.All Pipelines Diameters Less Than 150mm are PE.

2.All Pipelines Diameters Greater and Equal to 150mm are Ductile Iron DI.

3.Arrangement of the Connection to Existing Pipelines Shall be Verified by the Contractor.

LEGEND:

- PROPOSED DN-1200mm
- PROPOSED DN-1000mm
- PROPOSED DN-800mm
- PROPOSED DN-600mm
- PROPOSED DN-400mm
- PROPOSED DN-300mm
- PROPOSED DN-250mm
- PROPOSED DN-200mm
- PROPOSED DN-150mm
- PROPOSED OD-125mm
- EXISTING SEWER PIPE
- EXISTING WATER PIPE
- DMA BOUNDARY
- LINE ASPHALT
- FLOW METER
- FLOW CONTROL VALVE
- PRESSURE REDUCING VALVE
- CONNECTION TYPE CX
- CONNECTION TYPE is shown in Drawing No.ST-01,02
- NORMALLY CLOSED VALVE
- DISCONNECTION
- AIR VALVE CHAMBER
- WASHOUT CHAMBER
- FIRE HYDRANT
- EXISTING MANHOLE
- EXISTING ELECTRICAL POLE
- EXISTING TELEPHONE POLE
- EXISTING TELEPHONE MANHOLE
- EXISTING WATER VALVE
- STORM WATER MANHOLE
- ELECTRICAL MANHOLE
- EXISTING LIGHT POLE
- BENCHMARK

1	2						
3	4	5					
6	7	8	9	10	11	12	
13	14	15	16	17	18	19	
20	21	22	23	24	25	26	
27	28	29	30	31	32	33	34
35	36	37	38				
39	40	41	42				
43	44	45					
46	47						
48	49						
50	51						
52							

N

KEY PLAN

50m

025m50m

SCALE 1:1000

REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant

TEC INTERNATIONAL CO., LTD., JAPAN

in association with

ARABTECH JARDANEH, JORDAN

Project Title

THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN


Drawing Title

Water Network Layout

Gravity System - Package-1

Sheet(19 of 52)

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	G-19	Scale	1/1000
		Size	A1



NOTES:

1.All Pipelines Diameters Less Than 150mm are PE.

2.All Pipelines Diameters Greater and Equal to 150mm are Ductile Iron DI.

3.Arrangement of the Connection to Existing Pipelines Shall be Verified by the Contractor.

LEGEND:

- PROPOSED DN-1200mm
- PROPOSED DN-1000mm
- PROPOSED DN-800mm
- PROPOSED DN-600mm
- PROPOSED DN-400mm
- PROPOSED DN-300mm
- PROPOSED DN-250mm
- PROPOSED DN-200mm
- PROPOSED DN-150mm
- PROPOSED OD-125mm
- EXISTING SEWER PIPE
- EXISTING WATER PIPE
- DMA BOUNDARY
- LINE ASPHALT
- FLOW METER
- FLOW CONTROL VALVE
- PRESSURE REDUCING VALVE
- CONNECTION TYPE CX
- CONNECTION TYPE is shown in Drawing No.ST-01.02
- NORMALLY CLOSED VALVE
- DISCONNECTION
- AIR VALVE CHAMBER
- WASHOUT CHAMBER
- FIRE HYDRANT
- EXISTING MANHOLE
- EXISTING ELECTRICAL POLE
- EXISTING TELEPHONE POLE
- EXISTING TELEPHONE MANHOLE
- EXISTING WATER VALVE
- STORM WATER MANHOLE
- ELECTRICAL MANHOLE
- EXISTING LIGHT POLE
- BENCHMARK

	1	2
	3	4
	5	
6	7	8
9	10	11
12	13	14
15	16	17
18	19	20
21	22	23
24	25	26
27	28	29
30	31	32
33	34	35
36	37	38
39	40	41
42	43	44
45	46	47
48	49	
50	51	
52		

KEY PLAN

0 25m 50m

SCALE 1:1000

REVISIONS			
No.	DESCRIPTION	BY	DATE
Consultant			
TEC INTERNATIONAL CO., LTD., JAPAN			
in association with			
ARABTECH JARDANEH, JORDAN			
Project Title			
THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN			
Drawing Title			
Water Network Layout			
Gravity System - Package-1			
Sheet(22 of 52)			
Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	G-22	Scale	1/1000
		Size	A1



NOTES:

1.All Pipelines Diameters Less Than 150mm are PE.

2.All Pipelines Diameters Greater and Equal to 150mm are Ductile Iron DI.

3.Arrangement of the Connection to Existing Pipelines Shall be Verified by the Contractor.

LEGEND:

- PROPOSED DN-1200mm
- PROPOSED DN-1000mm
- PROPOSED DN-800mm
- PROPOSED DN-600mm
- PROPOSED DN-400mm
- PROPOSED DN-300mm
- PROPOSED DN-250mm
- PROPOSED DN-200mm
- PROPOSED DN-150mm
- PROPOSED OD-125mm
- EXISTING SEWER PIPE
- EXISTING WATER PIPE
- DMA BOUNDARY
- LINE ASPHALT
- FLOW METER
- FLOW CONTROL VALVE
- PRESSURE REDUCING VALVE
- CONNECTION TYPE CX
- CONNECTION TYPE is shown in Drawing No.ST-01,02
- NORMALLY CLOSED VALVE
- DISCONNECTION
- AIR VALVE CHAMBER
- WASHOUT CHAMBER
- FIRE HYDRANT
- EXISTING MANHOLE
- EXISTING ELECTRICAL POLE
- EXISTING TELEPHONE POLE
- EXISTING TELEPHONE MANHOLE
- EXISTING WATER VALVE
- STORM WATER MANHOLE
- ELECTRICAL MANHOLE
- EXISTING LIGHT POLE
- BENCHMARK

	1	2					
	3	4	5				
6	7	8	9	10	11	12	
13	14	15	16	17	18	19	
20	21	22	23	24	25	26	
27	28	29	30	31	32	33	34
	35	36	37	38			
39	40	41	42				
43	44	45					
	46	47					
	48	49					
	50	51					
	52						

N

KEY PLAN

0 25m 50m

SCALE 1:1000

REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant

TEC INTERNATIONAL CO., LTD., JAPAN

in association with

ARABTECH JARDANEH, JORDAN

Project Title

THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN


Drawing Title

Water Network Layout

Gravity System - Package-1

Sheet(23 of 52)

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	G-23	Scale	1/1000
		Size	A1



NOTES:

1.All Pipelines Diameters Less Than 150mm are PE.

2.All Pipelines Diameters Greater and Equal to 150mm are Ductile Iron DI.

3.Arrangement of the Connection to Existing Pipelines Shall be Verified by the Contractor.

LEGEND:

	PROPOSED DN-1200mm
	PROPOSED DN-1000mm
	PROPOSED DN-800mm
	PROPOSED DN-600mm
	PROPOSED DN-400mm
	PROPOSED DN-300mm
	PROPOSED DN-250mm
	PROPOSED DN-200mm
	PROPOSED DN-150mm
	PROPOSED OD-125mm
	EXISTING SEWER PIPE
	EXISTING WATER PIPE
	DMA BOUNDARY
	LINE ASPHALT
	FLOW METER
	FLOW CONTROL VALVE
	PRESSURE REDUCING VALVE
	CONNECTION TYPE CX
	*CONNECTION TYPE is shown in Drawing No.ST-01,02
	NORMALLY CLOSED VALVE
	DISCONNECTION
	AIR VALVE CHAMBER
	WASHOUT CHAMBER
	FIRE HYDRANT
	EXISTING MANHOLE
	EXISTING ELECTRICAL POLE
	EXISTING TELEPHONE POLE
	EXISTING TELEPHONE MANHOLE
	EXISTING WATER VALVE
	STORM WATER MANHOLE
	ELECTRICAL MANHOLE
	EXISTING LIGHT POLE
	BENCHMARK

1	2						
3	4	5					
6	7	8	9	10	11	12	
13	14	15	16	17	18	19	
20	21	22	23	24	25	26	
27	28	29	30	31	32	33	34
	35	36	37	38			
39	40	41	42				
43	44	45					
	46	47					
	48	49					
	50	51					
	52						

KEY PLAN

50m 0 25m 50m

SCALE 1:1000

No.	DESCRIPTION	BY	DATE

Consultant

TEC INTERNATIONAL CO., LTD., JAPAN

in association with

ARABTECH JARDANEH, JORDAN

Project Title

THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN

Drawing Title

Water Network Layout

Gravity System - Package-1

Sheet(24 of 52)

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	G-24	Scale	1/1000
		Size	A1



NOTES:

1.All Pipelines Diameters Less Than 150mm are PE.

2.All Pipelines Diameters Greater and Equal to 150mm are Ductile Iron DI.

3.Arrangement of the Connection to Existing Pipelines Shall be Verified by the Contractor.

LEGEND:

- PROPOSED DN-1200mm
- PROPOSED DN-1000mm
- PROPOSED DN-800mm
- PROPOSED DN-600mm
- PROPOSED DN-400mm
- PROPOSED DN-300mm
- PROPOSED DN-250mm
- PROPOSED DN-200mm
- PROPOSED DN-150mm
- PROPOSED OD-125mm
- EXISTING SEWER PIPE
- EXISTING WATER PIPE
- DMA BOUNDARY
- LINE ASPHALT
- FLOW METER
- FLOW CONTROL VALVE
- PRESSURE REDUCING VALVE
- CONNECTION TYPE CX
- CONNECTION TYPE is shown in Drawing No.ST-01,02
- NORMALLY CLOSED VALVE
- DISCONNECTION
- AIR VALVE CHAMBER
- WASHOUT CHAMBER
- FIRE HYDRANT
- EXISTING MANHOLE
- EXISTING ELECTRICAL POLE
- EXISTING TELEPHONE POLE
- EXISTING TELEPHONE MANHOLE
- EXISTING WATER VALVE
- STORM WATER MANHOLE
- ELECTRICAL MANHOLE
- EXISTING LIGHT POLE
- BENCHMARK

KEY PLAN

50m 0 25m 50m

SCALE 1:1000


REVISIONS												
No.	DESCRIPTION										BY	DATE

Consultant
TEC INTERNATIONAL CO., LTD., JAPAN
in association with
ARABTECH JARDANEH, JORDAN

Project Title
THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN

Drawing Title
Water Network Layout
Gravity System - Package-1
Sheet(25 of 52)

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	G-25	Scale	1/1000
Size	A1		



NOTES:

1.All Pipelines Diameters Less Than 150mm are PE.

2.All Pipelines Diameters Greater and Equal to 150mm are Ductile Iron DI.

3.Arrangement of the Connection to Existing Pipelines Shall be Verified by the Contractor.

LEGEND:

- PROPOSED DN-1200mm
- PROPOSED DN-1000mm
- PROPOSED DN-800mm
- PROPOSED DN-600mm
- PROPOSED DN-400mm
- PROPOSED DN-300mm
- PROPOSED DN-250mm
- PROPOSED DN-200mm
- PROPOSED DN-150mm
- PROPOSED OD-125mm
- EXISTING SEWER PIPE
- EXISTING WATER PIPE
- DMA BOUNDARY
- LINE ASPHALT
- FLOW METER
- FLOW CONTROL VALVE
- PRESSURE REDUCING VALVE
- CONNECTION TYPE CX
- CONNECTION TYPE is shown in Drawing No.ST-01,02
- NORMALLY CLOSED VALVE
- DISCONNECTION
- AIR VALVE CHAMBER
- WASHOUT CHAMBER
- FIRE HYDRANT
- EXISTING MANHOLE
- EXISTING ELECTRICAL POLE
- EXISTING TELEPHONE POLE
- EXISTING TELEPHONE MANHOLE
- EXISTING WATER VALVE
- STORM WATER MANHOLE
- ELECTRICAL MANHOLE
- EXISTING LIGHT POLE
- BENCHMARK

1	2						
3	4	5					
6	7	8	9	10	11	12	
13	14	15	16	17	18	19	
20	21	22	23	24	25	26	
27	28	29	30	31	32	33	34
35	36	37	38				
39	40	41	42				
43	44	45					
46	47						
48	49						
50	51						
52							

KEY PLAN

50m 0 25m 50m

SCALE 1:1000

REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant

TEC INTERNATIONAL CO., LTD., JAPAN

in association with

ARABTECH JARDANEH, JORDAN

Project Title

THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN

Drawing Title

Water Network Layout

Gravity System - Package-1

Sheet(26 of 52)

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	G-26	Scale	1/1000
		Size	A1



NOTES:

1.All Pipelines Diameters Less Than 150mm are PE.

2.All Pipelines Diameters Greater and Equal to 150mm are Ductile Iron DI.

3.Arrangement of the Connection to Existing Pipelines Shall be Verified by the Contractor.

LEGEND:

- PROPOSED DN-1200mm
- PROPOSED DN-1000mm
- PROPOSED DN-800mm
- PROPOSED DN-600mm
- PROPOSED DN-400mm
- PROPOSED DN-300mm
- PROPOSED DN-250mm
- PROPOSED DN-200mm
- PROPOSED DN-150mm
- PROPOSED OD-125mm
- EXISTING SEWER PIPE
- EXISTING WATER PIPE
- DMA BOUNDARY
- LINE ASPHALT
- FLOW METER
- FLOW CONTROL VALVE
- PRESSURE REDUCING VALVE
- CONNECTION TYPE CX
- NORMALLY CLOSED VALVE
- DISCONNECTION
- AIR VALVE CHAMBER
- WASHOUT CHAMBER
- FIRE HYDRANT
- EXISTING MANHOLE
- EXISTING ELECTRICAL POLE
- EXISTING TELEPHONE POLE
- MANHOLE
- EXISTING WATER VALVE
- STORM WATER MANHOLE
- ELECTRICAL MANHOLE
- EXISTING LIGHT POLE
- BENCHMARK

1	2						
3	4	5					
6	7	8	9	10	11	12	
13	14	15	16	17	18	19	
20	21	22	23	24	25	26	
27	28	29	30	31	32	33	34
35	36	37	38				
39	40	41	42				
43	44	45					
46	47						
48	49						
50	51						
52							

KEY PLAN

50m 0 25m 50m

SCALE 1:1000

REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant

TEC INTERNATIONAL CO., LTD., JAPAN

in association with

ARABTECH JARDANEH, JORDAN

Project Title

THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN

Drawing Title

Water Network Layout

Gravity System - Package-1

Sheet(28 of 52)

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	G-28	Scale	1/1000
Size	A1		



NOTES:

1.All Pipelines Diameters Less Than 150mm are PE.

2.All Pipelines Diameters Greater and Equal to 150mm are Ductile Iron DI.

3.Arrangement of the Connection to Existing Pipelines Shall be Verified by the Contractor.

LEGEND:

PROPOSED DN-1200mm

PROPOSED DN-1000mm

PROPOSED DN-800mm

PROPOSED DN-600mm

PROPOSED DN-400mm

PROPOSED DN-300mm

PROPOSED DN-250mm

PROPOSED DN-200mm

PROPOSED DN-150mm

PROPOSED OD-125mm

EXISTING SEWER PIPE

EXISTING WATER PIPE

DMA BOUNDARY

LINE ASPHALT

FLOW METER

FLOW CONTROL VALVE

PRESSURE REDUCING VALVE

CONNECTION TYPE CX

CONNECTION TYPE CX

NORMALLY CLOSED VALVE

DISCONNECTION

AIR VALVE CHAMBER

WASHOUT CHAMBER

FIRE HYDRANT

EXISTING MANHOLE

EXISTING ELECTRICAL POLE

EXISTING TELEPHONE POLE

EXISTING TELEPHONE MANHOLE

EXISTING WATER VALVE

STORM WATER MANHOLE

ELECTRICAL MANHOLE

EXISTING LIGHT POLE

BENCHMARK

1	2						
3	4	5					
6	7	8	9	10	11	12	
13	14	15	16	17	18	19	
20	21	22	23	24	25	26	
27	28	29	30	31	32	33	34
35	36	37	38				
39	40	41	42				
43	44	45					
46	47						
48	49						
50	51						
52							

N

KEY PLAN

50m

0

25m

50m

SCALE 1:1000

REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant

TEC INTERNATIONAL CO., LTD., JAPAN

in association with

ARABTECH JARDANEH, JORDAN

Project Title

THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN

Drawing Title

Water Network Layout

Gravity System - Package-1

Sheet(29 of 52)

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	G-29	Scale	1/1000
		Size	A1



NOTES:

1.All Pipelines Diameters Less Than 150mm are PE.

2.All Pipelines Diameters Greater and Equal to 150mm are Ductile Iron DI.

3.Arrangement of the Connection to Existing Pipelines Shall be Verified by the Contractor.

LEGEND:

- PROPOSED DN-1200mm
- PROPOSED DN-1000mm
- PROPOSED DN-800mm
- PROPOSED DN-600mm
- PROPOSED DN-400mm
- PROPOSED DN-300mm
- PROPOSED DN-250mm
- PROPOSED DN-200mm
- PROPOSED DN-150mm
- PROPOSED OD-125mm
- EXISTING SEWER PIPE
- EXISTING WATER PIPE
- DMA BOUNDARY
- LINE ASPHALT
- FLOW METER
- FLOW CONTROL VALVE
- PRESSURE REDUCING VALVE
- CONNECTION TYPE CX
- CONNECTION TYPE is shown in Drawing No.ST-01.02
- NORMALLY CLOSED VALVE
- DISCONNECTION
- AIR VALVE CHAMBER
- WASHOUT CHAMBER
- FIRE HYDRANT
- EXISTING MANHOLE
- EXISTING ELECTRICAL POLE
- EXISTING TELEPHONE POLE
- EXISTING TELEPHONE MANHOLE
- EXISTING WATER VALVE
- STORM WATER MANHOLE
- ELECTRICAL MANHOLE
- EXISTING LIGHT POLE
- BENCHMARK

	1	2					
	3	4	5				
6	7	8	9	10	11	12	
13	14	15	16	17	18	19	
20	21	22	23	24	25	26	
27	28	29	30	31	32	33	34
	35	36	37	38			
39	40	41	42				
43	44	45					
	46	47					
	48	49					
	50	51					
	52						

N

KEY PLAN

50m 0 25m 50m

SCALE 1:1000

REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant

TEC INTERNATIONAL CO., LTD., JAPAN

in association with

ARABTECH JARDANEH, JORDAN


Drawing Title

Water Network Layout

Gravity System - Package-1

Sheet(31 of 52)

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.		Scale	Size
G-31	1/1000		A1



NOTES:

1.All Pipelines Diameters Less Than 150mm are PE.

2.All Pipelines Diameters Greater and Equal to 150mm are Ductile Iron DI.

3.Arrangement of the Connection to Existing Pipelines Shall be Verified by the Contractor.

LEGEND:

- PROPOSED DN-1200mm
- PROPOSED DN-1000mm
- PROPOSED DN-800mm
- PROPOSED DN-600mm
- PROPOSED DN-400mm
- PROPOSED DN-300mm
- PROPOSED DN-250mm
- PROPOSED DN-200mm
- PROPOSED DN-150mm
- PROPOSED OD-125mm
- EXISTING SEWER PIPE
- EXISTING WATER PIPE
- DMA BOUNDARY
- LINE ASPHALT
- FLOW METER
- FLOW CONTROL VALVE
- PRESSURE REDUCING VALVE
- CONNECTION TYPE CX
- CONNECTION TYPE is shown in Drawing No.ST-01,02
- NORMALLY CLOSED VALVE
- DISCONNECTION
- AIR VALVE CHAMBER
- WASHOUT CHAMBER
- FIRE HYDRANT
- EXISTING MANHOLE
- EXISTING ELECTRICAL POLE
- EXISTING TELEPHONE POLE
- EXISTING TELEPHONE MANHOLE
- EXISTING WATER VALVE
- STORM WATER MANHOLE
- ELECTRICAL MANHOLE
- EXISTING LIGHT POLE
- BENCHMARK

1	2						
3	4	5					
6	7	8	9	10	11	12	
13	14	15	16	17	18	19	
20	21	22	23	24	25	26	
27	28	29	30	31	32	33	34
35	36	37	38				
39	40	41	42				
43	44	45					
46	47						
48	49						
50	51						
52							

KEY PLAN

50m 0 25m 50m

SCALE 1:1000


REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant
TEC INTERNATIONAL CO., LTD., JAPAN
in association with
ARABTECH JARDANEH, JORDAN

Project Title
THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN

Drawing Title
Water Network Layout
Gravity System - Package-1
Sheet(32 of 52)

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	G-32	Scale	1/1000
		Size	A1



NOTES:

1.All Pipelines Diameters Less Than 150mm are PE.

2.All Pipelines Diameters Greater and Equal to 150mm are Ductile Iron DI.

3.Arrangement of the Connection to Existing Pipelines Shall be Verified by the Contractor.

LEGEND:

- PROPOSED DN-1200mm
- PROPOSED DN-1000mm
- PROPOSED DN-800mm
- PROPOSED DN-600mm
- PROPOSED DN-400mm
- PROPOSED DN-300mm
- PROPOSED DN-250mm
- PROPOSED DN-200mm
- PROPOSED DN-150mm
- PROPOSED OD-125mm
- EXISTING SEWER PIPE
- EXISTING WATER PIPE
- DMA BOUNDARY
- LINE ASPHALT
- FLOW METER
- FLOW CONTROL VALVE
- PRESSURE REDUCING VALVE
- CONNECTION TYPE CX
- CONNECTION TYPE IS SHOWN IN Drawing No.ST-01/02
- NORMALLY CLOSED VALVE
- DISCONNECTION
- AIR VALVE CHAMBER
- WASHOUT CHAMBER
- FIRE HYDRANT
- EXISTING MANHOLE
- EXISTING ELECTRICAL POLE
- EXISTING TELEPHONE POLE
- EXISTING TELEPHONE MANHOLE
- EXISTING WATER VALVE
- STORM WATER MANHOLE
- ELECTRICAL MANHOLE
- EXISTING LIGHT POLE
- BENCHMARK

KEY PLAN

50m 0 25m 50m

SCALE 1:1000


REVISIONS		BY	DATE
No.	DESCRIPTION		

Consultant
TEC INTERNATIONAL CO., LTD., JAPAN
in association with
ARABTECH JARDANEH, JORDAN

Project Title
THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B)
UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN

Drawing Title
Water Network Layout
Gravity System - Package-1
Sheet(33 of 52)

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	G-33	Scale	1/1000
		Size	A1



NOTES:

1.All Pipelines Diameters Less Than 150mm are PE.

2.All Pipelines Diameters Greater and Equal to 150mm are Ductile Iron DI.

3.Arrangement of the Connection to Existing Pipelines Shall be Verified by the Contractor.

LEGEND:

- PROPOSED DN-1200mm
- PROPOSED DN-1000mm
- PROPOSED DN-800mm
- PROPOSED DN-600mm
- PROPOSED DN-400mm
- PROPOSED DN-300mm
- PROPOSED DN-250mm
- PROPOSED DN-200mm
- PROPOSED DN-150mm
- PROPOSED OD-125mm
- EXISTING SEWER PIPE
- EXISTING WATER PIPE
- DMA BOUNDARY
- LINE ASPHALT
- FLOW METER
- FLOW CONTROL VALVE
- PRESSURE REDUCING VALVE
- CONNECTION TYPE CX
- NORMALLY CLOSED VALVE
- DISCONNECTION
- AIR VALVE CHAMBER
- WASHOUT CHAMBER
- FIRE HYDRANT
- EXISTING MANHOLE
- EXISTING ELECTRICAL POLE
- EXISTING TELEPHONE POLE
- MANHOLE
- EXISTING WATER VALVE
- STORM WATER MANHOLE
- ELECTRICAL MANHOLE
- EXISTING LIGHT POLE
- BENCHMARK

	1	2					
	3	4	5				
6	7	8	9	10	11	12	
13	14	15	16	17	18	19	
20	21	22	23	24	25	26	
27	28	29	30	31	32	33	34
	35	36	37	38			
39	40	41	42				
43	44	45					
	46	47					
	48	49					
	50	51					
	52						

N

KEY PLAN

50m

0

25m

50m

SCALE 1:1000

REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant

TEC INTERNATIONAL CO., LTD., JAPAN

in association with

ARABTECH JARDANEH, JORDAN

Project Title

THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN


Drawing Title

Water Network Layout

Gravity System - Package-1

Sheet(34 of 52)

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	G-34	Scale	1/1000
		Size	A1



NOTES:

1.All Pipelines Diameters Less Than 150mm are PE.

2.All Pipelines Diameters Greater and Equal to 150mm are Ductile Iron DI.

3.Arrangement of the Connection to Existing Pipelines Shall be Verified by the Contractor.

LEGEND:

- PROPOSED DN-1200mm
- PROPOSED DN-1000mm
- PROPOSED DN-800mm
- PROPOSED DN-600mm
- PROPOSED DN-400mm
- PROPOSED DN-300mm
- PROPOSED DN-250mm
- PROPOSED DN-200mm
- PROPOSED DN-150mm
- PROPOSED OD-125mm
- EXISTING SEWER PIPE
- EXISTING WATER PIPE
- DMA BOUNDARY
- LINE ASPHALT
- FLOW METER
- FLOW CONTROL VALVE
- PRESSURE REDUCING VALVE
- CONNECTION TYPE CX
- CONNECTION TYPE CX NORMALLY CLOSED VALVE
- DISCONNECTION
- AIR VALVE CHAMBER
- WASHOUT CHAMBER
- FIRE HYDRANT
- EXISTING MANHOLE
- EXISTING ELECTRICAL POLE
- EXISTING TELEPHONE POLE
- EXISTING TELEPHONE MANHOLE
- EXISTING WATER VALVE
- STORM WATER MANHOLE
- ELECTRICAL MANHOLE
- EXISTING LIGHT POLE
- BENCHMARK

KEY PLAN

50m 0 25m 50m

SCALE 1:1000

REVISIONS				
No.	DESCRIPTION	BY	DATE	

Consultant

TEC INTERNATIONAL CO., LTD., JAPAN

in association with

ARABTECH JARDANEH, JORDAN

Project Title

THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN


Drawing Title

Water Network Layout

Gravity System - Package-1

Sheet(35 of 52)

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	G-35	Scale	1/1000
		Size	A1



NOTES:

1.All Pipelines Diameters Less Than 150mm are PE.

2.All Pipelines Diameters Greater and Equal to 150mm are Ductile Iron DI.

3.Arrangement of the Connection to Existing Pipelines Shall be Verified by the Contractor.

LEGEND:

- PROPOSED DN-1200mm
- PROPOSED DN-1000mm
- PROPOSED DN-800mm
- PROPOSED DN-600mm
- PROPOSED DN-400mm
- PROPOSED DN-300mm
- PROPOSED DN-250mm
- PROPOSED DN-200mm
- PROPOSED DN-150mm
- PROPOSED OD-125mm
- EXISTING SEWER PIPE
- EXISTING WATER PIPE
- DMA BOUNDARY
- LINE ASPHALT
- FLOW METER
- FLOW CONTROL VALVE
- PRESSURE REDUCING VALVE
- CONNECTION TYPE CX
- CONNECTION TYPE is shown in Drawing No.ST-01,02
- NORMALLY CLOSED VALVE
- DISCONNECTION
- AIR VALVE CHAMBER
- WASHOUT CHAMBER
- FIRE HYDRANT
- EXISTING MANHOLE
- EXISTING ELECTRICAL POLE
- EXISTING TELEPHONE POLE
- EXISTING TELEPHONE MANHOLE
- EXISTING WATER VALVE
- STORM WATER MANHOLE
- ELECTRICAL MANHOLE
- EXISTING LIGHT POLE
- BENCHMARK

1	2						
3	4	5					
6	7	8	9	10	11	12	
13	14	15	16	17	18	19	
20	21	22	23	24	25	26	
27	28	29	30	31	32	33	34
35	36	37	38				
39	40	41	42				
43	44	45					
46	47						
48	49						
50	51						
52							

KEY PLAN

50m 0 25m 50m

SCALE 1:1000

REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant
TEC INTERNATIONAL CO., LTD., JAPAN
in association with
ARABTECH JARDANEH, JORDAN

Project Title
THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN


Drawing Title
Water Network Layout
Gravity System - Package-1
Sheet(36 of 52)

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	G-36	Scale	1/1000
		Size	A1



NOTES:
1.All Pipelines Diameters Less Than 150mm are PE.
2.All Pipelines Diameters Greater and Equal to 150mm are Ductile Iron DI.
3.Arrangement of the Connection to Existing Pipelines Shall be Verified by the Contractor.

- LEGEND:
- PROPOSED DN-1200mm
 - PROPOSED DN-1000mm
 - PROPOSED DN-800mm
 - PROPOSED DN-600mm
 - PROPOSED DN-400mm
 - PROPOSED DN-300mm
 - PROPOSED DN-250mm
 - PROPOSED DN-200mm
 - PROPOSED DN-150mm
 - PROPOSED OD-125mm
 - EXISTING SEWER PIPE
 - EXISTING WATER PIPE
 - DMA BOUNDARY
 - LINE ASPHALT
 - FLOW METER
 - FLOW CONTROL VALVE
 - PRESSURE REDUCING VALVE
 - CONNECTION TYPE CX
 - NORMALLY CLOSED VALVE
 - DISCONNECTION
 - AIR VALVE CHAMBER
 - WASHOUT CHAMBER
 - FIRE HYDRANT
 - EXISTING MANHOLE
 - EXISTING ELECTRICAL POLE
 - EXISTING TELEPHONE POLE
 - EXISTING TELEPHONE MANHOLE
 - EXISTING WATER VALVE
 - STORM WATER MANHOLE
 - ELECTRICAL MANHOLE
 - EXISTING LIGHT POLE
 - BENCHMARK



REVISIONS		
No.	DESCRIPTION	BY DATE

Consultant
TEC INTERNATIONAL CO., LTD., JAPAN
in association with
ARABTECH JARDANEH, JORDAN

Project Title
THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN

Drawing Title
**Water Network Layout
Gravity System - Package-1
Sheet(37 of 52)**

Design By	Reviewed By	Mar.2017
Checked By	Date	
Drawing No.	Scale	Size
G-37	1/1000	A1



NOTES:

1.All Pipelines Diameters Less Than 150mm are PE.

2.All Pipelines Diameters Greater and Equal to 150mm are Ductile Iron DI.

3.Arrangement of the Connection to Existing Pipelines Shall be Verified by the Contractor.

LEGEND:

- PROPOSED DN-1200mm
- PROPOSED DN-1000mm
- PROPOSED DN-800mm
- PROPOSED DN-600mm
- PROPOSED DN-400mm
- PROPOSED DN-300mm
- PROPOSED DN-250mm
- PROPOSED DN-200mm
- PROPOSED DN-150mm
- PROPOSED OD-125mm
- EXISTING SEWER PIPE
- EXISTING WATER PIPE
- DMA BOUNDARY
- LINE ASPHALT
- FLOW METER
- FLOW CONTROL VALVE
- PRESSURE REDUCING VALVE
- CONNECTION TYPE CX
- CONNECTION TYPE is shown in Drawing No.ST-01.02
- NORMALLY CLOSED VALVE
- DISCONNECTION
- AIR VALVE CHAMBER
- WASHOUT CHAMBER
- FIRE HYDRANT
- EXISTING MANHOLE
- EXISTING ELECTRICAL POLE
- EXISTING TELEPHONE POLE
- EXISTING TELEPHONE
- EXISTING WATER VALVE
- STORM WATER MANHOLE
- ELECTRICAL MANHOLE
- EXISTING LIGHT POLE
- BENCHMARK

KEY PLAN

50m 0 25m 50m

SCALE 1:1000

REVISIONS											
No.	DESCRIPTION	BY	DATE								

Consultant
TEC INTERNATIONAL CO., LTD., JAPAN
in association with
ARABTECH JARDANEH, JORDAN

Project Title
THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN

Drawing Title
Water Network Layout
Gravity System - Package-1
Sheet(38 of 52)

Design By	Reviewed By
Checked By	Date
Drawing No.	Scale
G-38	1/1000

Mar.2017	Size
	A1



NOTES:

1.All Pipelines Diameters Less Than 150mm are PE.

2.All Pipelines Diameters Greater and Equal to 150mm are Ductile Iron DI.

3.Arrangement of the Connection to Existing Pipelines Shall be Verified by the Contractor.

LEGEND:

- PROPOSED DN-1200mm
- PROPOSED DN-1000mm
- PROPOSED DN-800mm
- PROPOSED DN-600mm
- PROPOSED DN-400mm
- PROPOSED DN-300mm
- PROPOSED DN-250mm
- PROPOSED DN-200mm
- PROPOSED DN-150mm
- PROPOSED OD-125mm
- EXISTING SEWER PIPE
- EXISTING WATER PIPE
- DMA BOUNDARY
- LINE ASPHALT
- FLOW METER
- FLOW CONTROL VALVE
- PRESSURE REDUCING VALVE
- CONNECTION TYPE CX
- NORMALLY CLOSED VALVE
- DISCONNECTION
- AIR VALVE CHAMBER
- WASHOUT CHAMBER
- FIRE HYDRANT
- EXISTING MANHOLE
- EXISTING ELECTRICAL POLE
- EXISTING TELEPHONE POLE
- EXISTING TELEPHONE MANHOLE
- EXISTING WATER VALVE
- STORM WATER MANHOLE
- ELECTRICAL MANHOLE
- EXISTING LIGHT POLE
- BENCHMARK

1	2						
3	4	5					
6	7	8	9	10	11	12	
13	14	15	16	17	18	19	
20	21	22	23	24	25	26	
27	28	29	30	31	32	33	34
35	36	37	38				
39	40	41	42				
43	44	45					
46	47						
48	49						
50	51						
52							

KEY PLAN

0 25m 50m

SCALE 1:1000


REVISIONS			BY	DATE
No.	DESCRIPTION			

Consultant
TEC INTERNATIONAL CO., LTD., JAPAN
in association with
ARABTECH JARDANEH, JORDAN

Project Title
THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN

Drawing Title
Water Network Layout Gravity System - Package-1
Sheet(39 of 52)

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	G-39	Scale	1/1000
		Size	A1



NOTES:

1.All Pipelines Diameters Less Than 150mm are PE.

2.All Pipelines Diameters Greater and Equal to 150mm are Ductile Iron DI.

3.Arrangement of the Connection to Existing Pipelines Shall be Verified by the Contractor.

LEGEND:

- PROPOSED DN-1200mm
- PROPOSED DN-1000mm
- PROPOSED DN-800mm
- PROPOSED DN-600mm
- PROPOSED DN-400mm
- PROPOSED DN-300mm
- PROPOSED DN-250mm
- PROPOSED DN-200mm
- PROPOSED DN-150mm
- PROPOSED OD-125mm
- EXISTING SEWER PIPE
- EXISTING WATER PIPE
- DMA BOUNDARY
- LINE ASPHALT
- FLOW METER
- FLOW CONTROL VALVE
- PRESSURE REDUCING VALVE
- CONNECTION TYPE CX
- CONNECTION TYPE is shown in Drawing No.ST-01.02
- NORMALLY CLOSED VALVE
- DISCONNECTION
- AIR VALVE CHAMBER
- WASHOUT CHAMBER
- FIRE HYDRANT
- EXISTING MANHOLE
- EXISTING ELECTRICAL POLE
- EXISTING TELEPHONE POLE
- EXISTING TELEPHONE MANHOLE
- EXISTING WATER VALVE
- STORM WATER MANHOLE
- ELECTRICAL MANHOLE
- EXISTING LIGHT POLE
- BENCHMARK

KEY PLAN

50m 0 25m 50m

SCALE 1:1000

REVISIONS				
No.	DESCRIPTION	BY	DATE	

Consultant

TEC INTERNATIONAL CO., LTD., JAPAN

in association with

ARABTECH JARDANEH, JORDAN

Project Title

THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN

Drawing Title

Water Network Layout

Gravity System - Package-1

Sheet(40 of 52)

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.		Scale	Size
G-40	1/1000		A1



NOTES:

1.All Pipelines Diameters Less Than 150mm are PE.

2.All Pipelines Diameters Greater and Equal to 150mm are Ductile Iron DI.

3.Arrangement of the Connection to Existing Pipelines Shall be Verified by the Contractor.

LEGEND:

- PROPOSED DN-1200mm
- PROPOSED DN-1000mm
- PROPOSED DN-800mm
- PROPOSED DN-600mm
- PROPOSED DN-400mm
- PROPOSED DN-300mm
- PROPOSED DN-250mm
- PROPOSED DN-200mm
- PROPOSED DN-150mm
- PROPOSED OD-125mm
- EXISTING SEWER PIPE
- EXISTING WATER PIPE
- DMA BOUNDARY
- LINE ASPHALT
- FLOW METER
- FLOW CONTROL VALVE
- PRESSURE REDUCING VALVE
- CONNECTION TYPE CX
- CONNECTION TYPE is shown in Drawing No.ST-01,02
- NORMALLY CLOSED VALVE
- DISCONNECTION
- AIR VALVE CHAMBER
- WASHOUT CHAMBER
- FIRE HYDRANT
- EXISTING MANHOLE
- EXISTING ELECTRICAL POLE
- EXISTING TELEPHONE POLE
- EXISTING TELEPHONE MANHOLE
- EXISTING WATER VALVE
- STORM WATER MANHOLE
- ELECTRICAL MANHOLE
- EXISTING LIGHT POLE
- BENCHMARK

1	2						
3	4	5					
6	7	8	9	10	11	12	
13	14	15	16	17	18	19	
20	21	22	23	24	25	26	
27	28	29	30	31	32	33	34
35	36	37	38				
39	40	41	42				
43	44	45					
46	47						
48	49						
50	51						
52							

N

KEY PLAN

50m

025m50m

SCALE 1:1000

REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant

TEC INTERNATIONAL CO., LTD., JAPAN

in association with

ARABTECH JARDANEH, JORDAN

Project Title

THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN


Drawing Title

Water Network Layout

Gravity System - Package-1

Sheet(41 of 52)

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	G-41	Scale	1/1000
		Size	A1



NOTES:

- 1.All Pipelines Diameters Less Than 150mm are PE.
- 2.All Pipelines Diameters Greater and Equal to 150mm are Ductile Iron DI.
- 3.Arrangement of the Connection to Existing Pipelines Shall be Verified by the Contractor.

LEGEND:

- PROPOSED DN-1200mm
- PROPOSED DN-1000mm
- PROPOSED DN-800mm
- PROPOSED DN-600mm
- PROPOSED DN-400mm
- PROPOSED DN-300mm
- PROPOSED DN-250mm
- PROPOSED DN-200mm
- PROPOSED DN-150mm
- PROPOSED OD-125mm
- EXISTING SEWER PIPE
- EXISTING WATER PIPE
- DMA BOUNDARY
- LINE ASPHALT
- FLOW METER
- FLOW CONTROL VALVE
- PRESSURE REDUCING VALVE
- CONNECTION TYPE CX
- CONNECTION TYPE is shown in Drawing No.ST-01,02
- NORMALLY CLOSED VALVE
- DISCONNECTION
- AIR VALVE CHAMBER
- WASHOUT CHAMBER
- FIRE HYDRANT
- EXISTING MANHOLE
- EXISTING ELECTRICAL POLE
- EXISTING TELEPHONE POLE
- EXISTING TELEPHONE MANHOLE
- EXISTING WATER VALVE
- STORM WATER MANHOLE
- ELECTRICAL MANHOLE
- EXISTING LIGHT POLE
- BENCHMARK

		1	2			
		3	4	5		
13	14	15	16	17	18	19
20	21	22	23	24	25	26
27	28	29	30	31	32	33
	35	36	37	38		
39	40	41	42			
43	44	45				
	46	47				
		48	49			
		50	51			
		52				

KEY PLAN

50m 0 25m 50m

SCALE 1:1000


REVISIONS			BY	DATE
No.	DESCRIPTION			

Consultant
TEC INTERNATIONAL CO., LTD., JAPAN
 in association with
ARABTECH JARDANEH, JORDAN

Project Title
 THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN

Drawing Title
Water Network Layout
Gravity System - Package-1
Sheet(42 of 52)

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	G-42	Scale	1/1000
		Size	A1



NOTES:

1.All Pipelines Diameters Less Than 150mm are PE.

2.All Pipelines Diameters Greater and Equal to 150mm are Ductile Iron DI.

3.Arrangement of the Connection to Existing Pipelines Shall be Verified by the Contractor.

LEGEND:

- PROPOSED DN-1200mm
- PROPOSED DN-1000mm
- PROPOSED DN-800mm
- PROPOSED DN-600mm
- PROPOSED DN-400mm
- PROPOSED DN-300mm
- PROPOSED DN-250mm
- PROPOSED DN-200mm
- PROPOSED DN-150mm
- PROPOSED OD-125mm
- EXISTING SEWER PIPE
- EXISTING WATER PIPE
- DMA BOUNDARY
- LINE ASPHALT
- FLOW METER
- FLOW CONTROL VALVE
- PRESSURE REDUCING VALVE
- CONNECTION TYPE CX
- NORMALLY CLOSED VALVE
- DISCONNECTION
- AIR VALVE CHAMBER
- WASHOUT CHAMBER
- FIRE HYDRANT
- EXISTING MANHOLE
- EXISTING ELECTRICAL POLE
- EXISTING TELEPHONE POLE
- EXISTING TELEPHONE MANHOLE
- EXISTING WATER VALVE
- STORM WATER MANHOLE
- ELECTRICAL MANHOLE
- EXISTING LIGHT POLE
- BENCHMARK

REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant

TEC INTERNATIONAL CO., LTD., JAPAN

in association with

ARABTECH JARDANEH, JORDAN

Project Title

THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN


Drawing Title

Water Network Layout

Gravity System - Package-1

Sheet(43 of 52)

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	G-43	Scale	1/1000
		Size	A1



NOTES:

1.All Pipelines Diameters Less Than 150mm are PE.

2.All Pipelines Diameters Greater and Equal to 150mm are Ductile Iron DI.

3.Arrangement of the Connection to Existing Pipelines Shall be Verified by the Contractor.

LEGEND:

- PROPOSED DN-1200mm
- PROPOSED DN-1000mm
- PROPOSED DN-800mm
- PROPOSED DN-600mm
- PROPOSED DN-400mm
- PROPOSED DN-300mm
- PROPOSED DN-250mm
- PROPOSED DN-200mm
- PROPOSED DN-150mm
- PROPOSED OD-125mm
- EXISTING SEWER PIPE
- EXISTING WATER PIPE
- DMA BOUNDARY
- LINE ASPHALT
- FLOW METER
- FLOW CONTROL VALVE
- PRESSURE REDUCING VALVE
- CONNECTION TYPE CX
- CONNECTION TYPE is shown in Drawing No.ST-01,02
- NORMALLY CLOSED VALVE
- DISCONNECTION
- AIR VALVE CHAMBER
- WASHOUT CHAMBER
- FIRE HYDRANT
- EXISTING MANHOLE
- EXISTING ELECTRICAL POLE
- EXISTING TELEPHONE POLE
- EXISTING TELEPHONE MANHOLE
- EXISTING WATER VALVE
- STORM WATER MANHOLE
- ELECTRICAL MANHOLE
- EXISTING LIGHT POLE
- BENCHMARK

	1	2
	3	4
	5	
6	7	8
9	10	11
12	13	14
15	16	17
18	19	20
21	22	23
24	25	26
27	28	29
30	31	32
33	34	35
36	37	38
39	40	41
42	43	44
45	46	47
48	49	
50	51	
52		

N

KEY PLAN

50m

0

25m

50m

SCALE 1:1000

REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant

TEC INTERNATIONAL CO., LTD., JAPAN

in association with

ARABTECH JARDANEH, JORDAN

Project Title

THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN


Drawing Title

Water Network Layout

Gravity System - Package-1

Sheet(44 of 52)

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	G-44	Scale	1/1000
		Size	A1



NOTES:

1.All Pipelines Diameters Less Than 150mm are PE.

2.All Pipelines Diameters Greater and Equal to 150mm are Ductile Iron DI.

3.Arrangement of the Connection to Existing Pipelines Shall be Verified by the Contractor.

LEGEND:

- PROPOSED DN-1200mm
- PROPOSED DN-1000mm
- PROPOSED DN-800mm
- PROPOSED DN-600mm
- PROPOSED DN-400mm
- PROPOSED DN-300mm
- PROPOSED DN-250mm
- PROPOSED DN-200mm
- PROPOSED DN-150mm
- PROPOSED OD-125mm
- EXISTING SEWER PIPE
- EXISTING WATER PIPE
- DMA BOUNDARY
- LINE ASPHALT
- FLOW METER
- FLOW CONTROL VALVE
- PRESSURE REDUCING VALVE
- CONNECTION TYPE CX
- NORMALLY CLOSED VALVE
- DISCONNECTION
- AIR VALVE CHAMBER
- WASHOUT CHAMBER
- FIRE HYDRANT
- EXISTING MANHOLE
- EXISTING ELECTRICAL POLE
- EXISTING TELEPHONE POLE
- EXISTING TELEPHONE MANHOLE
- EXISTING WATER VALVE
- STORM WATER MANHOLE
- ELECTRICAL MANHOLE
- EXISTING LIGHT POLE
- BENCHMARK

	1	2					
	3	4	5				
6	7	8	9	10	11	12	
13	14	15	16	17	18	19	
20	21	22	23	24	25	26	
27	28	29	30	31	32	33	34
	35	36	37	38			
39	40	41	42				
43	44	45					
	46	47					
		48	49				
		50	51				
		52					

N

KEY PLAN

50m 0 25m 50m

SCALE 1:1000

REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant

TEC INTERNATIONAL CO., LTD., JAPAN

in association with

ARABTECH JARDANEH, JORDAN

Project Title

THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN


Drawing Title

Water Network Layout

Gravity System - Package-1

Sheet(45 of 52)

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	G-45	Scale	1/1000
		Size	A1



NOTES:

1.All Pipelines Diameters Less Than 150mm are PE.

2.All Pipelines Diameters Greater and Equal to 150mm are Ductile Iron DI.

3.Arrangement of the Connection to Existing Pipelines Shall be Verified by the Contractor.

LEGEND:

- PROPOSED DN-1200mm
- PROPOSED DN-1000mm
- PROPOSED DN-800mm
- PROPOSED DN-600mm
- PROPOSED DN-400mm
- PROPOSED DN-300mm
- PROPOSED DN-250mm
- PROPOSED DN-200mm
- PROPOSED DN-150mm
- PROPOSED OD-125mm
- EXISTING SEWER PIPE
- EXISTING WATER PIPE
- DMA BOUNDARY
- LINE ASPHALT
- FLOW METER
- FLOW CONTROL VALVE
- PRESSURE REDUCING VALVE
- CONNECTION TYPE CX
- NORMALLY CLOSED VALVE
- DISCONNECTION
- AIR VALVE CHAMBER
- WASHOUT CHAMBER
- FIRE HYDRANT
- EXISTING MANHOLE
- EXISTING ELECTRICAL POLE
- EXISTING TELEPHONE POLE
- EXISTING TELEPHONE MANHOLE
- EXISTING WATER VALVE
- STORM WATER MANHOLE
- ELECTRICAL MANHOLE
- EXISTING LIGHT POLE
- BENCHMARK

1	2						
3	4	5					
6	7	8	9	10	11	12	
13	14	15	16	17	18	19	
20	21	22	23	24	25	26	
27	28	29	30	31	32	33	34
	35	36	37	38			
39	40	41	42				
43	44	45					
	46	47					
		48	49				
		50	51				
			52				

N

KEY PLAN

50m

025m50m

SCALE 1:1000

REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant

TEC INTERNATIONAL CO., LTD., JAPAN

in association with

ARABTECH JARDANEH, JORDAN

Project Title

THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN

Drawing Title


Water Network Layout

Gravity System - Package-1

Sheet(46 of 52)

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	G-46	Scale	1/1000
		Size	A1

GR-04



NOTES:

1.All Pipelines Diameters Less Than 150mm are PE.

2.All Pipelines Diameters Greater and Equal to 150mm are Ductile Iron DI.

3.Arrangement of the Connection to Existing Pipelines Shall be Verified by the Contractor.

LEGEND:

- PROPOSED DN-1200mm
- PROPOSED DN-1000mm
- PROPOSED DN-800mm
- PROPOSED DN-600mm
- PROPOSED DN-400mm
- PROPOSED DN-300mm
- PROPOSED DN-250mm
- PROPOSED DN-200mm
- PROPOSED DN-150mm
- PROPOSED OD-125mm
- EXISTING SEWER PIPE
- EXISTING WATER PIPE
- DMA BOUNDARY
- LINE ASPHALT
- FLOW METER
- FLOW CONTROL VALVE
- PRESSURE REDUCING VALVE
- CONNECTION TYPE CX
- NORMALLY CLOSED VALVE
- DISCONNECTION
- AIR VALVE CHAMBER
- WASHOUT CHAMBER
- FIRE HYDRANT
- EXISTING MANHOLE
- EXISTING ELECTRICAL POLE
- EXISTING TELEPHONE POLE
- EXISTING TELEPHONE MANHOLE
- EXISTING WATER VALVE
- STORM WATER MANHOLE
- ELECTRICAL MANHOLE
- EXISTING LIGHT POLE
- BENCHMARK

1	2						
3	4	5					
6	7	8	9	10	11	12	
13	14	15	16	17	18	19	
20	21	22	23	24	25	26	
27	28	29	30	31	32	33	34
35	36	37	38				
39	40	41	42				
43	44	45					
46	47						
48	49						
50	51						
52							

N

KEY PLAN

50m 0 25m 50m

SCALE 1:1000

REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant

TEC INTERNATIONAL CO., LTD., JAPAN

in association with

ARABTECH JARDANEH, JORDAN

Project Title

THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN


Drawing Title

Water Network Layout

Gravity System - Package-1

Sheet(47 of 52)

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	G-47	Scale	1/1000
		Size	A1



NOTES:

1.All Pipelines Diameters Less Than 150mm are PE.

2.All Pipelines Diameters Greater and Equal to 150mm are Ductile Iron DI.

3.Arrangement of the Connection to Existing Pipelines Shall be Verified by the Contractor.

LEGEND:

- PROPOSED DN-1200mm
- PROPOSED DN-1000mm
- PROPOSED DN-800mm
- PROPOSED DN-600mm
- PROPOSED DN-400mm
- PROPOSED DN-300mm
- PROPOSED DN-250mm
- PROPOSED DN-200mm
- PROPOSED DN-150mm
- PROPOSED OD-125mm
- EXISTING SEWER PIPE
- EXISTING WATER PIPE
- DMA BOUNDARY
- LINE ASPHALT
- FLOW METER
- FLOW CONTROL VALVE
- PRESSURE REDUCING VALVE
- CONNECTION TYPE CX
- CONNECTION TYPE CX
- NORMALLY CLOSED VALVE
- DISCONNECTION
- AIR VALVE CHAMBER
- WASHOUT CHAMBER
- FIRE HYDRANT
- EXISTING MANHOLE
- EXISTING ELECTRICAL POLE
- EXISTING TELEPHONE POLE
- EXISTING TELEPHONE MANHOLE
- EXISTING WATER VALVE
- STORM WATER MANHOLE
- ELECTRICAL MANHOLE
- EXISTING LIGHT POLE
- BENCHMARK

1	2						
3	4	5					
6	7	8	9	10	11	12	
13	14	15	16	17	18	19	
20	21	22	23	24	25	26	
27	28	29	30	31	32	33	34
35	36	37	38				
39	40	41	42				
43	44	45					
46	47						
48	49						
50	51						
52							

KEY PLAN

50m 0 25m 50m

SCALE 1:1000

REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant
TEC INTERNATIONAL CO., LTD., JAPAN
in association with
ARABTECH JARDANEH, JORDAN

Project Title
THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN

Drawing Title
Water Network Layout
Gravity System - Package-1
Sheet(48 of 52)

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	G-48	Scale	1/1000
		Size	A1



NOTES:

1.All Pipelines Diameters Less Than 150mm are PE.

2.All Pipelines Diameters Greater and Equal to 150mm are Ductile Iron DI.

3.Arrangement of the Connection to Existing Pipelines Shall be Verified by the Contractor.

LEGEND:

- PROPOSED DN-1200mm
- PROPOSED DN-1000mm
- PROPOSED DN-800mm
- PROPOSED DN-600mm
- PROPOSED DN-400mm
- PROPOSED DN-300mm
- PROPOSED DN-250mm
- PROPOSED DN-200mm
- PROPOSED DN-150mm
- PROPOSED OD-125mm
- EXISTING SEWER PIPE
- EXISTING WATER PIPE
- DMA BOUNDARY
- LINE ASPHALT
- FLOW METER
- FLOW CONTROL VALVE
- PRESSURE REDUCING VALVE
- CONNECTION TYPE CX
- CONNECTION TYPE is shown in Drawing No.ST-01,02
- NORMALLY CLOSED VALVE
- DISCONNECTION
- AIR VALVE CHAMBER
- WASHOUT CHAMBER
- FIRE HYDRANT
- EXISTING MANHOLE
- EXISTING ELECTRICAL POLE
- EXISTING TELEPHONE POLE
- EXISTING TELEPHONE MANHOLE
- EXISTING WATER VALVE
- STORM WATER MANHOLE
- ELECTRICAL MANHOLE
- EXISTING LIGHT POLE
- BENCHMARK

	1	2					
	3	4	5				
6	7	8	9	10	11	12	
13	14	15	16	17	18	19	
20	21	22	23	24	25	26	
27	28	29	30	31	32	33	34
	35	36	37	38			
39	40	41	42				
43	44	45					
	46	47					
	48	49					
	50	51					
	52						

N

KEY PLAN

50m 0 25m 50m

SCALE 1:1000

REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant

TEC INTERNATIONAL CO., LTD., JAPAN

in association with

ARABTECH JARDANEH, JORDAN

Project Title

THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN


Drawing Title

Water Network Layout

Gravity System - Package-1

Sheet(49 of 52)

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	G-49	Scale	1/1000
		Size	A1



NOTES:

1.All Pipelines Diameters Less Than 150mm are PE.

2.All Pipelines Diameters Greater and Equal to 150mm are Ductile Iron DI.

3.Arrangement of the Connection to Existing Pipelines Shall be Verified by the Contractor.

LEGEND:

	PROPOSED DN-1200mm
	PROPOSED DN-1000mm
	PROPOSED DN-800mm
	PROPOSED DN-600mm
	PROPOSED DN-400mm
	PROPOSED DN-300mm
	PROPOSED DN-250mm
	PROPOSED DN-200mm
	PROPOSED DN-150mm
	PROPOSED OD-125mm
	EXISTING SEWER PIPE
	EXISTING WATER PIPE
	DMA BOUNDARY
	LINE ASPHALT
	FLOW METER
	FLOW CONTROL VALVE
	PRESSURE REDUCING VALVE
	CONNECTION TYPE CX
	CONNECTION TYPE is shown in Drawing No.ST-01.02
	NORMALLY CLOSED VALVE
	DISCONNECTION
	AIR VALVE CHAMBER
	WASHOUT CHAMBER
	FIRE HYDRANT
	EXISTING MANHOLE
	EXISTING ELECTRICAL POLE
	EXISTING TELEPHONE POLE
	EXISTING TELEPHONE MANHOLE
	EXISTING WATER VALVE
	STORM WATER MANHOLE
	ELECTRICAL MANHOLE
	EXISTING LIGHT POLE
	BENCHMARK

KEY PLAN

50m 0 25m 50m

SCALE 1:1000

No.	DESCRIPTION	BY	DATE

Consultant

TEC INTERNATIONAL CO., LTD., JAPAN

in association with

ARABTECH JARDANEH, JORDAN

Project Title

THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN


Drawing Title

Water Network Layout

Gravity System - Package-1

Sheet(50 of 52)

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	G-50	Scale	1/1000
		Size	A1



NOTES:

- 1.All Pipelines Diameters Less Than 150mm are PE.
- 2.All Pipelines Diameters Greater and Equal to 150mm are Ductile Iron DI.
- 3.Arrangement of the Connection to Existing Pipelines Shall be Verified by the Contractor.

LEGEND:

- PROPOSED DN-1200mm
- PROPOSED DN-1000mm
- PROPOSED DN-800mm
- PROPOSED DN-600mm
- PROPOSED DN-400mm
- PROPOSED DN-300mm
- PROPOSED DN-250mm
- PROPOSED DN-200mm
- PROPOSED DN-150mm
- PROPOSED OD-125mm
- EXISTING SEWER PIPE
- EXISTING WATER PIPE
- DMA BOUNDARY
- LINE ASPHALT
- FLOW METER
- FLOW CONTROL VALVE
- PRESSURE REDUCING VALVE
- CONNECTION TYPE CX
- CONNECTION TYPE is shown in Drawing No.ST-01,02
- NORMALLY CLOSED VALVE
- DISCONNECTION
- AIR VALVE CHAMBER
- WASHOUT CHAMBER
- FIRE HYDRANT
- EXISTING MANHOLE
- EXISTING ELECTRICAL POLE
- EXISTING TELEPHONE POLE
- EXISTING TELEPHONE MANHOLE
- EXISTING WATER VALVE
- STORM WATER MANHOLE
- ELECTRICAL MANHOLE
- EXISTING LIGHT POLE
- BENCHMARK

	1	2
	3	4
	5	
6	7	8
9	10	11
12	13	14
15	16	17
18	19	20
21	22	23
24	25	26
27	28	29
30	31	32
33	34	35
36	37	38
39	40	41
42	43	44
45	46	47
48	49	50
51	52	

N

KEY PLAN

50m 0 25m 50m

SCALE 1:1000

REVISIONS		
No.	DESCRIPTION	BY DATE

Consultant

TEC INTERNATIONAL CO., LTD., JAPAN

in association with

ARABTECH JARDANEH, JORDAN

Project Title

THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN



Drawing Title

Water Network Layout

Gravity System - Package-1

Sheet(51 of 52)

Design By	Reviewed By
Checked By	Date
Drawing No.	Mar.2017
Scale	Size
1/1000	A1



LEGEND:

AIR VALVE

WASHOUT

ENCASEMENT OF WATER/SEWER
PIPELINES AT CLOSE TO SEWER LINES

*SEE Drawing No.ST-14

NOTES:

Minimum depth of pipeline (top level) shall be 1.0m
for Municipality Roads and 2.0m for MoPWH Roads

40m

0

20m

40m

HORIZONTAL SCALE 1:1000

4m

0

2m

4m

VERTICAL SCALE 1:100

REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant

TEC INTERNATIONAL CO., LTD., JAPAN

in association with

ARABTECH JARDANEH, JORDAN

Project Title



THE STUDY FOR BASIC DETAILED DESIGN AND
DRAFT BIDDING DOCUMENTS (COMPONENT B)
UNDER THE PROJECT FOR THE STUDY ON WATER
SECTOR FOR THE HOST COMMUNITIES OF SYRIAN
REFUGEES IN NORTHERN GOVERNORATES IN THE
HASEMITE KINGDOM OF JORDAN

Drawing Title

GRAVITY SYSTEM

Profile of Line PKG1-A from Sta.0+00 to 1+040.00

Design By		Reviewed By	
Checked By		Date	Mar. 2017
Drawing No.	PRG-01	Scale	H:1/1000 V:1/100
		Size	A1



LEGEND:

AIR VALVE

WASHOUT

ENCASEMENT OF WATER/SEWER

PIPELINES AT CLOSE TO SEWER LINES

*SEE Drawing No.ST-14

NOTES:

Minimum depth of pipeline (top level) shall be 1.0m for Municipality Roads and 2.0m for MoPWH Roads

40m

0

20m

40m

HORIZONTAL SCALE 1:1000

4m

0

2m

4m

VERTICAL SCALE 1:100

REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant

TEC INTERNATIONAL CO., LTD., JAPAN

in association with

ARABTECH JARDANEH, JORDAN

Project Title



THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN

Drawing Title

GRAVITY SYSTEM

Profile of Line PKG1-A from Sta. 1+040.00 to 2+160.00

Design By		Reviewed By	
Checked By		Date	Mar. 2017
Drawing No.	PRG-02	Scale	H:1/1000 V:1/100
		Size	A1



LEGEND:

AIR VALVE

WASHOUT

ENCASEMENT OF WATER/SEWER

PIPELINES AT CLOSE TO SEWER LINES

*SEE Drawing No.ST-14

NOTES:

Minimum depth of pipeline (top level) shall be 1.0m for Municipality Roads and 2.0m for MoPWH Roads

40m 0 20m 40m

HORIZONTAL SCALE 1:1000

4m 0 2m 4m

VERTICAL SCALE 1:100

REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant

TEC INTERNATIONAL CO., LTD., JAPAN

in association with

ARABTECH JARDANEH, JORDAN

Project Title

THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN

Drawing Title



GRAVITY SYSTEM

Profile of Line PKG1-A from Sta. 2+160.00 to 3+340.00

Design By	Reviewed By

Checked By	Date	Mar. 2017

Drawing No.	Scale	H:1/1000	Size
PRG-03	Scale	V:1/100	A1




LEGEND:

- ✕ AIR VALVE
- ✕ WASHOUT
- ENCASEMENT OF WATER/SEWER PIPELINES AT CLOSE TO SEWER LINES
- *SEE Drawing No.ST-14

NOTES:

Minimum depth of pipeline (top level) shall be 1.0m for Municipality Roads and 2.0m for MoPWH Roads





REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant
TEC INTERNATIONAL CO., LTD., JAPAN
in association with
ARABTECH JARDANEH, JORDAN

Project Title
THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN

Drawing Title
GRAVITY SYSTEM
Profile of Line PKG1-A from Sta. 3+340.00 to 4+490.00

Design By		Reviewed By	
Checked By		Date	Mar. 2017
Drawing No.	PRG-04	Scale	H:1/1000 V:1/100
		Size	A1



LEGEND:

- AIR VALVE
- WASHOUT
- ENCASEMENT OF WATER/SEWER
- PIPELINES AT CLOSE TO SEWER LINES
- *SEE Drawing No.ST-14

NOTES:

Minimum depth of pipeline (top level) shall be 1.0m for Municipality Roads and 2.0m for MoPWH Roads

Scale

HORIZONTAL SCALE 1:1000

VERTICAL SCALE 1:100

REVISIONS

No.	DESCRIPTION	BY	DATE

Consultant

TEC INTERNATIONAL CO., LTD., JAPAN

in association with

ARABTECH JARDANEH, JORDAN

Project Title

THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN

Drawing Title



GRAVITY SYSTEM

Profile of Line PKG1-A from Sta. 4+490.00 to 5+680.00

Design By	Reviewed By

Checked By	Date	Mar. 2017

Drawing No.	Scale	H:1/1000	V:1/100	Size
PRG-05				A1




LEGEND:



- AIR VALVE
- WASHOUT
- ENCASEMENT OF WATER/SEWER
- PIPELINES AT CLOSE TO SEWER LINES
- *SEE Drawing No.ST-14

NOTES:

Minimum depth of pipeline (top level) shall be 1.0m for Municipality Roads and 2.0m for MoPWH Roads



REVISIONS			
No.	DESCRIPTION	BY	DATE
Consultant			
TEC INTERNATIONAL CO., LTD., JAPAN			
in association with			
ARABTECH JARDANEH, JORDAN			
Project Title			
THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN			
Drawing Title			
GRAVITY SYSTEM			
Profile of Line PKG1-A from Sta. 5+680.00 to 6+795.00			
Design By		Reviewed By	
Checked By		Date	Mar. 2017
Drawing No.	PRG-06	Scale	H:1/1000 V:1/100
		Size	A1




LEGEND:

- AIR VALVE
- WASHOUT
- ENCASEMENT OF WATER/SEWER PIPELINES AT CLOSE TO SEWER LINES
- *SEE Drawing No.ST-14

NOTES:

Minimum depth of pipeline (top level) shall be 1.0m for Municipality Roads and 2.0m for MoPWH Roads






REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant
TEC INTERNATIONAL CO., LTD., JAPAN
in association with
ARABTECH JARDANEH, JORDAN

Project Title
THE STUDY FOR BASIC DETAILED DESIGN AND
DRAFT BIDDING DOCUMENTS (COMPONENT B)
UNDER THE PROJECT FOR THE STUDY ON WATER
SECTOR FOR THE HOST COMMUNITIES OF SYRIAN
REFUGEES IN NORTHERN GOVERNORATES IN THE
HASHEMITE KINGDOM OF JORDAN

Drawing Title
GRAVITY SYSTEM
Profile of Line PKG1-A from Sta. 6+795.00 to 7+875.00


Design By		Reviewed By	
Checked By		Date	Mar. 2017
Drawing No.	PRG-07	Scale	H:1/1000 V:1/100
		Size	A1



- LEGEND:
- AIR VALVE
 - WASHOUT
 - ENCASEMENT OF WATER/SEWER
 - PIPELINES AT CLOSE TO SEWER LINES
 - *SEE Drawing No.ST-14

NOTES:

Minimum depth of pipeline (top level) shall be 1.0m for Municipality Roads and 2.0m for MoPWH Roads



REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant

TEC INTERNATIONAL CO., LTD., JAPAN



in association with

ARABTECH JARDANEH, JORDAN

Project Title

THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN

Drawing Title			
GRAVITY SYSTEM			
Profile of Line PKG1-A2 from Sta. 0+00 to 0+510.59			
Profile of Line PKG1-A2-1 from Sta. 0+000 to 0+152.23			
Profile of Line PKG1-A3 from Sta. 0+00 to 0+295.00			
Design By		Reviewed By	
Checked By		Date	Mar. 2017
Drawing No.	PRG-09	Scale	H:1/1000 V:1/100
		Size	A1




LEGEND:

- AIR VALVE
- WASHOUT
- ENCASEMENT OF WATER/SEWER
- PIPELINES AT CLOSE TO SEWER LINES
- *SEE Drawing No.ST-14

NOTES:

Minimum depth of pipeline (top level) shall be 1.0m for Municipality Roads and 2.0m for MoPWH Roads





REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant
TEC INTERNATIONAL CO., LTD., JAPAN
in association with
ARABTECH JARDANEH, JORDAN

Project Title
THE STUDY FOR BASIC DETAILED DESIGN AND
DRAFT BIDDING DOCUMENTS (COMPONENT B)
UNDER THE PROJECT FOR THE STUDY ON WATER
SECTOR FOR THE HOST COMMUNITIES OF SYRIAN
REFUGEES IN NORTHERN GOVERNORATES IN THE
HASEMITE KINGDOM OF JORDAN

Drawing Title
GRAVITY SYSTEM
Profile of Line PKG1-A-3 from Sta. 0+295.00 to 1+314.92


Design By		Reviewed By	
Checked By		Date	Mar. 2017
Drawing No.	PRG-10	Scale	H:1/1000 V:1/100
		Size	A1



- LEGEND:
- AIR VALVE
 - WASHOUT
 - ENCASEMENT OF WATER/SEWER PIPELINES AT CLOSE TO SEWER LINES
 - *SEE Drawing No.ST-14

NOTES:

Minimum depth of pipeline (top level) shall be 1.0m for Municipality Roads and 2.0m for MoPWH Roads





REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant
TEC INTERNATIONAL CO., LTD., JAPAN
in association with
ARABTECH JARDANEH, JORDAN

Project Title
THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN

Drawing Title
GRAVITY SYSTEM
Profile of Line PKG1-A-3 from Sta.1+314.92 to 2+400.00

Design By		Reviewed By	
Checked By		Date	Mar. 2017
Drawing No.	PRG-11	Scale	H:1/1000 V:1/100
		Size	A1



LEGEND:

AIR VALVE

WASHOUT

ENCASEMENT OF WATER/SEWER
PIPELINES AT CLOSE TO SEWER LINES

*SEE Drawing No.ST-14

NOTES:

Minimum depth of pipeline (top level) shall be 1.0m
for Municipality Roads and 2.0m for MoPWH Roads

40m

0

20m

40m

HORIZONTAL SCALE 1:1000

4m

0

2m

4m

VERTICAL SCALE 1:100

REVISIONS

No.	DESCRIPTION	BY	DATE

Consultant

TEC INTERNATIONAL CO., LTD., JAPAN

in association with

ARABTECH JARDANEH, JORDAN

Project Title

THE STUDY FOR BASIC DETAILED DESIGN AND
DRAFT BIDDING DOCUMENTS (COMPONENT B)
UNDER THE PROJECT FOR THE STUDY ON WATER
SECTOR FOR THE HOST COMMUNITIES OF SYRIAN
REFUGEES IN NORTHERN GOVERNORATES IN THE
HASHEMITE KINGDOM OF JORDAN

Drawing Title

GRAVITY SYSTEM

Profile of Line PKG1-A-4 from Sta.0+545.00 to 1+650.00

Design By

Reviewed By

Checked By

Date

Mar. 2017

Drawing No.




PRG-14

Scale

H:1/1000
V:1/100

Size

A1




LEGEND:




- AIR VALVE
- WASHOUT
- ENCASEMENT OF WATER/SEWER
- PIPELINES AT CLOSE TO SEWER LINES
- *SEE Drawing No.ST-14

NOTES:

Minimum depth of pipeline (top level) shall be 1.0m for Municipality Roads and 2.0m for MoPWH Roads



REVISIONS			
No.	DESCRIPTION	BY	DATE
Consultant			
TEC INTERNATIONAL CO., LTD., JAPAN			
in association with			
ARABTECH JARDANEH, JORDAN			
Project Title			
THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN			
Drawing Title			
GRAVITY SYSTEM			
Profile of Line PKG1-A-4 from Sta.1+650.00 to 2+374.54 ,PKG1-B			
Design By		Reviewed By	
Checked By		Date	Mar. 2017
Drawing No.	PRG-15	Scale	H:1/1000 V:1/100
		Size	A1




LEGEND:



- ⌵ AIR VALVE
- ⌵ WASHOUT
- ENCASEMENT OF WATER/SEWER
- PIPELINES AT CLOSE TO SEWER LINES
- *SEE Drawing No.ST-14

NOTES:

Minimum depth of pipeline (top level) shall be 1.0m for Municipality Roads and 2.0m for MoPWH Roads



REVISIONS			
No.	DESCRIPTION	BY	DATE
Consultant			
TEC INTERNATIONAL CO., LTD., JAPAN			
in association with			
ARABTECH JARDANEH, JORDAN			
Project Title			
THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN			
Drawing Title			
GRAVITY SYSTEM			
Profile of Line PKG1-C,PKG1-C-1			
Design By		Reviewed By	
Checked By		Date	Mar. 2017
Drawing No.	PRG-16	Scale	H:1/1000 V:1/100
		Size	A1




LEGEND:

- AIR VALVE
- WASHOUT
- ENCASEMENT OF WATER/SEWER PIPELINES AT CLOSE TO SEWER LINES
- *SEE Drawing No.ST-14

NOTES:

Minimum depth of pipeline (top level) shall be 1.0m for Municipality Roads and 2.0m for MoPWH Roads





REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant
TEC INTERNATIONAL CO., LTD., JAPAN
in association with
ARABTECH JARDANEH, JORDAN

Project Title
THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN

Drawing Title
GRAVITY SYSTEM
Profile of Line PKG1-D,from Sta. 0+000 to 1+135.00

Design By		Reviewed By	
Checked By		Date	Mar. 2017
Drawing No.	PRG-17	Scale	H:1/1000 V:1/100
		Size	A1




LEGEND:

- ⌵ AIR VALVE
- ⌵ WASHOUT
- ENCASEMENT OF WATER/SEWER
- PIPELINES AT CLOSE TO SEWER LINES
- *SEE Drawing No.ST-14

NOTES:

Minimum depth of pipeline (top level) shall be 1.0m for Municipality Roads and 2.0m for MoPWH Roads






REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant
TEC INTERNATIONAL CO., LTD., JAPAN
in association with
ARABTECH JARDANEH, JORDAN





Project Title
THE STUDY FOR BASIC DETAILED DESIGN AND
DRAFT BIDDING DOCUMENTS (COMPONENT B)
UNDER THE PROJECT FOR THE STUDY ON WATER
SECTOR FOR THE HOST COMMUNITIES OF SYRIAN
REFUGEES IN NORTHERN GOVERNORATES IN THE
HASHEMITE KINGDOM OF JORDAN

Drawing Title
GRAVITY SYSTEM
Profile of Line PKG1-D,from Sta. 1+135.00 to 2+215.00

Design By		Reviewed By	
Checked By		Date	Mar. 2017
Drawing No. PRG-18	Scale H:1/1000 V:1/100	Size A1	




LEGEND:

-  AIR VALVE
-  WASHOUT
-  ENCASEMENT OF WATER/SEWER
-  PIPELINES AT CLOSE TO SEWER LINES
- *SEE Drawing No.ST-14

NOTES:

Minimum depth of pipeline (top level) shall be 1.0m for Municipality Roads and 2.0m for MoPWH Roads





REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant
TEC INTERNATIONAL CO., LTD., JAPAN
in association with
ARABTECH JARDANEH, JORDAN

Project Title
THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN

Drawing Title
GRAVITY SYSTEM
Profile of Line PKG1-D from Sta. 2+215.00 to 2+347.39
PKG1-D-1, PKG1-D-2

Design By		Reviewed By	
Checked By		Date	Mar. 2017
Drawing No.	PRG-19	Scale	H:1/1000 V:1/100
		Size	A1




LEGEND:

- ⊗ AIR VALVE
- ⊗ WASHOUT
- ENCASEMENT OF WATER/SEWER PIPELINES AT CLOSE TO SEWER LINES
- *SEE Drawing No.ST-14

NOTES:

Minimum depth of pipeline (top level) shall be 1.0m for Municipality Roads and 2.0m for MoPWH Roads



REVISIONS



No.	DESCRIPTION	BY	DATE

Consultant
TEC INTERNATIONAL CO., LTD., JAPAN
in association with
ARABTECH JARDANEH, JORDAN

Project Title
THE STUDY FOR BASIC DETAILED DESIGN AND
DRAFT BIDDING DOCUMENTS (COMPONENT B)
UNDER THE PROJECT FOR THE STUDY ON WATER
SECTOR FOR THE HOST COMMUNITIES OF SYRIAN
REFUGEES IN NORTHERN GOVERNORATES IN THE
HASHEMITE KINGDOM OF JORDAN

Drawing Title
GRAVITY SYSTEM
Profile of Line PKG1-E, PKG1-F


Design By		Reviewed By	
Checked By		Date	Mar. 2017
Drawing No.	PRG-20	Scale	H:1/1000 V:1/100
		Size	A1



- LEGEND:
- AIR VALVE
 - WASHOUT
 - ENCASEMENT OF WATER/SEWER PIPELINES AT CLOSE TO SEWER LINES
 - *SEE Drawing No.ST-14

NOTES:

Minimum depth of pipeline (top level) shall be 1.0m for Municipality Roads and 2.0m for MoPWH Roads






REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant
TEC INTERNATIONAL CO., LTD., JAPAN
in association with
ARABTECH JARDANEH, JORDAN


Project Title
THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN

Drawing Title
GRAVITY SYSTEM
Profile of Line PKG1-G from Sta. 0+565.00 to 1+530.00


Design By		Reviewed By	
Checked By		Date	Mar. 2017
Drawing No.	PRG-21	Scale	H:1/1000 V:1/100
		Size	A1




LEGEND:




AIR VALVE



WASHOUT



ENCASEMENT OF WATER/SEWER




PIPELINES AT CLOSE TO SEWER LINES

*SEE Drawing No.ST-14

NOTES:

Minimum depth of pipeline (top level) shall be 1.0m for Municipality Roads and 2.0m for MoPWH Roads



REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant

TEC INTERNATIONAL CO., LTD., JAPAN

in association with

ARABTECH JARDANEH, JORDAN

Project Title




THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN

Drawing Title

GRAVITY SYSTEM

Profile of Line PKG1-G from Sta.1+530.00 to 1+786.15 ,PKG1-H

Design By		Reviewed By	
Checked By		Date	Mar. 2017
Drawing No.	PRG-22	Scale	H:1/1000 V:1/100
		Size	A1



LEGEND:

AIR VALVE

WASHOUT


ENCASEMENT OF WATER/SEWER

PIPELINES AT CLOSE TO SEWER LINES

*SEE Drawing No.ST-14

NOTES:

Minimum depth of pipeline (top level) shall be 1.0m for Municipality Roads and 2.0m for MoPWH Roads



REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant

TEC INTERNATIONAL CO., LTD., JAPAN

in association with

ARABTECH JARDANEH, JORDAN

Project Title




THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN

Drawing Title





GRAVITY SYSTEM

Profile of Line PKG1-I, PKG1-J

Design By		Reviewed By	
Checked By		Date	Mar. 2017
Drawing No.	PRG-23	Scale	H:1/1000 V:1/100
		Size	A1




LEGEND:

-  AIR VALVE
-  WASHOUT
-  ENCASEMENT OF WATER/SEWER
-  PIPELINES AT CLOSE TO SEWER LINES
- *SEE Drawing No.ST-14

NOTES:

Minimum depth of pipeline (top level) shall be 1.0m for Municipality Roads and 2.0m for MoPWH Roads



REVISIONS			
No.	DESCRIPTION	BY	DATE
Consultant			
TEC INTERNATIONAL CO., LTD., JAPAN			
in association with			
ARABTECH JARDANEH, JORDAN			
Project Title			
THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN			
Drawing Title			
GRAVITY SYSTEM			
Profile of Line PKG1-K, PKG1-L, PKG1-M			
Design By		Reviewed By	
Checked By		Date	Mar. 2017
Drawing No.	PRG-24	Scale	H:1/1000 V:1/100
		Size	A1

DETAIL CONNECTIONS OF NEW PIPELINES WITH TWO DIFFERENT DIAMETERS

CONNECTIONS NO.	SYMBOLS	DETAIL	LIST OF (DI) FITTINGS REQUIRED	DETAIL	LIST OF (DI & PE) FITTINGS REQUIRED	DETAIL	LIST OF (PE)FITTINGS REQUIRED
			DN1 (DI) > DN2 (DI)		DN1 (DI) > DN2 (PE)		DN1 (PE) > DN2 (PE)
C1			EXTENDED PIPELINES 1 SOCKET REDUCER DN1/DN2		1 FLANGED SPIGOT DN2 1 SOCKET REDUCER DN1/DN2 1 ELECTRO FUSION FLANGED ADAPTOR DN2		1 ELECTRO FUSION REDUCER
C2			PERPENDICULAR PIPELINES 1 ALL FLANGED TEE DN1/DN2 1 FLANGED GATE VALVE DN1 1 FLANGED GATE VALVE DN2 1 FLANGED ADAPTER DN1	1 FLANGED ADAPTER DN2 1 FLANGED SOCKET DN1	1 ALL FLANGED TEE DN1/DN2 1 FLANGED GATE VALVE DN1 1 FLANGED GATE VALVE DN2 1 FLANGED ADAPTER DN1 1 ELECTRO FUSION FLANGED ADAPTER DN2 1 FLANGED SOCKET DN1		1 ELECTRO FUSION TEE DN1/DN2 1 FLANGED GATE VALVE DN1 1 FLANGED GATE VALVE DN2 2 ELECTRO FUSION FLANGED ADAPTER DN1 2 ELECTRO FUSION FLANGED ADAPTER DN2
C3			PERPENDICULAR PIPELINES 1 ALL FLANGED TEE DN1/DN2 1 FLANGED SOCKET DN1 2 FLANGED GATE VALVE DN2 2 FLANGED ADAPTER DN2 1 FLANGED REDUCER DN1/DN2		1 ALL FLANGED TEE DN1/DN2 1 FLANGED SOCKET DN1 2 FLANGED GATE VALVE DN2 2 ELECTRO FUSION FLANGED ADAPTER DN2 1 FLANGED REDUCER DN1/DN2		1 ELECTRO FUSION TEE DN1/DN2 2 FLANGED GATE VALVE DN2 4 ELECTRO FUSION FLANGED ADAPTER DN2 1 ELECTRO FUSION REDUCER DN1/DN2
C4			PERPENDICULAR PIPELINES 1 ALL FLANGED TEE DN1 1 FLANGED SOCKET DN1 1 FLANGED GATE VALVE DN1 1 FLANGED GATE VALVE DN2 1 FLANGED ADAPTER DN1	1 FLANGED ADAPTER DN2 1 FLANGED REDUCER DN1/DN2	1 ALL FLANGED TEE DN1 1 FLANGED SOCKET DN1 1 FLANGED GATE DN1 1 FLANGED GATE DN2 1 FLANGED ADAPTER DN1 1 REDUCER FLANGED DN1/DN2 1 ELECTRO FUSION FLANGED ADAPTER DN2		1 ELECTRO FUSION TEE DN1 1 FLANGED GATE VALVE DN1 1 FLANGED GATE VALVE DN2 2 ELECTRO FUSION FLANGED ADAPTER DN1 2 ELECTRO FUSION FLANGED ADAPTER DN2 1 ELECTRO FUSION REDUCER DN1/DN2
C5			PERPENDICULAR PIPELINES 1 ALL FLANGED TEE DN1 2 FLANGED REDUCER DN1/DN2 1 FLANGED SOCKET DN1 2 FLANGED GATE VALVE DN2 2 FLANGED ADAPTER DN2		1 ALL FLANGED TEE DN1 1 FLANGED SOCKET DN1 2 FLANGED REDUCER DN1/DN2 2 FLANGED GATE VALVE DN2 2 ELECTRO FUSION FLANGED ADAPTER DN2		1 ELECTRO FUSION TEE DN1 2 ELECTRO FUSION REDUCER DN1/DN2 2 FLANGED GATE VALVE DN2 4 ELECTRO FUSION FLANGED ADAPTER DN2

DETAIL CONNECTIONS OF NEW PIPELINES WITH EQUAL DIAMETERS

DETAIL NO.	SYMBOLS	DETAIL	LIST OF (DI) FITTINGS REQUIRED	DETAIL	LIST OF (DI & PE) FITTINGS REQUIRED	DETAIL	LIST OF (PE)FITTINGS REQUIRED
			DN1 (DI) = DN2 (DI)		DN1 (DI) = DN2 (PE)		DN1 (PE) = DN2 (PE)
C6			PERPENDICULAR PIPELINES 1 TEE ALL FLANGED DN 1 FLANGED SOCKET DN 2 FLANGED GATE VALVES DN 2 FLANGED ADAPTERS DN		1 ELECTRO FUSION TEE DN 2 FLANGED GATE VALVE DN 1 FLANGED SOCKET DN 5 ELECTRO FUSION FLANGED ADAPTER DN		1 ELECTRO FUSION TEE DN 2 FLANGED GATE VALVES DN 4 ELECTRO FUSION FLANGED ADAPTERS DN
C7			END POINT FOR DN :- 1 FLANGED SOCKET DN 1 BLIND FLANGE DN				1 ELECTRO FUSION END CAP

DETAIL CONNECTIONS OF NEW PIPELINES WITH THREE DIFFERENT DIAMETERS

DETAIL NO.	SYMBOLS	DETAIL	LIST OF (DI) FITTINGS REQUIRED	DETAIL	LIST OF (DI & PE) FITTINGS REQUIRED	DETAIL	LIST OF (PE)FITTINGS REQUIRED
			DN1(DI) > DN2 (DI) > DN3 (DI)		DN1(DI) > DN2 (DI) > DN3 (PE)		DN1(PE) > DN2 (PE) > DN3 (PE)
C8			PERPENDICULAR PIPELINES 1 TEE ALL FLANGED DN1/DN2 1 FLANGED SOCKET DN1 1 FLANGED GATE VALVE DN2 1 FLANGED GATE VALVE DN3 1 FLANGED ADAPTER DN2	1 FLANGED ADAPTER DN3 1 REDUCER FLANGED DN1/DN3	1 TEE ALL FLANGED DN1/DN2 1 FLANGED SOCKET DN1 1 FLANGED GATE VALVES DN2 1 FLANGED GATE VALVES DN3 1 FLANGED ADAPTER DN2 1 FLANGED REDUCER DN1/DN3 1 ELECTRO FUSION FLANGED ADAPTER DN3		1 ELECTRO FUSION TEE DN1/DN2 1 ELECTRO FUSION REDUCER DN1/DN2 2 ELECTRO FUSION FLANGED ADAPTER DN2 1 ELECTRO FUSION REDUCER DN1/DN3 1 FLANGED GATE VALVE DN3 2 ELECTRO FUSION FLANGED ADAPTER DN3
C9			PERPENDICULAR PIPELINES 1 TEE ALL FLANGED DN1 1 FLANGED SOCKET DN1 1 FLANGED GATE VALVE DN2 1 FLANGED GATE VALVE DN3 1 FLANGED ADAPTER DN2	1 FLANGED ADAPTER DN3 1 REDUCER FLANGED DN1/DN2 1 REDUCER FLANGED DN1/DN3	1 TEE ALL FLANGED DN1 1 FLANGED SOCKET DN1 1 FLANGED GATE VALVES DN2 1 FLANGED GATE VALVES DN3 1 FLANGED REDUCER DN1/DN2 1 FLANGED REDUCER DN1/DN3		1 ELECTRO FUSION TEE DN1 1 ELECTRO FUSION REDUCER DN1/DN2 1 ELECTRO FUSION REDUCER DN1/DN3 1 FLANGED GATE VALVE DN2 1 FLANGED GATE VALVE DN3 2 ELECTRO FUSION FLANGED ADAPTER DN2 2 ELECTRO FUSION FLANGED ADAPTER DN3

NOTES:

1 : FLANGED SPIGOT SHALL BE USED INSTEAD OF FLANGED SOCKET IF PIPE LAYING DIRECTION REQUIRES.

2 : ADDITIONAL ISOLATION VALVES AND/OR FLANGED ADAPTERS TO BE INSTALLED IF INSTRUCTED.

3 : IF UNFAVORABLE SITE CONDITION PREVAIL CONNECTION DETAILS MAY BE CHANGED WITH THE APPROVAL OF THE ENGINEER.

4 : IN CASE OF EXISTING PIPE OF (CI) SAME FITTINGS AS TO (DI) TO BE USED

5 : BUTTERFLY VALVE SHALL BE USED IN CASE OF DIAMETER MORE THAN 300mm.

REVISIONS			
No.	DESCRIPTION	BY	DATE
Consultant TEC INTERNATIONAL CO., LTD., JAPAN in association with ARABTECH JARDANEH, JORDAN			
Project Title THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN			
Drawing Title Standard Details Schedule of Connection Details			
Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	ST 01	Scale	N.T.S
		Size	A1

DETAIL CONNECTIONS OF EXISTING AND NEW PIPELINES

CONNECTIONS NO.	SYMBOLS	DN1 NEW LINE	DN2 EXISTING LINE	DETAILS	LIST OF FITTINGS REQUIRED	DETAILS	LIST OF FITTINGS REQUIRED
		PIPE MATERIAL	PIPE MATERIAL		DN1 = DN2		DN1 > DN2
C10		DI	DI		1 COUPLER DN1		1 FLANGE SOCKET DN1 1 FLANGED ADAPTER DN2 1 FLANGE REDUCER DN1/DN2
		PE	DI		1 ELECTRO FUSION FLANGED ADAPTER DN1 1 FLANGED ADAPTER DN2		1 ELECTRO FUSION REDUCER DN1/DN2 1 ELECTRO FUSION FLANGED ADAPTER DN2 1 FLANGED ADAPTER DN2
		DI	PE		1 FLANGE SOCKET DN1 1 ELECTRO FUSION FLANGED ADAPTER DN2		1 SOCKET REDUCER DN1/DN2 1 FLANGE SPIGOT DN2 1 ELECTRO FUSION FLANGED ADAPTER DN2
		PE	PE		1 ELECTRO FUSION COUPLER DN1		1 ELECTRO FUSION REDUCER DN1/DN2
		DI	DI		1 FLANGED GATE VALVE DN1 2 FLANGED ADAPTER DN1		
C11		DI	DI		1 ALL FLANGED TEE DN1 2 FLANGED ADAPTER DN1 1 FLANGED SOCKET DN1		1 ALL FLANGED TEE DN1 2 FLANGED ADAPTER DN2 2 FLANGE REDUCER DN1/DN2 1 FLANGED SOCKET DN1
		PE	DI		1 ALL FLANGED TEE DN2 2 FLANGED ADAPTER DN2 1 ELECTRO FUSION FLANGED ADAPTER DN1		1 ELECTRO FUSION TEE DN1 1 ELECTRO FUSION REDUCER DN1/DN2 2 FLANGED ADAPTER DN2 2 ELECTRO FUSION FLANGED ADAPTER DN2
		PE	PE		1 ELECTRO FUSION TEE DN1		1 ELECTRO FUSION TEE DN1 2 ELECTRO FUSION REDUCER DN1/DN2
		DI	PE		1 ELECTRO FUSION TEE WITH FLANGED BRANCH DN2 1 FLANGED ADAPTER DN1		1 ALL FLANGED TEE DN1 2 FLANGED REDUCER DN1/DN2 2 ELECTRO FUSION FLANGED ADAPTER DN2 1 FLANGED SOCKET DN1
C12		DI	DI		1 ALL FLANGED TEE DN1 2 FLANGED ADAPTER DN1 1 FLANGED SOCKET DN1		1 ALL FLANGED TEE DN1/DN2 1 FLANGED SOCKET DN1 2 FLANGED ADAPTER DN2 1 FLANGED REDUCER DN1/DN2
		DI	PE		1 ELECTRO FUSION TEE DN2 1 ELECTRO FUSION FLANGED ADAPTER DN2 1 FLANGED ADAPTER DN1		1 ALL FLANGED TEE DN1/DN2 2 ELECTRO FUSION FLANGED ADAPTER DN2 (PE) 1 FLANGED SOCKET DN1 1 FLANGED REDUCER DN1/DN2
		PE	DI		1 ALL FLANGED TEE DN2 2 FLANGED ADAPTER DN2 1 ELECTRO FUSION FLANGED ADAPTER DN1		1 ELECTRO FUSION TEE WITH FLANGED BRANCH DN1/DN2 1 ELECTRO FUSION REDUCER DN1/DN2 1 ELECTRO FUSION FLANGED ADAPTER DN1 2 FLANGED ADAPTER DN2
		PE	PE		1 ELECTRO FUSION TEE DN1		1 ELECTRO FUSION TEE DN1 2 ELECTRO FUSION REDUCER DN1/DN2

NOTES:

1 : FLANGED SPIGOT SHALL BE USED INSTEAD OF FLANGED SOCKET IF PIPE LAYING DIRECTION REQUIRES.


2 : ADDITIONAL ISOLATION VALVES AND/OR FLANGED ADAPTERS TO BE INSTALLED IF INSTRUCTED.

3 : IF UNFAVORABLE SITE CONDITION PREVAIL CONNECTION DETAILS MAY BE CHANGED WITH THE APPROVAL OF THE ENGINEER.


4 : IN CASE OF EXISTING PIPE OF (CI) SAME FITTINGS AS TO (DI) TO BE USED

5 : BUTTERFLY VALVE SHALL BE USED IN CASE OF DIAMETER MORE THAN 300mm.

REVISIONS			
No.	DESCRIPTION	BY	DATE
Consultant TEC INTERNATIONAL CO., LTD., JAPAN in association with ARABTECH JARDANEH, JORDAN			
Project Title THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN			
Drawing Title Standard Details Schedule of Connection Details			
Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	ST 02	Scale	N.T.S
		Size	A1




PLAN




SECTION A-A


CONNECTION CHAMBER DETAILS
BETWEEN DIAMETER $\leq 150\text{mm}$




PLAN



CONNECTION CHAMBER DETAILS
BETWEEN DIAMETER $\leq 400\text{mm}$



PLAN



CONNECTION CHAMBER DETAILS
BETWEEN DIAMETER $> 400\text{mm}$


NOTES:

*THRUST BLOCKS SIZE SHALL BE CALCULATED
BASED ON PIPE SIZE AND PRESSURE


*DESIGN OF THRUST BLOCK FOR DISCONNECTION SHALL BE SAME AS
THE THRUST BLOCK FOR GATE VALVES SHOWN IN Drawing N0.ST 15

*  AREA SHALL BE RESTORED LIKE IN PIPE CONSTRUCTION.


*BUTTERFLY VALVE for DISCONNECTION SHALL BE USED IN CASE OF
DIAMETER 300mm OR MORE.



DISCONNECTION TYPE1



DISCONNECTION TYPE 2



DISCONNECTION TYPE 3

DISCONNECTION DETAILS

NOTES:

1-ALL DIMENSIONS IN MILLIMETERS UNLESS OTHERWISE
STATED

2-ALL JOINTS BETWEEN PIPES&CONCRETE SHALL BE
WATER TIGHT

3-WHEN FRESH CONCRETE IS PLACED AGAINST A
HARDENED CONCRETE SURFACE, THE JOINT
BETWEEN THE TWO POURS IS CALLED A
CONSTRUCTION JOINT AND SHALL BE PROVIDED
WITH HEAVY DUTY WATER STOP 250mm WIDE.

4-CONCRETE AND REINFORCEMENT

-CONCRETE SHALL BE CLASS(I) FOR REINFORCED
CONCRETE.

-REINFORCEMENT SHALL BE DEFORMED HIGH YIELD
STEEL, 4200KG/CM2 YIELD STRESS.

5-ALL CONCRETE BASES SHALL HAVE BLINDING
CONCRETE POURED ON GROUND.


REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant
TEC INTERNATIONAL CO., LTD., JAPAN
in association with
ARABTECH JARDANEH, JORDAN


Project Title
THE STUDY FOR BASIC DETAILED DESIGN AND
DRAFT BIDDING DOCUMENTS (COMPONENT B)
UNDER THE PROJECT FOR THE STUDY ON WATER
SECTOR FOR THE HOST COMMUNITIES OF SYRIAN
REFUGEES IN NORTHERN GOVERNORATES IN THE
HASHEMITE KINGDOM OF JORDAN

Drawing Title
Standard Details
Connection Structural Chamber & Disconnection
Details

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	ST 03	Scale	N.T.S
		Size	A1



TOP PLAN



SECTION A-A

AIR VALVE IN ROADS FOR DI-MAIN LINES DN = 150mm

NOTES:

- 1-ALL DIMENSIONS IN MILLIMETERS UNLESS OTHERWISE STATED
- 2-ALL JOINTS BETWEEN PIPES&CONCRETE SHALL BE WATER TIGHT
- 3-WHEN FRESH CONCRETE IS PLACED AGAINST A HARDENED CONCRETE SURFACE, THE JOINT BETWEEN THE TWO POURS IS CALLED A CONSTRUCTION JOINT AND SHALL BE PROVIDED WITH HEAVY DUTY WATER STOP 250mm WIDE.
- 4-CONCRETE AND REINFORCEMENT
 - CONCRETE SHALL BE CLASS(I) FOR REINFORCED CONCRETE.
 - REINFORCEMENT SHALL BE DEFORMED HIGH YIELD STEEL, 4200KG/CM2 YIELD STRESS.
- 5-ALL CONCRETE BASES SHALL HAVE BLINDING CONCRETE POURED ON GROUND.

REVISIONS


No.	DESCRIPTION	BY	DATE

Consultant
TEC INTERNATIONAL CO., LTD., JAPAN
 in association with
ARABTECH JARDANEH, JORDAN

Project Title
 THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN


Drawing Title
Standard Details
Air Valve Chambers

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	ST 04	Scale	N.T.S
		Size	A1



PLAN

DI FRANGED PIPE
(100mm DIA FOR MAIN LINE DIA ≤ 400mm)
(150mm DIA FOR MAIN LINE DIA 500 OR 600 mm)




SECTION A-A

AIR VALVE CHAMBERS SCHEDULE


TYPE OF AIR VALVE	MAIN LINE DN IN mm	AIR VALVE DIA IN mm	CHAMBER SIZE	
			L IN mm	W IN mm
DOUBLE AIR VALVE	200	80	1500	1200
DOUBLE AIR VALVE	250	80	1500	1200
DOUBLE AIR VALVE	300	80	1600	1200
DOUBLE AIR VALVE	400	100	1600	1400

AIR VALVE CHAMBER FOR DI. MAIN LINES DN ≥ 200 & ≤ 400



PLAN

DI FRANGED PIPE
(100mm DIA FOR MAIN LINE DIA ≤ 400mm)
(150mm DIA FOR MAIN LINE DIA 500 OR 600 mm)



SECTION A-A

AIR VALVE CHAMBERS SCHEDULE

TYPE OF AIR VALVE	MAIN LINE DN IN mm	AIR VALVE DIA IN mm	CHAMBER SIZE	
			L IN mm	W IN mm
DOUBLE AIR VALVE	600	100	1700	1500
DOUBLE AIR VALVE	800	150	1700	1500
DOUBLE AIR VALVE	1000	200	1800	1800
DOUBLE AIR VALVE	1200	200	1900	2200

AIR VALVE CHAMBER FOR DI. MAIN LINES DN > 400

NOTES:

- 1-ALL DIMENSIONS IN MILLIMETERS UNLESS OTHERWISE STATED
- 2-ALL JOINTS BETWEEN PIPES&CONCRETE SHALL BE WATER TIGHT
- 3-WHEN FRESH CONCRETE IS PLACED AGAINST A HARDENED CONCRETE SURFACE, THE JOINT BETWEEN THE TWO POURS IS CALLED A CONSTRUCTION JOINT AND SHALL BE PROVIDED WITH HEAVY DUTY WATER STOP 250mm WIDE.
- 4-CONCRETE AND REINFORCEMENT
 - CONCRETE SHALL BE CLASS(I) FOR REINFORCED CONCRETE.
 - REINFORCEMENT SHALL BE DEFORMED HIGH YIELD STEEL, 4200KG/CM2 YIELD STRESS.
- 5-ALL CONCRETE BASES SHALL HAVE BLINDING CONCRETE POURED ON GROUND.
- 6-VENT PIPE SHALL BE INSTALLED IN APPROPRIATE PLACE OUT OF THE ASPHALTED ROAD.

REVISIONS



No.	DESCRIPTION	BY	DATE

Consultant
TEC INTERNATIONAL CO., LTD., JAPAN
in association with
ARABTECH JARDANEH, JORDAN

Project Title
THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN



Drawing Title
Standard Details
Air Valve Chambers

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	ST 05	Scale	N.T.S
		Size	A1



WASHOUT TYPE (1) CHAMBER DETAILS
FOR PIPES $\leq 200\text{mm}$

MAIN LINE IN mm	WASHOUT PIPE & VALVE DIAMETER IN mm
150	100
200	100



WASHOUT TYPE (2) CHAMBER DETAILS
 $200\text{mm} < \text{FOR PIPES} < 500\text{mm}$



WASHOUT VALVE CHAMBER SCHEDULE

PIPE DN IN mm	L IN mm	W IN mm	Z IN mm	WASHOUT PIPE & VALVE DIAMETER
300	1600	1400	500	150
400	1800	1400	500	150
250	1500	1300	500	150

NOTES:

- 1-ALL DIMENSIONS IN MILLIMETERS UNLESS OTHERWISE STATED
- 2-ALL JOINTS BETWEEN PIPES&CONCRETE SHALL BE WATER TIGHT
- 3-WHEN FRESH CONCRETE IS PLACED AGAINST A HARDENED CONCRETE SURFACE, THE JOINT BETWEEN THE TWO POURS IS CALLED A CONSTRUCTION JOINT AND SHALL BE PROVIDED WITH HEAVY DUTY WATER STOP 250mm WIDE.
- 4-CONCRETE AND REINFORCEMENT
 - CONCRETE SHALL BE CLASS(I) FOR REINFORCED CONCRETE.
 - REINFORCEMENT SHALL BE DEFORMED HIGH YIELD STEEL, 4200KG/CM2 YIELD STRESS.
- 5-ALL CONCRETE BASES SHALL HAVE BLINDING CONCRETE POURED ON GROUND.


REVISIONS			
No.	DESCRIPTION	BY	DATE
Consultant TEC INTERNATIONAL CO., LTD., JAPAN in association with ARABTECH JARDANEH, JORDAN			
Project Title THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN			
Drawing Title Standard Details Washout Chambers			
Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	ST 06	Scale	N.T.S
		Size	A1





WASHOUT TYPE (3) CHAMBER DETAILS
FOR DI PIPES $\geq 500\text{mm}$

WASHOUT VALVE CHAMBER SCHEDULE


PIPE DN IN mm	L IN mm	W IN mm	Z IN mm	ISOLATING VALVE TYPE	WASHOUT PIPE & VALVE DIAMETER
600	3320	2950	750	BUTTERFLY VALVE	200
800	3380	3215	800	BUTTERFLY VALVE	250
1000	4000	3580	900	BUTTERFLY VALVE	300
1200	4620	3900	1100	BUTTERFLY VALVE	300



WASHOUT DISCHARGE HEADWALL AND APRON DETAILS



WASHOUT COLLECTION
MANHOLE DETAILS



NOTES:

- 1-ALL DIMENSIONS IN MILLIMETERS UNLESS OTHERWISE STATED
- 2-ALL JOINTS BETWEEN PIPES&CONCRETE SHALL BE WATER TIGHT
- 3-WHEN FRESH CONCRETE IS PLACED AGAINST A HARDENED CONCRETE SURFACE, THE JOINT BETWEEN THE TWO POURS IS CALLED A CONSTRUCTION JOINT AND SHALL BE PROVIDED WITH HEAVY DUTY WATER STOP 250mm WIDE.
- 4-CONCRETE AND REINFORCEMENT
 - CONCRETE SHALL BE CLASS(I) FOR REINFORCED CONCRETE.
 - REINFORCEMENT SHALL BE DEFORMED HIGH YIELD STEEL, 4200KG/CM² YIELD STRESS.
- 5-ALL CONCRETE BASES SHALL HAVE BLINDING CONCRETE POURED ON GROUND.


REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant
TEC INTERNATIONAL CO., LTD., JAPAN
in association with
ARABTECH JARDANEH, JORDAN


Project Title
THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN

Drawing Title
**Standard Details
Washout Chambers**


Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	ST 07	Scale	N.T.S
		Size	A1



FIRE HYDRANT
TYPICAL INSTALLATION



GATE VALVE WITH SURFACE BOX DETAIL FOR DN100mm



PROTECTION ASSEMBLY
FRONT VIEW


* DEPENDS ON HYDRANT OUTLET

NOTES:


- 1-ALL DIMENSIONS IN MILLIMETERS UNLESS OTHERWISE STATED
- 2-ALL JOINTS BETWEEN PIPES&CONCRETE SHALL BE WATER TIGHT
- 3-WHEN FRESH CONCRETE IS PLACED AGAINST A HARDENED CONCRETE SURFACE, THE JOINT BETWEEN THE TWO POURS IS CALLED A CONSTRUCTION JOINT AND SHALL BE PROVIDED WITH HEAVY DUTY WATER STOP 250mm WIDE.
- 4-CONCRETE AND REINFORCEMENT
 - CONCRETE SHALL BE CLASS(I) FOR REINFORCED CONCRETE.
 - REINFORCEMENT SHALL BE DEFORMED HIGH YIELD STEEL, 4200KG/CM2 YIELD STRESS.
- 5-ALL CONCRETE BASES SHALL HAVE BLINDING CONCRETE POURED ON GROUND.

REVISIONS			
No.	DESCRIPTION	BY	DATE
Consultant			
TEC INTERNATIONAL CO., LTD., JAPAN			
in association with			
ARABTECH JARDANEH, JORDAN			
Project Title			
THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN			
Drawing Title			
Standard Details Fire Hydrant			
Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	ST 08	Scale	N.T.S
		Size	A1


Typical Trench Cross Sections Details within Irbid Municipality Roads




ALONG ROADS WITH ASPHALT SURFACE




FOR PIPES CROSSING ROADS WITH
ASPHALT SURFACE AT SKEW OR RIGHT ANGLES



IN NATURAL GROUND



ALONG STONE PAVED ROADS IN OLD CITY TILE AND PAVED SIDE WALKS




ALONG ROADS WITH DIRT/GRAVEL SURFACE

NOTES:

- 1 - TOTAL COVER FROM GROUND SURFACE TO TOP OF PIPE TO BE 1.0 m MINIMUM EXCEPT WHERE SHOWN OTHERWISE ON PROFILE.
- 2 - ALL DIMENSIONS IN MILLIMETERS EXCEPT MENTIONED OTHERWISE.
- 3 - WARNING TAPE WITH ALUMINIUM STRIP CONDUCTOR ON ALL TRANSMISSION PIPES (30 CM ABOVE PIPE CREST)
- 4 - IN GREATER MUNICIPALITY AREAS , THE CONTRACTOR SHALL COMPLY WITH THE LOCAL REQUIREMENTS (CONCRETE PROTECTION IN ROADS OF ANY SURFACE)
- 5 - THE CONTRACTOR SHALL COMPLY WITH THE REQUIREMENTS OF THE MINISTRY OF PUBLIC WORKS AND HOUSING IN RESPECT OF TRENCH BACKFILLING REQUIREMENTS IN ANY ROADS.
- 6 - WHERE PIPES CROSS MAIN ROADS, A TRENCHLEES INSTALLATION SHALL BE USED LIAISON REQUIRED WITH THE RELEVANT AUTHORITIES.


REVISIONS			
No.	DESCRIPTION	BY	DATE
Consultant			
TEC INTERNATIONAL CO., LTD., JAPAN			
in association with			
ARABTECH JARDANEH, JORDAN			
Project Title			
THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN			
Drawing Title			
Standard Details			
Typical Trench Cross Sections For Ductile Iron Pipes And Pe Dn ≥ 90			
Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	ST 09	Scale	1:10
		Size	A1

Typical Trench Cross Sections Details within Irbid Municipality Roads




ALONG ROADS WITH ASPHALT SURFACE

DN1 & DN2 > 200



IN NATURAL GROUND



TYPICAL CROSS SECTIONS FOR TWO PIPES IN ONE TRENCH

DN2 ≤ 200

NOTES:

- 1 - TOTAL COVER FROM GROUND SURFACE TO TOP OF PIPE TO BE 1.0 m MINIMUM EXCEPT WHERE SHOWN OTHERWISE ON PROFILE.
- 2 - ALL DIMENSIONS IN MILLIMETERS EXCEPT MENTIONED OTHERWISE.
- 3 - WARNING TAPE WITH ALUMINIUM STRIP CONDUCTOR ON ALL TRANSMISSION PIPES (30 CM ABOVE PIPE CREST)
- 4 - IN GREATER MUNICIPALITY AREAS , THE CONTRACTOR SHALL COMPLY WITH THE LOCAL REQUIREMENTS (CONCRETE PROTECTION IN ROADS OF ANY SURFACE)
- 5 - THE CONTRACTOR SHALL COMPLY WITH THE REQUIREMENTS OF THE MINISTRY OF PUBLIC WORKS AND HOUSING IN RESPECT OF TRENCH BACKFILLING REQUIREMENTS IN ANY ROADS.
- 6 - WHERE PIPES CROSS MAIN ROADS, A TRENCHLEES INSTALLATION SHALL BE USED LIAISON REQUIRED WITH THE RELEVANT AUTHORITIES.

REVISIONS			
No.	DESCRIPTION	BY	DATE


Consultant
TEC INTERNATIONAL CO., LTD., JAPAN
in association with
ARABTECH JARDANEH, JORDAN

Project Title
THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN


Drawing Title
Standard Details
Typical Cross Sections For Two Ductile Iron Pipes In One Trench

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	ST 10	Scale	1:10
		Size	A1

Typical Trench Cross Sections Details within MoPHW Roads



CROSS SECTION OF PIPELINE CROSSING THE ROAD



CROSS SECTION OF PIPELINE ALONG THE ROAD

NOTES:

1. DIMENSIONS
ALL DIMENSIONS ARE IN MILLIMETERS UNLESS NOTED OTHERWISE

2. CONCRETE AND REINFORCEMENT
CONCRETE SHALL BE CLASS (30) FOR REINFORCED CONCRETE
AND FOR BENCHING, HAUNCHING ETC.
REINFORCEMENT SHALL BE DEFORMED HIGH YIELD STEEL,
4200kg/cm² YIELD STRESS.

3. THE SHOWN REINSTATEMENT WORKS ARE THE MINIMUM REQUIREMENTS. HOWEVER, THE CONTRACTOR SHALL RESTORE ALL REMOVED PAVEMENTS, SIDEWALKS, AND CURBING AND REPLACE THEM IN THE SAME ORIGINAL SEQUENCE OF LAYERS.


REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant
TEC INTERNATIONAL CO., LTD., JAPAN
in association with
ARABTECH JARDANEH, JORDAN


Project Title	THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN
---------------	---

Drawing Title
Standard Details
Cross Section For Road Crossing Pipeline

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	ST 11	Scale	N.T.S
			Size A1




PLAN




SECTION A-A

ELECTRO MAGNETIC FLOW METER



PLAN



SECTION A-A

FLOW CONTROL VALVE


REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant
TEC INTERNATIONAL CO., LTD., JAPAN
 in association with
ARABTECH JARDANEH, JORDAN


Project Title
 THE STUDY FOR BASIC DETAILED DESIGN AND
 DRAFT BIDDING DOCUMENTS (COMPONENT B)
 UNDER THE PROJECT FOR THE STUDY ON WATER
 SECTOR FOR THE HOST COMMUNITIES OF SYRIAN
 REFUGEES IN NORTHERN GOVERNORATES IN THE
 HASHEMITE KINGDOM OF JORDAN

Drawing Title
Standard Details
Electro Magnetic Flow Meter & Flow Control
Valve

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	ST 12	Scale	N.T.S
		Size	A1



PLAN



SECTION A-A

PRESSURE REDUCING VALVE

DMA	DN1	DN2	PRESSURE SETTING (m)	FLOW L/s
GR-02	300	250	50	85.45
GR-03	400	350	60	197.28
GR-07	400	350	80	187.85

REVISIONS


No.	DESCRIPTION	BY	DATE

Consultant
TEC INTERNATIONAL CO., LTD., JAPAN
 in association with
ARABTECH JARDANEH, JORDAN


Project Title
 THE STUDY FOR BASIC DETAILED DESIGN AND
 DRAFT BIDDING DOCUMENTS (COMPONENT B)
 UNDER THE PROJECT FOR THE STUDY ON WATER
 SECTOR FOR THE HOST COMMUNITIES OF SYRIAN
 REFUGEES IN NORTHERN GOVERNORATES IN THE
 HASHEMITE KINGDOM OF JORDAN

Drawing Title
Standard Details
Pressure Reducing Station Valve


Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	ST 13	Scale	N.T.S
		Size	A1



PIPE ENCASEMENT DETAILS




LONGITUDINAL SECTION



SECTION A-A


CONCRETE ENCASEMENT AND WADI CROSSING DETAILS

TOP VIEW
TYPICAL DETAILS - PIPE INSTALLATION ON STEEP SLOPE






LONGITUDINAL SECTION

INSTALLATION OF VERTICAL BEND




WATER LINE CROSSING BELOW SEWERS




Note: In case $X < 0.5\text{m}$ depending on site condition, encasement of water pipe is necessary.

WATER LINE IN PARALLEL TO SEWER LINE



WATER LINE CROSSING OVER SEWERS





Note: In case $X < 0.5\text{m}$ depending on site condition, encasement of sewer pipe is necessary.

CONCRETE ENCASEMENT OF WATER/SEWER PIPELINES AT CLOSE TO SEWER LINES



REVISIONS			
No.	DESCRIPTION	BY	DATE
Consultant TEC INTERNATIONAL CO., LTD., JAPAN in association with ARABTECH JARDANEH, JORDAN			
Project Title THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN			
Drawing Title Standard Details Installation Of Di Pipes On Slope And Crossing Sewer Line			
Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	ST 14	Scale	N.T.S
		Size	A1

DIMENSIONS OF THRUST BLOCKS FOR PIPE BENDS AND TEES BASED ON TEST PRESSURE OF 16 BAR AND SOIL BEARING CAPACITY OF 10N/cm ²															
DIAMETER	90 ° BENDS			45° BENDS			30 ° BENDS			22.5 ° BENDS			11.25 ° BENDS		
	Width A [m]	Height H [m]	Length B [m]	Width A [m]	Height H [m]	Length B [m]	Width A [m]	Height H [m]	Length B [m]	Width A [m]	Height H [m]	Length B [m]	Width A [m]	Height H [m]	Length B [m]
DN100	0.51	0.33	0.28	0.36	0.25	0.19	0.28	0.22	0.14	0.23	0.20	0.11	0.13	0.18	0.06
DN150	0.77	0.49	0.41	0.54	0.38	0.28	0.42	0.33	0.21	0.34	0.30	0.17	0.20	0.26	0.08
DN200	1.03	0.65	0.55	0.72	0.50	0.38	0.55	0.44	0.28	0.46	0.40	0.22	0.26	0.35	0.11
DN250	1.28	0.81	0.69	0.90	0.63	0.47	0.69	0.55	0.35	0.57	0.50	0.28	0.33	0.44	0.14
DN300	1.54	0.98	0.83	1.08	0.75	0.56	0.83	0.66	0.42	0.69	0.60	0.34	0.40	0.53	0.17
DN400	2.05	1.30	1.10	1.44	1	0.75	1.11	0.88	0.56	0.92	0.80	0.45	0.53	0.70	0.22
DN500	2.56	1.63	1.38	1.80	1.25	0.94	1.39	1.10	0.70	1.15	1	0.56	0.66	0.88	0.28
DN600	3.08	1.95	1.65	2.16	1.50	1.13	1.66	1.32	0.84	1.38	1.20	0.67	0.79	1.05	0.34
DN700	3.59	2.28	1.93	2.52	1.75	1.32	1.94	1.54	0.98	1.61	1.40	0.79	0.92	1.23	0.39
DN800	4.10	2.60	2.21	2.89	2	1.50	2.22	1.76	1.12	1.84	1.60	0.90	1.06	1.40	0.45
DN900	4.61	2.93	2.48	3.25	2.25	1.69	2.49	1.98	1.26	2.07	1.80	1.01	1.19	1.58	0.50
DN1000	5.13	3.25	2.76	3.61	2.50	1.88	2.77	2.20	1.40	2.30	2	1.12	1.32	1.75	0.56
DN1200	6.15	3.90	3.31	4.33	3	2.26	3.33	2.64	1.68	2.76	2.40	1.35	1.58	2.10	0.67


DIMENSIONS OF THRUST BLOCKS FOR REDUCERS BASED ON TEST PRESSURE OF 16 BAR AND SOIL BEARING CAPACITY OF 10 N/cm ²				
LARGE DIAMETER	SMALL DIAMETER	WIDTH A (m)	HIGHT H (m)	LENGTH B (m)
1200	1000	0.80	3	1.86
1000	900	0.60	2.50	1.42
900	700	0.60	3.15	1.67
700	600	0.60	2.45	1.24
600	400	0.60	2.40	1.71
500	400	0.55	2	1.19
400	300	0.40	1.60	1.26
400	250	0.40	2	1.42
300	250	0.30	1.50	0.78
300	200	0.30	1.50	1.21
300	150	0.30	1.50	1.64
200	150	0.30	1	0.89
200	100	0.30	1	1.53
150	100	0.20	0.75	1.05




THRUST BLOCK FOR GATE VALVES DN ≤ 200




THRUST BLOCK FOR REDUCER




THRUST BLOCK
FOR 22 1/2° & 11 1/4° BENDS




THRUST BLOCK
FOR TEE




SECTION
THRUST BLOCK FOR BEND OR TEE




THRUST BLOCK
FOR 45° BEND.




THRUST BLOCK
FOR 90° BEND.



3D VIEW
THRUST BLOCK FOR BENDS



3D VIEW
THRUST BLOCK FOR TEE





3D VIEW
THRUST BLOCK FOR REDUCER

NOTES:

- GENERALLY THRUST BLOCK SHALL ENCASE THE REDUCER FITTING.
- IN CASE THE LENGTH OF REDUCER IS TOO SHORT, THE THRUST BLOCK MUST BE PLACED ON THE PIPELINE WITH REDUCED.
- ALL THRUST BLOCKS TO BE CONCRETE C25/30
- IN CASE SITE CONDITION DON'T ALLOW INSTALLATION OF THRUST BLOCK, ANCHORED SOCKET (TIED JOINTS) PIPE MAY BE USED INSTEAD. THE LENGTH OF ANCHORED SOCKET ARE TO BE DETERMINED ACCORDING TO PRESSURE AND SOIL CONDITION AND APPROVED BY ENGINEER .
- ALL DIMENSIONS IN METRES EXCEPT MENTIONED OTHERWISE .
- REINFORCEMENT SPACING IN mm .

REVISIONS			
No.	DESCRIPTION	BY	DATE
Consultant TEC INTERNATIONAL CO., LTD., JAPAN in association with ARABTECH JARDANEH, JORDAN			
Project Title THE STUDY FOR BASIC DETAILED DESIGN AND DRAFT BIDDING DOCUMENTS (COMPONENT B) UNDER THE PROJECT FOR THE STUDY ON WATER SECTOR FOR THE HOST COMMUNITIES OF SYRIAN REFUGEES IN NORTHERN GOVERNORATES IN THE HASHEMITE KINGDOM OF JORDAN			
Drawing Title Standard Details Thrust Blocks For Pipe Line Installation			
Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	ST 15	Scale	N.T.S
		Size	A1



REVISIONS			
No.	DESCRIPTION	BY	DATE

Consultant
TEC INTERNATIONAL CO., LTD., JAPAN
in association with
ARABTECH JARDANEH, JORDAN

Project Title
THE STUDY FOR BASIC DETAILED DESIGN AND
DRAFT BIDDING DOCUMENTS (COMPONENT B)
UNDER THE PROJECT FOR THE STUDY ON WATER
SECTOR FOR THE HOST COMMUNITIES OF SYRIAN
REFUGEES IN NORTHERN GOVERNORATES IN THE
HASHIMITE KINGDOM OF JORDAN

Drawing Title
**Zebdat Reservoir
Connection Details**

Design By		Reviewed By	
Checked By		Date	Mar.2017
Drawing No.	ST 16	Scale	N.T.S
		Size	A1